
Computers& Electronics

FEBRUARY 1983

formerly Popular Electronics

\$1.25

A Programmable, High-Accuracy Function Generator
The New Briefcase Portable Computers
Measuring Biofeedback Levels on a Microcomputer





VHS

To get the most from today's row VCRs, we created the Super new tape we ever made. Full mate tape we ever for the ultimate High Grade For the ultimate High Grade. For the ultimate High Grade. For the ultimate
in slow-speed and stop-action
in slow-speed and edible riche
in slow-speed and home the
performance, as well as Bring Home the
ness of color and detail. Bring Home
excitement and see for yourself. IF IT'S WORTH TAPING, IT'S WORTH FUJI.

FUJI SHG. THE FIRST AND FINEST.

© 1982 Fuji Photo Film U.S.A., Inc., Magnetic Tape Division, 350 Fifth Avenue, NY, NY 10118

There are five good reasons to buy the new HP-86.

And they're all solutions.

 Spreadsheet analysis solutions.

· Letter, memo, and report solutions.

· Information management solutions. • Presentation graphics solutions. • Data communications solutions.

If you need



more, check out our 600-page Software Catalog, for everything from accounting and finance to electrical engineering.

Put that together with the modular configuration of the HP-86, and vou've got a machine designed to expand as your needs expand.

And 500 good reasons to buy it

SAVE \$500 on software with our three-for-one software sale through February 28. WORD/80

Our Personal Productivity Pac includes VisiCalc® HEWLETT-PACKARD VisiCalc*PLUS HP-86/87 PLUS, WORD /80, and FILE/80. It's a \$750 value (suggested retail price), for only \$250*

VisiCalc® PLUS is a powerful analytical tool for making quick work of worksheets. And once you do your "what-if" planning, you can turn the result into graphics immediately. (That's the PLUS.)

WORD/80 software lets you create, type, print, lay out, reproduce, and store memos, letters, and reports.

FILE/80 software lets you store and

retrieve information quickly, add to your records, delete or modify them, and maintain

lists easily. Without paperwork.

All in all, this is an offer designed to meet your essential software needs. And it's the perfect complement to the new HP-86, a personal computer we're really proud of.

Ask your dealer or sales rep about the Personal Productivity Pac, and do some serious comparison shopping.

We're so convinced you'll prefer the HP-86, the software offer stands. Whether or not you buy the computer.

For the authorized HP dealer or HP sales office nearest you, call TOLL-FREE 800-547-3400 (Oregon, Alaska, Hawaii: 503-758-1010).

TTY users with hearing or speech impairments, dial 503-758-5566.

VisiCalc is a registered trademark of VisiCorp. *Suggested retail price. May vary outside U.S.

For professionals on the move.

FILE/80

CIRCLE NO. 54 ON FREE INFORMATION CARD

Personal

Productivity Pac

A \$750 value for \$250.



WHEN WE ANNOUNCED THE COMMODORE 64 FOR \$595, OUR COMPETITORS SAID WE COULDN'T DO IT.

THAT'S BECAUSE THEY COULDN'T DO IT.

The reason is that, unlike our competitors, we make our own IC chips. *Plus* all the parts of the computer they go into.

So Commodore can get more advanced computers to market sooner than anybody else. And we can get them there for a lot less money.

WHAT PRICE POWER?

For your \$595,* the Commodore 64™ gives you a built-in user memory of 64K. This is hundreds of dollars less than computers of comparable power.

Lest you think that the Commodore 64 is some stripped-down loss leader, a look at its available peripherals and interfaces will quickly convince you otherwise.

SOFTWARE THAT WORKS HARD.

The supply of software for the Commodore 64 will be extensive. And with the optional plug-in Z80 microprocessor, the Commodore 64 can accommodate the enormous amount of software available in CP/M.®

Add in the number of programs available in BASIC and you'll find that there are virtually no applications, from word processing to spreadsheets, that the Commodore 64 can't handle with the greatest of ease.

PERIPHERALS WITH VISION.

The Commodore 64 interfaces with all the peripherals you could want for total personal computing: disk drives, printers and a telephone modem that's about \$100, including a free hour's access to some of the more popular computer information services. Including Commodore's own Information Network for users.

RUN YOUR BUSINESS BY DAY. SAVE THE EARTH BY NIGHT.

At the end of a business day, the


Commodore 64 can go into your briefcase and ride home with you for an evening's fun and games.

Because of its superior video quality (320x200 pixel resolution, 16 available colors and 3D Sprite graphics), the Commodore 64 surpasses the best of the video game machines on the market. Yet, because it's such a powerful computer, it allows you to invent game programs that a game machine will never be able to play; as well as enjoy Commodore's own video game cartridges.

ATTACK, DECAY, SUSTAIN, RELEASE.

If you're a musicologist, you already know what an ADSR (attack, decay, sustain, release) envelope is. If you're not, you can learn this and much more about music with the Commodore 64's music synthesizing features.

It's a full-scale compositional tool. Besides a programmable ADSR envelope generator, it has 3 voices (each with a 9-octave range) and 4 waveforms for truly sophisticated composition and playback—through your home audio system, if you



wish. It has sound quality you'll find only on separate, music-only synthesizers. And graphics and storage ability you won't find on any separate synthesizer.

DON'T WAIT.

The predictable effect of advanced technology is that it produces less expensive, more capable products the longer you wait.

If you've been waiting for this to happen to

personal computers, your wait is over.

See the Commodore 64 soon at your local Commodore Computer dealer and compare it with the best the competition has to offer.

You can bet that's what the competition will e doing.

be doing.	
Commodore Busines Personal Systems Di P.O. Box 500, Consh	
Please send me more	e information on the Commodore 64™
Name	Title
Company	Wide discussion of the second
Address	
City	State
Zip	Phone
Cre	ommodore OMPUTER
	CF-2

*Manufacturer's Suggested Retail Price: July 1, 1982. Disk drives and printers are not included in prices. The 64's price may change without notice. CP/M® is a registered trademark of Digital Research, Inc.

Computers&Electronics

FEBRUARY 1983

VOLUME 21, NUMBER 2

FEATURE ARTICLES

NEW BRIEFCASE COMPUTERS
COMBINE POWER & VERSATILITY

Stan Veit/Epson's HX-20 and Hewlett Packard's HP-75C are examined.

74 ROBOTIC ARMS/Leslie Solomon

CONSTRUCTION ARTICLES

TALK CAN BE CHEAP

39 Larry Dighera/Interface connects a Sinclair/Timex computer to a "Speak and Spell."

MAGNIFY YOUR CALCULATOR'S DISPLAY
Lawrence G. Souder/Add large, separate displays to your calculator.

68 A BROADCAST-BAND NOTCH FILTER

76 WHAT'S YOUR TENSENESS LEVEL
Jim Barbarello/Monitor your tenseness level with a "Biobox."

85 A PROGRAMMABLE FUNCTION GENERATOR
Gary M. McClellan/Produces sine/square/triangle signals.

95 BUILD THE INTELLIGENT THERMOMETER
Tom Fox/Part 2. A microprocessor-controlled temperature analyzer.

EQUIPMENT REVIEWS

22 LUXMAN MODEL RX-103 AM/FM STEREO RECEIVER

104 RCA MODEL 2023S 25" COLOR TV

COLUMNS

18 ENTERTAINMENT ELECTRONICS/Len Feldman
Better TV Pictures With Comb Filters.



25 LES SOLOMON ON COMPUTER HARDWARE Mixing and Matching Inputs/Outputs.

32 STAN VEIT ON COMPUTER SOFTWARE
Micro Mainframes Must Have Humongous Memories.

70 COMPUTER VIDEO GAMES

72 **PROGRAMMER'S NOTEBOOK**/Jim Keogh Designing Subroutines For a Board Game.

102 COMPUTER HOTLINE

110 SOLID-STATE DEVELOPMENTS/Forrest M. Mims Flash Analog/Digital Converters Come of Age.

113 EXPERIMENTER'S CORNER/Forrest M. Mims Experimenting With a Low-Cost Fiber-Optic Link.

118 PROJECT OF THE MONTH/Forrest M. Mims A Photonic Door and Window Intrusion Alarm.

DEPARTMENTS

6 EDITORIAL/Art Salsberg Beyond Pac-Man.

7 LETTERS


12 NEW PRODUCTS

119 OPERATION ASSIST

120 ADVERTISERS' INDEX

COVER PHOTO BY JAY BRENNER

COPYRIGHT © 1983 BY ZIFF-DAVIS PUBLISHING COMPANY. All rights reserved. Computers & Electronics (ISSN 0032-4485) February 1983, Volume 21, Number 2. Published monthly by Ziff-Davis Publishing Co., at One Park Ave., New York, NY 10016. Richard P. Friese, President; Selwyn Taubman, Treasurer; Bertram A. Abrams, Secretary. One year subscription rate for U.S. and Possessions, \$15.97; Canada, \$20.97; all other countries, \$23.97 (cash orders only, payable in U.S. currency). Second Class Postage Paid at New York, NY. 10016 and at additional mailing offices. Authorized as second class mail by the Post Office Dept., Ottawa, Canada, and for payment of postage in cash. POPULAR ELECTRONICS including ELECTRONICS WORLD trademark registered. Indexed in the Reader's Guide to Periodical Literature. Ziff-Davis also publishes Boating, Car and Driver, Cycle, Flying, Popular Photography, Skiing, Stereo Review, Electronic Experimenter's Handbook, and Tape Recording & Buying Guide. POSTMASTER: Send address changes to COMPUTERS & ELECTRONICS. Circulation Dept. P.O. Box 2774, Boulder, CO 80302. Please allow at least eight weeks for change of address, enclosing, if possible, an address label from a recent issue. Permissions. Material in this publication may not be reproduced in any form without permission. Requests for permission should be directed to John Babcock, Rights and Permissions. Ziff-Davis Publishing Co., One Park Ave., New York, NY 10016.



If you just bought another computer, boy are you gonna be sorry.

Epson.

The new Epson QX-10 is unlike any personal computer you've ever seen. It's a computer for people who don't have the time to learn computers; a computer you can be using within minutes.

And fortunately, you don't have to take our word for it. Here's how *Byte*, one of the computer industry's most prestigious magazines, describes the QX-10.

The first anybody-can-use-it computer. "The Epson QX-10 (is) a computer for less than \$3000 that may well be the first of a new breed of anybody-can-use-it 'appliance' computers ... In addition to being a highly integrated word processing/computer system that offers as much usable processing power as almost any existing microcomputer, the QX-10 ... system is designed to be used by people with minimal technical knowledge. We've certainly heard that claim before, but Epson has delivered on this promise in a way and to an extent that no microcomputer manufacturer has done."

That's nice to hear from a magazine like *Byte*, of course, but it doesn't surprise us. It's just what we intended the QX-10 to be all along.

More computer. Less money.

But useability isn't the only thing the QX-10 has going for it. As *Byte* says, "the QX-10 gives you a great deal for your money.

"Help is available at any time through the HASCI (Human Application Standard Computer Interface) keyboard Help key... Text can be entered at any time just as you would in a conventional word processor. The Calc key turns the system into a basic

4-function calculator. Graphics can be created via the Draw key. The Sched (schedule) key gives you access to a computer-kept appointment book, a built-in clock/timer/alarm, and an event scheduler."

Advanced hardware for advanced software.


As for hardware, *Popular Computing*, another industry leader, says: "The QX-10 includes...a number of advanced hardware features... The basic components of the system are a detachable keyboard, a high resolution monochrome display, and a system unit containing two 5½ inch disk drives. The drives use double-sided, double-density disks (340K bytes per disk) and are amazingly compact ... The QX-10 uses an 8-bit Z80A microprocessor. The system contains 256 bytes of RAM. Some of the RAM is ... battery powered ... which lets the computer retain information when the power is off."

You won't have to wait much longer.

The new Epson QX-10 may very well be the computer you've been waiting for. And fortunately, you won't have to wait much longer — it will be appearing soon in computer stores all across the country. In the meantime, write Epson at 3415 Kashiwa Street, Torrance, CA 90505, or call (213) 539-9140. We'll be happy to send you copies of our reviews.

After all, as *Popular Computing* puts it, the QX-10 will "do for computing what the Model T did for transportation."

And we couldn't have said it better ourselves.





3415 Kashiwa Street Torrance, California 90505 (213) 539-9140 CIRCLE NO. 25 ON FREE INFORMATION CARD

DITORIAL



Beyond Pac-Man

I was both amused and distressed to read a light-hearted article in TV Guide (Oct. 9, 1982) relating to home computers and belittling the usefulness of small computers. The author wrote about how 600,000 families spent lots of money and hundreds of hours this past year performing the simplest tasks on computers that are ". . . substitutes for a \$10 calculator." He concluded with a list of what American families actually do with their computers: Play Pac-Man.

Obviously this is far from the truth, though there are likely many people who do not make satisfactory use of their personal computers. Regrettably, I thought, the technically unwashed millions who read the story may wholly believe him and, as a result, not give themselves and their families an opportunity to become computer-literate. Moreover, I hoped that the author, with whom I shared sushi and other delectables while in Tokyo, did not live out his story line and had the good sense to save writing time and money by composing his article on a computer that has word-processing facilities. Unfortunately, this and other marvelous computer functions were unmentioned in his article.

Mulling over his words some time later, I came to the conclusion that his well-written piece was a wonderful half-article. Aside from the failure to note the many rewarding applications of computers, as well as their educational and other possible benefits, the author missed an opportunity to take the computer industry to task for not producing machines and software for people who are not oriented toward using technical devices.

He could have mentioned people-oriented software such as Valdocs and Lotus 1-2-3, and the new generation of hardware and software coming up that makes computers more people-literate rather than forcing people to become computer-literate. After all, everybody is not psychologically equipped or motivated to learn programming and electronics, or to battle through language barriers and mechanical requirements such as pressing CONTROL and A keys simultaneously to stop a machine. Even readers of special-interest publications such as ours, which has the largest circulation of all in the field, would doubtlessly welcome computers and software that are truly user-friendly. Who needs unnecessary hassles?

Programming for nonprogrammers is not a new force, either. QBE (Query by Example), a language derived by IBM, has been in use since 1978 for users with no programming know-how to work with data bases. IBM's OBE (Office Procedures by Example) uses the same approach for word processing, graphics, and other applications. And Xerox has developed "Smalltalk," which is reputed to be a powerful, flexible language that should be simple for novices to use when canned software for it becomes available.

Recognizing the importance of computers in the typical student's future, some colleges have embarked on a new program that is most interesting. Just as a student must buy textbooks, they have made it compulsory for students to buy a personal computer and pay for it as part of tuition over four years. Clarkson College of Technology, Potsdam, NY, for example, announced that it will issue Zenith personal computers to its 1000 freshmen this year, charging \$200 per semester and a one-time \$200 maintenance deposit. At the end of four years, title to the computer would pass to the student. Languages available will be BASIC, Fortran, and Pascal, and a spreadsheet software program for financial analysis will be supplied. A word-processing system developed at the college, called "Galahad," will also be used. And networking schemes are being explored. Similarly, Apple, Radio Shack, Commodore, TI, and IBM machines are being implemented in colleges around the country.

Clarkson's president, Robert Plane, observed: "I am convinced that Carl Sagan is correct in predicting that the next development in human intelligence will be a partnership between intelligent humans and intelligent machines."

Clearly, there's more than Pac-Man in the future of American families.

rt Salaberg

Computers&Electronics

ARTHUR P. SALSBERG

Editorial Director

JOE MESICS

LESLIE SOLOMON

JOHN R. RIGGS

EDWARD I. BUXBAUM

JOSEPH DESPOSITO Technical Edi

STANLEY VEIT

DAVID M. WEBER

ANDRE DUZANT

CARMEN ROBLES

JEFF NEWMAN

Contributing Editors. Walter Buchsbaum, Len Feldman, Glenn Hauser, Julian Hirsch Jim Keogh, Forrest Mims

MARIE MAESTRI

formerly Popular Electronics

Editorial and Executive Offices One Park Avenue New York, New York 10016 212 725-3500

New York Office Advertising Director: Richard Govatski 212 725-7460

Tom Ballou 212 725-3578 Ken Lipka 212 725-3580

Midwestern Office Suite 1400, 180 N. Michigan Ave., Chicago, IL 60601 312 346-2600 Sales: Robert Vanek

Western Office 3460 Wilshire Blvd. Los Angeles, CA 90010 213 387-2100 Sales: Ted Welch

Representation in Japan Iwai Trading Co., Ltd. 603 Ginza Sky Heights Bldg. 18-13, Ginza 7-Chome Tokyo, Japan 104

Ziff-Davis Publishing Company

Richard P. Friese Albert S. Traina

President President, Consumer

Magazine Division Furman Hebb **Executive Vice President** Phillip T. Heffernan Senior Vice Presidents

Sidney Holtz Edward D. Muhlfeld

Philip Sine Robert Bavier

Vice Presidents

Paul H. Chook Baird Davis George Morrissey

Selwyn Taubman Bertram A. Abrams

Treasurer Secretary

Editorial correspondence: COMPUTERS & ELECTRONICS, 1 Park Ave., New York, NY 10016. Editorial contributions must be accompanied by return postage and will be handled with reasonable care; however, publisher assumes no responsibility for return or safety of manuscripts, art work, or models submitted.

The publisher has no knowledge of any proprietary rights which will be violated by the making or using of any items disclosed in this issue.







LETTERS

AERO DATA

In your October 1982 issue, the article "Communications Networks for Computers" had people looking for us under the name Aero Net. The name is actually Aero Data. It is one service of our company, Commercial Data Banks Inc.—Nicholas Ashton, Titusville, FL.

MAKING PLUG-INS UNIVERSAL

The plug-in circuit "This Is Your Computer Speaking" (September, 1982) is an example of a problem I find with many computer circuits published-it will work with only one system (S-100, in this case). Perhaps it would be possible to describe a computer plug-in in terms of a "kernel" circuit and then describe several interface circuits to it and different types of systems. —David Wiggins, New Orleans, LA.

It would indeed be good if all plug-ins worked with all computers. Unfortunately, most design approaches are implemented to meet a challenge for a particular computer. Our December 1982 issue, however, did introduce a "universal" synthesizer for use with RS232C ports. Parallel interfaces for various computers will be published in the future.—Ed.

GIVING PROPER CREDIT

For the article "Carpenter's De-'Light'" (December 1982, p. 82), the name of Robert Romano should have been listed as an author in addition to mine. Also, the polarity of the battery should be reversed. -Arthur L. Plevy, Edison, NJ.

OUT OF TUNE

In "Memory Storage the Megabyte Way" (December 1982), the price of SyQuest Technology's SQ306 hard disk drive should have been \$800 and the price of the removable cartridges is \$50.

In "Printing Computer Graphics" (November 1982), in Table IV, lines 10 and 30 for the Apple II with Applesoft BASIC should contain a greater-than sign before 127. In Table I, the Heath H25 printer is listed as capable of bit-image graphics, but only has character graphics.



MASTER THE "NEW ELECTRONICS" WITH McGRAW-HILL'S

Contemporary



Now you can meet the challenges of today's incredibly rapid changes in electronics quickly and easily. This professional level electronics learning series is as innovative as the circuitry it explains and as fascinating as the experiments you build and explore!

From digital logic to the latest 16-bit microprocessor, you master one subject at a time with McGraw-Hill Concept Modules sent to you one at a time, once a month, to make up the complete CONTEMPORARY ELECTRONICS SERIES. Each module of the fifteen in the Series is a unique blend of "hands-on" experience, interactive audio cassettes, and vividly illustrated printed support materials. Together they will prepare you for tomorrow's better jobs or advancement in your present position by staying current with today's electronics revolution. Professional in every respect, yet it's a

Here's an extraordinary opportunity to update your understanding of today's most important technological changes in electronics. You can start from scratch or use the Series to update yourself. You cover the latest integrated circuits, including TTL, CMOS, and ECL digital circuits; op-amps; phase-locked loops; microprocessors; and opto devices such as LEDs and LCDs.

Perform Electronic Experiments

With your first module you'll use the latest digital integrated circuits to build an oscillator circuit that demonstrates digital signals—verified visually by the flash of light emitting diodes (LEDs) and audibly by tones produced through the mini-speaker that is provided.

You'll know the differences (and similarities) between electronics and electricity, learn the concepts applicable to all electronic circuits. With the first module, you will be able to identify the major passive components, like resistors, capacitors, inductors, diodes and

ectronics Sei

transformers, and active components such as transistors and integrated circuits.

Each Concept Module goes right to the heart of the matter. You waste no time on extraneous material or outdated history. It's a fast, efficient, and lively learning experience, a nontraditional approach to the most modern of subject matter.

Construct and Use a Prototyping/Design Laboratory

What's more, when you reach the midpoint of your

YOU COVER EVERY SUBJECT IN CONTEMPORARY **ELECTRONICS**

- Digital logic
- Digital gates (TTL, CMOS, ECL, NMOS)
- Flip flops, counters and registers. Op-amps and applications
- Power supplies (plus IC and switching regulators)
- Combinational logic circuits (ROMs, PLAs, decoders, etc.)
- Circuit analysis. AC theory. LCR networks
- Transistors (bipolar and FETs), diodes, thyristors
- Integrated circuits (linear and digital)
- Oscillators and function generators
- Modulation and demodulation
- Ontoelectronics
- Digital multimeters and scopes
- Microprocessors

Series, you will have constructed a professional Prototyping/ Design Laboratory which will become a valuable learning tool throughout the remainder of your studies. This Prototyping/Design Lab contains a signal generator, logic switches, pushbuttons, and LED indicators. It rivals professional instruments that are widely used in industrial laboratories for electronic design and development as well as testing and measuring. Because of its versatility, it is an instrument that you will use again and again, even after you have completed your Contemporary Electronics Series.

With each new module you'll receive a McGraw-Hill Action-Audio Cassette, a proven successful method of programmed, interactive instruction. Each tape creates a dynamic dialogue that not only quickly communicates the facts, but makes you feel that you're participating, as you respond to questions and listen to problems being solved.

Your ability to rapidly make this knowledge your



own is further aided by a strikingly original technique for using diagrams, illustrations, and schematics to drive home points made as you listen to the cassette. The same carefully indexed binder that contains this material also includes the instructions to guide you through hands-on experiments. Finally, having completed the Series, you can be awarded a Certificate of Achievement from the McGraw-Hill Continuing Education Center upon passing an optional final examination.

Update Your Knowledge of the New Electronics

This program is for you whether you're a scientist who can use electronics to improve or speed up your investigations...a teacher who'd benefit from a refresher in contemporary components, circuits and applications ... a manager or supervisor in an electronics related industry or business...an engineer in another field who finds electronics playing an ever more important role in your work . . . someone looking to find new direction in this wide open field...or the kind of person who wants to understand what's going on in the world around you.

McGraw-Hill's Contemporary Electronics Series

offers you the quickest and probably least expensive learning method available today, and the only one with "hands-on" experience.

No Risk, No Obligation

And we invite you to prove all this to your own satisfaction-without risk and without committing yourself in any way.

Return the replycard module and other mater-

With your first module you'll receive this professional solderless breadboarding system. It enables you to connect components and build electronic circuits easily and quickly. It's used throughout the series and can be used later to and we'll send you the first design, build and test your own circuits.

ials for a free 14-day examination. If you're not absolutely satisfied, and certain that this is an enjoyable as well as highly effective way to learn, simply return the module to us along with the unpaid bill and that will be the end

If you wish to continue, we'll ship the remaining modules automatically, about once a month. for only \$19.95 each plus \$2.25 for shipping and handling. Remember, each module comes on the same 14-day free examination basis, with no obligation to pay for any module you don't want to keep.

Return the reply card now. It'll bring you the first module Contemporary Electronic Components and Circuits ... your first step in becoming an expert in the "new electronics." There's no risk or obligation.

If the card is missing write to:



Contemporary Electronics Series McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue, NW Washington, DC 20016

NEW PRODUCTS



TG Products has announced a video game control for the Apple II and III, Atari 400 and 800, and IBM-PC. The track ball format, often used in arcades, is said to be well-suited for rapid, multiple movement commands since it has a lower control-to-movement ratio than other double-axes controls. \$65

Circle No. 92 on Free Information Card



MINIATURE MODEM


New direct-connect, 300-baud, automatic answer and originate modem, called J-CAT from Novation, measures $5'' \times 1.9'' \times 1.3''$ and plugs into any modular RJ11C phone jack. LEDs indicate status, and an audio beep indicates busy, dial tone, or presence of carrier. \$149.

Circle No. 94 on Free Information Card



The Ace 1200 has 128K RAM, disk drive (with dual-drive options), disk controller, u/lc capabilities with alpha lock, serial/parallel interface, CP/M card, and color graphics. It is Apple II and CP/M compatible. A dedicated card expands the display to 80 col. x 24 lines. Includes joystick/paddle connector and speaker. \$2495 with one disk drive.

Circle No. 93 on Free Information Card



IBM-PC HARD-DISK EXPANSION

The WIN 5-IBM from Computer Dynamics Inc. is a subsystem configured to interface with the IBM-PC under MS-DOS, with a Winchester drive with data capacity of 4.8 megabytes (incl. error detection/correction.) Manufactured and serviced by Shugart. \$1695.

Circle No. 95 on Free Service Card



FCC-APPROVED VIDEO MODULATOR

M&R Enterprises' video modulator, Sup'R Mod, permits any computer with standard NTSC video composite output to use a color or black-and-white TV as a monitor. Draws power from a transformer plugged into ac line, with a built-in regulator to ensure stable operation. The Sup'R Mod comes with video cable with standard RCA connectors, plus adapters for use with 75-ohm cable or 300-ohm twinlead. DB-style adapters are available as options. \$70.

Circle No. 96 on Free Information Card



ELECTRONIC TYPEWRITER/PRINTER

The Olympia Electronic Compact is a full-featured daisywheel type-writer that's available with RS232 and Centronix interfaces for use as a letter-quality printer with computers. It features 46-character correction memory, three pitch selections, and automatic repeat and relocate. \$969 with interfaces and cable; \$749 without.

Circle No. 97 on Free Information Card



QUME CRT TERMINAL

Qume's new terminal is the Model 102 with 12" CRT, tilt and swivel display, and detachable keyboard. Has green (amber optional) screen, 25th status line, 9/12 cell resolution, line-drawing character set, four programmable function keys, conversational mode, protected fields, 16 baudrate selections and unidirectional RS232C port. \$695.

Circle No. 98 on Free Information Card



30-MHz DUAL-TRACE SCOPE

The Soltec Model 530 dual-trace, 30-MHz scope has a 6"-square CRT with internal graticule and scale illumination. The triggering process is reported to be simplified through a patented circuit, claimed to require no adjustments regardless of changes in signal amplitude, frequency, or pulse width. A horizontal sweep magnifier increases sweep rate to 20 ns/div. Other features include a signal delay line to facilitate viewing of the trace's leading edge, a vertical sensitivity selector with a 1 mV/div setting, a vertical mode switch to select Ch. 1, Ch. 2, Chop, Alt, and Add modes independent of sweep rate, and Zaxis input. \$895.

Circle No. 99 on Free Information Card

VHS EDITING CONTROLLER

Panasonic's Model PV-R500 VHS editing controller is for home editing with any two PV-5000 VHS recorders. It functions as an assembly editor of audio and video or as an insert editor. A switch indicates which VCR is being operated and permits full 13-function remote control of both. Digital search of specific tape segments is accomplished via a numerical keyboard synchronized with the recorders' tape counters. Independent video and audio dubbing is possible, and a Dub End Memory switch automatically sets the end point. \$200.

Circle No. 100 on Free Information Card



Inside Apple Computer Inc., 20525 Mariani Avenue, Cupertino, California 95014 Vol. 1 No. 2

For the authorized Apple dealer nearest you, call 800-538-9696 (800-662-9238 in California.)

Fruitful Connections.

There are more people in more places making more accessories and peripherals for Apples than for any other personal computer in the world.

Thanks to those people in hundreds of independent companies—you can make the humblest 1978 Apple II turn tricks that are still on IBM's Wish List for 1984.

But now we're coming out with our very own line of peripherals and accessories for Apple® Personal Computers.

For two very good reasons. First, compatibility. We've created a totally kluge-free family of products designed to take full advantage of all the advantages built into every Apple.

Second, service and support.



Now the same kindly dealer who keeps your Apple PC in the pink can do the same competent job for your Apple hard-disk and your Apple daisywheel printer.

So if you're looking to expand the capabilities of your Apple II or III, remember:

Now you can add Apples to Apples.

A joy to behold.

The new Apple Joystick II is the ultimate hand control device for the Apple II.

Why is it such a joy to use? With two firing buttons, it's the first ambidextrous joystick—just as comfortable for lefties as righties.

Of course, it gives you 360° cursor control (not just 8-way like some game-oriented devices) and full X/Y coordinate control.

And the Joystick II contains high-quality components and switches tested to over 1,000,000 life cycles.

Which makes it a thing of beauty. And a joystick forever.

Gutenberg would be proud.

Old Faithful Silentype® has now been joined by New Faithfuls, the Apple Dot Matrix Printer and the Apple Letter Quality Printer.


So now, whatever your budget and your needs, you can hook your Apple to a printer that's specifically designed to take advantage of all the features built into your Apple. With no compromises.

The 7x9 Apple Dot Matrix
Printer is redefining "correspondence
quality" with exceptional legibility.

With 144x160 dots per square inch, it can also create high resolution graphics.

The Apple Letter Quality Printer, which gets the words out about 33% faster than other daisywheel printers in its price range, also offers graphics capabilities. See your authorized

Apple dealer for more information and demonstrations. Because, unfortunately, all the news fit to print simply doesn't fit.





Up the creek without a paddle?

Or lost in space? Or down in the dungeons?

Whatever your games, you'll be happy to know that someone has finally come out with game paddles built to hold up under blistering fire. Without giving you

Apple Hand Controller II game paddles were designed with one recent discovery in mind:

People playing games get excited and can squeeze very, very hard.

So we made the cases extra rugged. We used switches tested to 3,000,000 life cycles. We shaped them for holding hands and placed the firing batton on the right rear side for maximum comfort.

So you'll never miss a shot.

A storehouse of knowledge.

and reliability, you need only store

one word of wisdom:

Apple.

If you work with so much data or so many programs that you find yourself shuffling diskettes constantly, you should take a look at Apple's ProFile™ the personal mass storage system for the Apple III Personal Computer.

This Winchester-based 5-megabyte hard disk can handle as much data as 35 floppies. Even more important for some, it can access that data about 10-times faster than a standard floppy drive.

So now your Apple III can handle jobs once reserved for computers costing thousands

As for quality

Launching pad for numeric data.

- The

Good tidings for crunchers of numerous numbers:


Apple now offers a numeric keypad that's electronically and aesthetically compatible with the Apple II Personal Computer. So you can enter

pad II has a standard calculatorstyle layout. Appropriate, because unlike some other keypads, it can actually function as a calculator.

The four function keys to the left of the numeric pad should be

of special interest to people who use VisiCalc.® Because they let you zip around your work sheet more easily than ever, adding and deleting entries.

With one hand tied behind your back.



... NEW PRODUCTS (from p. 13)


RADIO SHACK DAISY WHEEL PRINTER



The Model DWP-410 from Radio Shack is reported to be capable of printing letter-quality documents at over 300 words per minute. It has selectable pitch-either 10 or 12 characters per inch-and proportional spacing. Other features include forward and reverse full and 1/2-line paper feed, underline, programmable backspace, and 1/120" minimum space and 1/48" line feed. An Automatic Paper Set is said to simplify paper insertion by rolling it to the first line position with the pull of a lever. The printer will accept other 124-character daisy wheels, and an "external program mode" allows the use of wheels with different pitch or special characters. The DWP-410 includes a standard parallel interface and comes with a print wheel and carbon ribbon cartridge. \$1495.

Circle No. 105 on Free Information Card

VIDEO TAPE REPAIR



Total Video Supply announces availability of its VideoMate Tape-Mender, reported to be a total system for repairing damaged video tape. The heart of the system is a work station, said to securely hold a Beta or VHS cassette while the tape is being fixed. Pins guide the cassette to the repair area, orienting it with the base side up. Tape movement is accomplished with an external hub drive. A clamping system holds the tape in an alignment track, where it may be cut using special shears or a razor blade, and then spliced with pre-cut adhesive tabs (all included with the work station). \$22. Address: Total Video Supply, 9181-A Kearny Villa Ct., San Diego, CA 92123.

EXPANDABLE CALCULATOR INTERFACE

Prototech, Inc. has introduced an expansion system designed for the Hewlett-Packard 41C/V calculator. Called the ProtoSystem Interface, it provides control and data signals for peripheral and memory boards. A user can plug in up to 64 Hewlett-Packard ROM, RAM, or extension modules such as the HPIL. Each module can then be programmed to turn on or off. The boards designed to operate with the ProtoSystem allow the user to plug in up to 13 EPROMs containing user programs or Microcode routines; to program the calculator in Microcode (the machine language of the processor in the 41C/V); and to create music and sound effects with a programmable sound synthesizer. The ProtoSystem contains its own battery pack to maintain the RAM and ProtoCoder boards when they are disconnected. The interface costs \$150, and the boards range in price from \$75 to \$175.

Circle No. 106 on Free Information Card

HANDHELD DMM




Philmetric, a new division of Philmore Manufacturing Co., is producing a new 3½-digit, handheld, LCD multimeter, the Model MD-150. It is reported to have a basic accuracy of 0.6% over its 26 voltage, current, and resistance ranges. Ratings are for a maximum voltage of 750 V ac/1000 V dc, and a minimum of 200 mV; current ranges are from 200 μA to 2 A; and resistance ranges are from 200 ohms to 20 megohms. The MD-150 comes with test prod finger guards on the test leads to provide safe handling of high voltages. Also included are a standup easel, carrying case, and a 9-V battery. \$90.

Circle No. 107 on Free Information Card

RAM DISK FOR THE IBM-PC

The QuadMaster disketter from Quadram is reported to cut the running time of programs on the IBM-PC personal computer by up to 80%. It is used with the Quadboard fourfunction expansion card with up to 256K



memory and the Quadram drive software diskette. The software provides RAM-disk operation by using a part of the IBM's memory as a solid-state disk drive. Data can be read to and written from this simulated disk just as from an actual disk—only hundreds of times faster, according to the manufacturer. It can be used with DOS 1.0 or DOS 1.1 without any mechanical switch changes. \$20.


Circle No. 108 on Free Information Card

CABLE DUCTING



Wallgard over-the-wall cable support ducting from SGL Waber Electric is designed to organize and support ac power cords (up to 14/3 AWG size), telephone cables, and data cables that must be draped along walls. Made of extruded PVC, the one-inch-wide extrusion mounts with a foam adhesive backing, then snaps shut to hold the cables in place. Wallgard is packaged in four 4' lengths. Shorter lengths can be cut to size with a razor; longer lengths can be constructed by adding more segments. \$15. Address: SGL Waber Electric, 300 Harvard Ave., Westville, NJ 08093.

WIRING ADAPTER



A wiring adapter designed to connect any two RS232 devices in any pattern is offered by B & B Electronics. The unit can be installed temporarily or permanently. Ten plug-in jumper wires are included. \$25.

Circle No. 109 on Free Information Card

Let's get personal...

try out the in-stock selection of Heath/ Zenith microcomputers, peripherals, accessories and software.

Now available at your nearby Heathkit Electronic Center, or through the Heathkit mail order catalog.

You get more with a Heath/Zenith personal microcomputer system! We offer:

1. Proven high-performance hardware: Thousands of our microcomputers prove themselves daily, in the field.

- **2. Vast software library:** Three operating systems (including CP/M), languages, word processors, an electronic spreadsheet, versatile utilities and the 500-program Heath Users' Group software library.
- **3. Self-instruction courses:** Evaluation and programming courses from Heathkit/ Zenith Educational Systems.
- **4. Service support:** Before and after the sale consultation by phone, carry-in service by trained technicians.

Test run one of our microcomputers at any of the more than 60 convenient Heathkit Electronic Centers in the U.S.



ENTERTAINMENT ELECTRONICS

Better TV Pictures With Comb Filters

By Len Feldman

AVE you noticed that many TV receivers of recent vintage are delivering far better color pictures than the sets of just a few years ago? You may even be surprised to find that our much-maligned NTSC TV broadcast system is capable of some very good picture definition and color quality if its full capabilities are exploited. While the lowcost color TV sets typically offer a resolution of around 250 to 280 horizontal lines, it is possible, within the limitations of NTSC, to achieve horizontal resolution higher than 350 lines. The difference between a 250-line picture and one that offers 350 lines of resolution is analogous to the difference between a photograph printed from a very "grainy" negative and one made from the finest film available or between an 8mm home movie and a 16-mm semiprofessional motion picture.

In older (and present-day lowcost) color TV receivers, the usual method of processing the luminance (brightness) component of the video signal, whose baseband with brightness and color components is shown in Fig. 1, has been to employ a bandrejection or trap filter in the luminance channel. Tuned to the colorsubcarrier frequency of approximately 3.58 MHz, the trap removed most of the chrominance (color) and rolled off the response of the luminance channel to that shown in Fig. 2. In receivers of this type, chrominance signal circuitry usually had a pass-band response extending only from about 3.0 MHz to 4.1 MHz, as shown in Fig. 3. This was done to ensure that luminance signals below 3.1 MHz (which would normally overlap the chrominance signals in frequency) would not appear in the chrominance channel.

Picture definition is a function of luminance-channel frequency re-

sponse; so with response cut off above about 3.0 MHz, horizontal resolution obviously suffers. There are other disadvantages to this approach to the circuit. Since the trap has virtually no rejection of the Icomponent of the chrominance signal below 3.1 MHz, chrominance signal sidebands tend to interfere with the luminance in areas of fine color detail. Another undesirable effect is "ringing," usually seen as dot-crawl along the vertical edges of a picture. This is especially noticeable in transition areas of the picture that contain highly saturated colors with different hues and brightness levels.

Finally, you can get a "cross-color" effect in areas of the picture that have very fine luminance detail. This occurs because the chrominance circuitry does accept luminance signals in the 3.1-MHz to 4.1-MHz range. The pass-band nature of the chrominance circuit keeps the full bandwidth of the I-signal color component from being used, which in turn reduces the amount of horizontal color resolution that is available.

Interleaving Characteristics.

The circuit approach just described fails to take advantage of an important characteristic of the NTSC color TV composite signal. It treats the signal as though it consisted of continuous spectra when, in fact, the luminance and chrominance signals consist of sidebands that are interleaved. The spectral energy of the luminance signal in an NTSC vertically correlated TV picture (no change from line to line) is clustered about harmonics of the horizontal

scanning frequency (f_h) , with little energy between the harmonics. Chrominance sidebands, on the other hand, are spaced midway between pairs of the harmonics because the color subcarrier frequency is at 227.5 f_h , or half-way between the 227th and the 228th harmonic of f_h . This interleaving of luminance and chrominance signals is illustrated in Fig. 4.

Filters designed with frequency responses that match this sort of spectral distribution could eliminate or greatly reduce the negative effects caused by the "color-trap" approach. The frequency response of such filters (one for the chrominance channel and another for the




Fig. 1. Frequency spectrum of standard NTSC video signal.




Fig. 2. Luminance frequency response when color burst trap is used.




Fig. 3. Frequency response of chrominance channel.




Fig. 4. Luminance and chrominance signals are interleaved on and between harmonics of f_h .

luminance channel) would contain a large number of passbands spaced at intervals of f_h , with stop-bands midway between them. Such a response curve resembles the teeth of a comb, from which the name "comb filter" is derived.

Comb Filters in TV Design. Figure 5 illustrates the basic configuration of a comb filter designed to perform chrominance and luminance signal separation. It consists of a time delay element and two summing networks to combine direct and delayed signals. If the time delay (T) is made equal to the horizontal scanning period (1/fh), the filter's transfer function is maximum at multiples of f (permitting maximum output of the luminance signals), while at the same time the transfer function to the chrominance output is at minimum. The response curves for the two outputs of a basic comb filter are superimposed in Fig. 6.

The luminance output signal of such a filter represents the sum of the picture content of two successive lines. Since the color subcarrier frequency is an odd harmonic of 0.5f_h, it alternates in phase between corresponding points on successive scanning lines. Accordingly, chrominance signals cancel when the lines are summed, leaving only the luminance signal. The chrominance output, on the other hand, represents the difference in picture content between successive scanning lines. Since the luminance signal is essentially the same for successive lines in a vertically correlated picture, it gets cancelled when the difference is taken. The chrominance signal remains because of the phase alternation of the subcarrier.

Bucket-Brigade (CCD) Comb Filters. One device that particularly lends itself to providing the time delay element needed in a comb filter is the charge-coupled device (CCD) analog shift register, sometimes referred to as a "bucket brigade." It is capable of handling the full 4.2-MHz NTSC video signal bandwidth. The delay time of a CCD depends on a clock-frequency, which can be referenced to the color subcarrier by using a phase-locked loop (PLL) circuit.

A block diagram of a typical CCD comb filter is shown in Fig. 7. The Fairchild CCD321A device used as a time delay element is a 910-bit analog shift register that provides a time delay lasting for exactly one horizontal scanning line when it is driven by a clock signal having four times the color subcarrier frequency (14.3 MHz). When an NTSC video signal is applied to the input, it is first attenuated to proper levels before being applied to the time-delay CCD element. A low-pass filter removes the clock-frequency component from the CCD output signal. The delayed signal is then fed to a phase-splitter, which supplies the two out-of-phase signals to the two summing networks. Each of these networks is also supplied with a direct video signal through variable attenuators. The upper frequency limit of the comb filter is determined by the frequency response of the low-pass filter and the CCD element. The lower limit is determined by the value of any coupling capacitors used in the circuit, and these are made large enough so that time constants are equal to several vertical scanning periods.

Additional Refinements. As already mentioned, the CCD comb filter will provide optimum chrominance and luminance separation for a TV picture that is vertically correlated. Most of the time, though, TV pictures are *not* vertically correlated, and that means that there is some luminance spectral energy present between harmonics of f_h . Attenuation of this energy by the comb filter causes a loss in vertical resolution. This problem can be dealt with in two ways.

The first approach involves restricting the "combing" action to those portions of the spectrum in which chrominance and luminance interleaving actually occurs. By adding a pass-band filter to the comb filter, as shown in Fig. 8, combing is restricted to the range of frequencies containing the color subcarrier sidebands, as opposed to operating over the entire signal spectrum. This technique results in the removal of as little of the luminance information from between the harmonics of f_h as possible.

The second approach maintains comb-filter action across the entire video bandwidth. But it adds a sig-




Fig. 5. Block diagram of the basic comb filter.




Fig. 6. Frequency responses of outputs of basic comb filter for chrominance and luminance signals.

... ENTERTAINMENT

nal containing some of the luminance information that is removed. Figure 9 illustrates how the chromi-

nance signal obtained at the output of the comb filter is routed through a 2-MHz low-pass filter, which removes it. The net effect for the luminance signal is that comb-filter action occurs only above 2.0 MHz.

The output of the low-pass filter represents changes in picture content in the vertical direction, a signal which improves vertical resolution.

In general, the use of a comb filter




Fig. 7. Block diagram of Fairchild's CCD comb filter.




Fig. 8. Comb filter with restricted bandwidth to restore vertical definition.




Fig. 9. Adding a "detail signal" to combed luminance output.

... ENTERTAINMENT

still produces some loss in vertical color resolution, but the net improvement in picture quality, particularly in terms of horizontal resolution and picture detail along vertical edges, more than compensates for this.

I am indebted to Fairchild Camera & Instrument Corporation for some of the technical background relating to the use of CCD devices in comb filters. It should be noted that comb-filters can be constructed using other devices, including digital time delay systems employing A/D and D/A converters and appropriate amounts of RAM for time-delaying the video signals. As the cost of digital time delay decreases even further, more and more TV set manufacturers may find it worthwhile to incorporate comb filters. This becomes increasingly beneficial since TV screens are no longer used exclusively for over-the-air reception. Better picture detail is becoming vital for video games and home computer displays.

Until the FCC approves some form of ultra-high-frequency high-definition TV transmission system (such as the 1125-line systems that have been demonstrated at various electronic trade shows), we ought to make the most of the 525-line standard that we presently have to live with. Designing TV sets with comb filters for better horizontal resolution is one worthwhile step that TV set makers can take while we wait for a better TV system.





SEND FOR FREE 240 PAGE AUDIO/VIDEO CATALOG



TEST REPORT: AUDIO

Luxman RX-103 AM/FM Stereo Receiver



THE Luxman RX-103 AM/FM stereo receiver has digitally synthesized AM and FM tuners and a rated audio output of 90 watts per channel into 8-ohm loads from 20 to 20,000 Hz with no more than 0.018% total harmonic distortion. It features a novel "Servo-Panel" that encloses the front-panel knobs when the set is off, and is retracted by a motor to expose them (together with some pushbutton controls) when it is turned on.

A large window displays the receiver's operating status. The RX-103 comes with a wireless (infrared) remote control unit that is capable of controlling a complete music system from this receiver. The system could include a cassette deck and record player.

The Luxman RX-103 is fairly large and heavy, measuring almost 18" in width and depth, and 6" in height. It weighs 34 pounds. The RC-103 remote control is 634" L \times 234" W \times 34" D, and is powered by two "AA" cells. Suggested retail price \$1000.

General Description. The right half of the front panel is finished in satin gold, as are the knobs and buttons within its borders. With the receiver off, the panel is flush with the front surfaces of the knobs. When it is turned on, a whirring sound is heard as an internal motor retracts the right half of the panel about 5%", leaving the knobs protruding by that amount and exposing a row of

slender pushbuttons across the bottom edge of the receiver.

The left half of the front panel is black, as are the numerous push-buttons within its borders. A narrow, vertical section separating the gold and black panels contains several clear plastic buttons (internally illuminated) for tuning and program selection.

Within the black display window are a number of blue-white luminescent indicators, including a fourdigit frequency readout, power output monitors calibrated from 0.01 to 100 watts into 8-ohm loads, a five segment signal-strength indicator, a tuning light that glows when a station is received, and lights showing FM stereo reception and the activation of the memory storage button. Red LEDs in the lower part of the window show the selected preset (memory) channel, which one of the two tape monitor circuits (or the normal source) is being heard, and whether the moving magnet (MM) or moving coil (MC) phono input has been selected.

There is also a status display for the Luxman "C.A.T." (Computer Analyzed Circuitry) system. This is a group of circuits that automatically optimize the FM tuner parameters to suit actual receiving conditions. A high-blend circuit, i-f bandwidth selector, "anti-birdie" (adjacent channel interference) filter, and antenna attenuator are independently activated, according to the received signal strength,

noise, and interference conditions. A red LED corresponding to each of these actions glows on the display panel when it is in operation. The C.A.T., as well as the remote control sensor on the panel, can be switched off by pushbuttons. A stereo phone jack is located below the display area.

The rear apron contains phono jacks for all the line-level inputs and outputs, insulated binding posts for two sets of speakers and both AM and FM antennas, and a removable, pivoting AM loop antenna that can be located as needed for best reception. Three of the four ac outlets are switched and there are separate preamplifier output and main amplifier input jacks, normally joined by an adjacent slide switch. DIN sockets permit the connection of the RX-103 to a Luxman cassette deck and turntable for integrated system operation with the remote control unit.

The tuning memory of the Luxman RX-103 has eight buttons that can be assigned to either of two memory banks (A and B) by alternate operations of another button. This permits a total of 16 FM frequencies to be stored in the memories. (Only one memory bank is usable for AM frequencies, but the total capacity of 16 FM and 8 AM channels is considerably greater than that of other receivers we have seen.)

The UP and DOWN tuning buttons step the tuning in increments of

200 kHz (FM) or 10 kHz (AM) each time they are pressed, and the scanning continues for as long as a button is held in. The tuner does not have the band-scanning, signal-seeking capability of some others, although a MEMORY SCAN function is activated when that button is pressed. This steps through the memory channels, pausing on each for 5 seconds unless the button is pressed again to halt the scanning.


The usual receiver control functions of tape monitoring from either of two decks, dubbing (only from Tape 2 to Tape 1), low and high cut filters, and FM mono/stereo selection (with the muting disabled in mono) are provided by the buttons below the "Servo-Panel." In addition, one button selects either the MM or MC phono input (the same input jacks are used for both, but the preamplifier gain and input termination are changed to suit the selected type of cartridge).

The tone-control knobs are center detented, as is the balance control. The loudness control of the RX-103 is unconventional. At one limit of the knob setting, there is no loudness compensation. Rotating it clockwise gradually adds the compensation which is introduced smoothly as the volume control setting is reduced. Optionally, the loudness knob can be adjusted at any given (fixed) volume setting to gradually add the desired amount of compensation.

The RC-103 remote control has 19 flat rectangular buttons, flush with its surface. Many of them relate to tape deck or record player functions. The power button switches the receiver on and off on alternate operations. Two large buttons raise and lower the volume smoothly, with the upper limit being set by the physical position of the receiver's volume control knob. Other buttons select the input source (AM, FM, PHONO, or AUX) and the tape monitor function. A scan button initiates (or halts) the automatic memory scan. Either memory bank can be selected, but there is no way to access any of the memories directly or to tune the receiver from the remote control unit. Finally, a muting button silences the receiver or restores its sound on alternate operations.

Laboratory Measurements. The FM tuner of the Luxman RX-103 had a Usable Sensitivity (mono) of 13.5 dBf (2.5 μ V). The stereo sensitivity was set by the switching (and muting) threshold of 19 dBf (5 μ V). The 50-dB quieting sensitivities (mono and stereo) were respectively 15 dBf (3 μ V) and 38 dBf (40 μ V). The S/N at a 65-dBf (1,000- μ V) input was 76 dB in mono and 70 dB in stereo, and the corresponding distortion measurements were 0.1% and 0.28%.

The stereo FM frequency response was +1.4/-0.4 dB from 30



Noise and sensitivity curves for FM section of the RX-103.

to 15,000 Hz. Channel separation was about 40 dB in the midrange (100 to 5000 Hz), reducing slightly to 34 dB at 30 and 15,000 Hz. The capture ratio was an excellent 1 dB, and AM rejection was 66 dB. Alternate and adjacent-channel selectivity readings were 58 and 4.9 dB (in the wide or "normal" condition of the C.A.T. system). We measured the operating thresholds of the various C.A.T. functions, and found that the high-blend, narrow i-f bandwidth and (adjacent channel interference) filter all came on at about 4 to 6 µV, while the r-f attenuator came on at about 350 μV. No measurements were made with the C.A.T. operating. The FM stereo pilot carrier leakage into the audio was -66 dB, and the tuner hum level was -64 dB. The AM tuner frequency response was down 6 dB at 100 and 2700 Hz.

The audio amplifier output (1000 Hz) clipped at 101.5 W per channel into 8-ohm loads and 102 W into 4 ohms (for which the receiver is not rated). When we attempted to drive 2-ohm loads, the output waveform showed a large number of narrow spikes at its maximum levels, apparently from the operation of an internal current limiting circuit. The maximum unclipped output into 2 ohms was about 16 W per channel. The 8-ohm clipping headroom was 0.52 dB. With the tone-burst signal of the dynamic headroom test, the. maximum output was 163 W into 8 ohms, 130 W into 4 ohms, and 16.4 W into 2 ohms. The 8-ohm dynamic headroom was 2.58 dB.

IHF-IM distortion, with 18- and 19-kHz input frequencies, was -87 dB for the second-order product at 1000 Hz, and -72 dB for the third-order products at 17 and 20 kHz (referred to 90 W). The amplifier slew factor was greater than 25, and it was stable with reactive simulated loudspeaker loads.

Distortion at 1000 Hz rose smoothly from less than 0.002% at or below 10 W to 0.013% at the rated 90 W. With 4-ohm loads, distortion was about 0.006% at 10 W, rising to 0.025% in the 50-to-90 W range. As expected, 2-ohm operation resulted in higher distortion as well as lower power, rising from 0.0055% at 1 W to 0.018% at 10 W

...LUXMAN

and 0.025% at 15 W. Across the audio-frequency range, with 8-ohm loads, distortion was between 0.01% and 0.015% from 20 to 20,000 Hz. At reduced power outputs, the distortion was lower for frequencies under 15,000 Hz, and about the same as for full power between 15,000 and 20,000 Hz.

The tone controls had a moderate range, with the low frequencies affected principally below 300 Hz, and the high frequencies above about 5000 Hz. The filter slopes were 6 dB per octave, with -3-dB frequencies of 25 and 6000 Hz. At maximum setting of the loudness control, the response was boosted at both low and high frequencies over much of the volume control range. We were interested to find that adjusting the loudness knob at a fixed volume setting resulted in almost no change in frequency response over the first 25% of the knob rotation, and that the first 75% of the range mV for MM and 0.018 mV for MC. The respective A-weighted noise levels (referred to 1 W) were -79 dB, -77 dB, and -69 dB. The phono (MM) input overloaded at levels from 188 to 220 mV, depending on the frequency.


User Comment. The actual listening performance of the Luxman RX-103 was excellent, as might be expected from its bench measurements. Since we could find nothing to criticize in its sound or, for that matter, in most aspects of its handling and operation, we will not comment further on those areas of its performance.

Nevertheless, there are some flaws in the design of this product that we cannot ignore. Normally, we prefer not to pass judgment on matters of styling, but we do make an exception when these factors actually interfere with function or add unnecessarily to cost.

Specifically, the "Servo-Panel" is a functionless feature, for which we cannot find any justification. It we were also annoyed to find that the knobs exposed by the retracting panel are evidently on long, unsupported shafts, giving them a loose, floppy "feel" inconsistent with the total image of the product (and with its actual construction, which is generally robust and solid).

The remote control is in many ways a genuine convenience. Still, it is strange that almost half of its functions are devoted to other Luxman products rather than the receiver. How much more useful it would have been if, instead of having turntable and tape recorder controls, it allowed one to tune the receiver remotely, or at least to select any of the preset memories at will.

Finally, we feel that the amplifiers of the Luxman RX-103 are somewhat "overprotected" by its internal current-limiting circuits. While it is probably impossible to damage the amplifier (we overdrove it and briefly shorted its outputs, which simply shut it down until the fault was removed), it is nevertheless disappointing to find a very



affected only the low frequency response. In the final 25%, the lows were not increased further, but the high-frequency boost came in rapidly above 3500 Hz.

RIAA phono equalization was flat within +1/-0.5 dB from 20 to 20,000 Hz. The MM phono input termination was 46 kilohms in parallel with a relatively high capacitance of 275 pF.

Amplifier sensitivity (AUX) for a reference output of 1 W was 17 mV and the phono sensitivity was 0.23

could be dismissed as a mere oddity, except for the fact that it must have contributed significantly to the price of this receiver. Also, although we have no reason to question the reliability of the motor drive mechanism, the fact remains that it is mechanical and therefore subject to wear. The plight of an RX-103 owner whose panel remains extended can only be imagined! It can be pushed in manually, returning when released, but this is clearly inconvenient. On the aesthetic side,

husky amplifier that simply cannot drive a low-impedance speaker load.

Despite the negative nature of some of our comments, it is important to realize that this is, in most respects and for most users, a perfectly satisfactory product. It looks good and sounds good. We are only unhappy that it is not a lot better, which it easily could have been, and probably for less money.

—Julian D. Hirsch
CIRCLE NO. 101 ON FREE INFORMATION CARD

LES SOLOMON ON COMPUTER HARDWARE



Mixing and Matching Input/Outputs

HEN you get ready to interface a peripheral to your computer, what's the first problem you face? Probably, it's how to match the mix of I/O parts that are available—TTL, RS232, and 20 mA. In short, you have to figure out a way to allow one to communicate with the other.

If you are ever caught in this fix, take a look at the accompanying illustrations. They show several ways to mix-and-match the three types of I/O.

If, for example, your computer has only TTL access and you need RS232, the circuits of A, B, and C give you a choice, while circuit D illustrates a simple way to convert RS232 to TTL.

On the other hand, if you run into a 20-mA/RS232 problem, then circuit E shows how to convert a 20-mA loop to RS232. The companion circuit shown in F illustrates how to convert an RS232 signal into a switch that can control a 20-mA loop.

Apple "Jukebox". The Mega-Mate is a companion to the Apple II that uses a single conventional Apple drive in concert with 40 conventional diskettes all supported within a frame. A mechanical mechanism selects the desired diskette, opens the drive door, inserts the diskette,

and closes the drive door. This allows up to 5M-bytes of stored data to be accessed. The resident firmware allows accessing any desired diskette. The number of the diskette is displayed on a front-panel 7-segment readout. The unit can be locked. It will soon be available for the TRS-80 Models I and III. \$695. Additional diskette magazines are \$70. Address: Computer Products Inc., Suite 124, 9071 Metcalf, Overland Park, KS 66212 (Tel: 913-648-7849).

IBM Controller. The Asynchronous Communications Controller for the IBM Personal Computer is available with either one or two RS232 ports. It is fully compatible with IBM software and can be used with a modem. It automatically adds and removes start, stop, and parity bits while a programmable baud-rate generator operates between 50 and 9600 baud. It supports a variety of character formats including five, six, seven, or eight characters with 1, 1½, or 2 stop bits and a prioritized interrupt system. The controller runs standard IBM diagnostics. \$139 for one line, and \$199 for the two-line version. Address: Datamac Computer Systems, 680 Almanor Ave., Sunnyvale, CA 94086 (Tel: 408-735-0323).

Apple Hard Disk. The Starfire is a 5M-byte Winchester specifically designed for the Apple II. It can also be used with CP/M (SoftCard required), or Pascal. It can be partitioned into 16 separate areas each under control of a different operating system if desired. Each partition is independent, and can be of any size. Software includes an expanded version of DOS with volume names, write protection, auto-boot, rename, volume directory, freespace directory, catalog, search, and single keystroke operation. Other utilities include locking and unlocking files, deleting and undeleting files, copy and verify status display. An extensive backup utility is also provided. \$2495 with controller. A 10M-byte version is \$2995 with controller. Address: Corona Data

When interfacing RS232 to TTL, you can use the circuit at A, B, or C. To convert RS232 to TTL, try the circuit at D. Converting a 20-mA loop to RS232 can be done with E, while the circuit at F is for the reverse situation.

(Continued on page 30)



We've taken the finest, most advanced, most complete TV/Audio/Video course available and made it even better. Now NRI brings your training up to and even beyond today's technology with the exciting, advanced performance Heath/Zenith Model 2501 TV. Now you can learn how to service even the latest circuitry on the most expensive TV sets as you assemble and perform experiments on your Heathkit/Zenith. Only NRI combines such complete training with such up-to-date equipment.



Choice of specialty training on TV, stereo, or VCR

Choice of Three Specialties

And only NRI gives you the opportunity to specialize in any of three areas. You get the same complete training covering TV, audio systems, and video recorders, but you select your own specialty for practical, hands-on training.

You can choose to build the Heath/
Zenith color TV; specialize in audio systems and build your own AM/
FM stereo system; or take your bench training with remote-controlled videocassette recorder featuring NRI training on videotape. No matter

which specialty you elect, your practical training also includes experiments and demonstrations with the exclusive NRI Discovery Lab® and your own professional digital multimeter. All

equipment is yours to use and keep.

Learn in Your Spare Time

No need to quit your job or tie up your evenings with night school...no classroom

competition or rigid schedules. NRI trains you in your own home at your convenience. You're a class of one with complete course materials, practical training on the latest equipment, and the backing of a full staff of professional electronics educators. NRI brings it all to you.

The Professional's Choice

A million and a half students have already chosen the NRI way. And over half the practicing TV service technicians in the U.S. have advanced their careers with convenient home training. Among them, it's NRI 3 to 1 over any other school (summary of national survey on request).

Free Catalog... No Salesman Will Call

Get all the facts on complete, convenient NRI training. See all the equipment, look over complete lesson plans, check out our convenient time payment plans. And see the many other opportunities in fields like Microscomputers. Floating the complete seems of the convenient time.

fields like Microcomputers, Electronic Design, Communications
Electronics, and more. Send
postage-paid card and see what advanced training is all about. If card
has been removed, please write to us.



Practical training on a real state-of-the-art TV using professional equipment



NRI Schools

McGraw-Hill Continuing Education Center 3939 Wisconsin Ave. Washington, D.C. 20016 1-023

We'll give you tomorrow.

TS1000-ZX81 OWNERS KRAKIT WIN \$20,000 frore

KRAKIT[™] is an adventure and a treasure hunt for the ZX81 and TS1000 computers. The bank account and prize money actually exist. Be the first to crack the puzzle and the prize is yours. Only one prize will be awarded.

Where it all began. Where the torch was first lit. Where muscles and sinews strain. Where our heros win acclaim. Where the symbols hold the key.

KRAKIT™ consists of 12 clues on a ready-to-run ZX81 or TS1000 cassette tape (16k RAM). The answer to each clue is the name of a country, a city or town, and a number. If you are the first qualified entant to solve all 12 clues and declared the winner, you receive two tickets to the city of the secret KRAKIT™ vault location. When you arrive at that location, a check for a minimum amount of \$20,000.00 (U.S.) will be presented to you. The amount of the prize money is augmented weekly.

TS1000-ZX81

RULES

- 1. The first qualified entrant to be confirmed by the judges to have completed all the clues correctly is the winner.
- 2. There will be one winner only.
- 3. No persons connected to International Publishing & Software Inc. or their families are eligible to enter KRAKIT™
- 4. This offer is not valid where prohibited by law.
- **5.** Due to the confidential nature of KRAKITTM we regret we are unable to enter into any individual correspondence. All the required information, including how to claim the prize, is on the computer tape.
- **6.** The winner will be required to sign an affidavit of compliance with these rules.

NO	INTERNATIONAL P.O. BOX 1654	PUBLISHING &	SOFTWARE INC.
	P 0 R0Y 1654	RIIEEALD NV	14216

	U. BUX 1004, BUFF	ALU, N. T. 14216
IN	ail to: TERNATIONAL PUBI O. BOX 1654, BUFF	ISHING & SOFTWARE INC. ALO, N.Y. 14216
	end copies plus \$1.50 shipp	
Total	enclosed is _	check money order
Charge to	☐ Visa	☐ Mastercard
Number		
Expiry	Please Print Sign	nature
Name		
Address		
City	State	Zip
A	llow 2 weeks for pe	ersonal checks.

Dealer inquiries welcome

... HARDWARE (from p. 25)

Systems Inc., Suite 110, 31324 Via Colinas, Westlake Village, CA 91361 (Tel: 213-706-1505).

Advantage Hard Disk. The Advantage stand-alone computer is now available with an integrated 5½", 5M-byte, Winchester disk storage system that replaces one of the system's floppy disk drives. The system with 5M-byte of hard disk, and one 360K floppy is now available for \$6599. Address: North Star Computers, Inc., 14440 Catalina St., San Leandro, CA 94577 (Tel: 415-357-8500).

Photo Transmission by Computer. The PhotoCaster permits color or monochrome photos taken with a conventional TV camera to be displayed, processed, and, using a self-contained modem, sent between Apple computers over conventional telephone lines. With an 8-second/photo time, the device allows adding titles and graphics, creation of special video effects, and image enhancement. A high-resolution graphics dump routine provides hard copies. Monochrome photos are processed with a resolution of 128 \times 128 pixels and 16 levels of gray. Requires an Apple II with 48K of RAM and one drive. The board is slot independent. The PC-100 PhotoCaster is \$499.95, plus shipping. Address: Commsoft, Inc., 2452 Embarcadero Way, Palo Alto, CA 94303 (Tel: 415-493-2184).

IBM Controller. Available in both single- and dual-channel models, the controller features a rotating jumper plug to ease communications cabling by switching the transmit and receive signals in the connector and programmable baud rates from 50 to 19,200. The dualchannel option allows an efficient use of limited computer space in applications where one part drives a modem and the other a serial printer. Fully IBM compatible, the controllers supports 5-, 6-, 7-, or 8-bit characters with 1, 1½, or 2 stop bits, even or odd, or no parity. A full prioritized interrupt system controls transmit, receive, error and modem status change interrupts while diagnostic capabilities provide loopback functions. Full duplex is supported, and double buffeliminates precision synchronization. The single-channel controller is \$130; the doublechannel is priced at \$195. Address: Personal Systems Tech., Inc., 22957 La Cadena, Laguna Hills, CA 92653 (Tel: 714-859-8871).



The PhotoCaster transmits photos between Apple Computers.

Security Sale!



Save \$19.35 on Radio Shack's Home Burglar Alarm System

Save now on this perimeter alarm system package and protect your home with the same type of security system used by professionals. Everything you need for easy, do-it-yourself installation of full 24-hour protection is included. Alarm system panel. 100 feet of twisted wire. High-security key lock. Four magnetic switches for up to four windows or doors. And an electronic siren. It's so versatile-you can actually "custom-design" your system and expand your coverage any time. Add vibration sensors, glass-breakage detectors, security dialers and any of Radio Shack's complete line of security devices. Get up to ten arm/ disarm key switches for different entrances. The system features two loops. One activates the alarm instantly, the other provides adjustable 0-45-second entry and exit delays. And there's a panic switch circuit that's armed 24-hours a day for emergencies. Alarm shuts off after five minutes, then resets automatically. Four LED indicators in the all-steel control unit show system status at a glance. Power-on and arm/memory LEDs assure you that the system is armed and working properly, and the loop indicator lights when all circuit detectors are in their normal state. It lets you know if you left a window or door unprotected. U.L. listed. With a battery backup system in case of a power failure. Separate battery and bell test buttons and battery indicator. Come in to Radio Shack today and see our complete security line for low-cost, whole-house protection for your family, home and property!

Radio Shack

A DIVISION OF TANDY CORPORATION

STAN VEIT ON COMPUTER SOFTWARE



Micro-Mainframes Must Have Humongous Memories

RECENTLY requested a review copy of Concurrent CP/M-86 for the IBM-PC. Digital Research told me that it would be glad to send me one and asked how much memory I had in my PC. "Oh, plenty," I said. "I've got 128K!" "Sorry," said the representative from DRI. "You need at least 320K!"

Well, I do have a 256K memory board in my computer with 64K of RAM on it; but I suppose I will have to populate it much sooner than I ever thought I would. This is not a commentary on Concurrent CP/M-86. The point is, rather, that we are building software systems that use huge amounts of memory just to hold the operating system to say nothing of the applications software and the resulting data. As a consequence, our computers are turning into micro-mainframes with megabytes of memory. I don't know if this is a good idea, as I'll explain.

Most micros don't have parity checking or other systems for checking for bad memory conditions during operation. The IBM-PC does use a parity bit, but there is no way to work around a bad bit if one occurs. So we roll along, building bigger and more complicated software systems to use on comput-

ers that can run them, which is fine if everything goes OK.

It is no wonder that many software applications developers are turning to Forth, which uses the minimum memory required for any application. During the next few months, I will be looking at the memory utilization of the various software systems I review. This is a parameter I hadn't thought about before and which hasn't really been addressed since we emerged from the world of 8K memory boards.

I've been going to a lot of press conferences lately, called by manufacturers to introduce new computer equipment. The stock phrase at many of these affairs is "IBM compatible." In fact, they talk more about the IBM-PC than their own new machine! However, when you examine the so-called compatibility, it disappears! Sure they run MSDOS or CP/M-86, and they can use some of the same software that has been released for the IBM-PC, but when you ask the big question, "Can I take a diskette out of my IBM-PC and put it into your disk drive and run it?" they hem and haw.

Let's define "software compatible" to include disk format compatibility, otherwise it is meaningless to the user. It must include the function "transportability," or it is not compatible. This applies not only to the IBM-PC, but to all the new machines coming onto the market. I recently heard a sales person for a new computer say that his computer system was compatible with the Xerox 820 single-density format. Great! What he didn't say was that this format left no room on the disk for applications and data. That's why Xerox went to doubledensity. Let the buyer be wary.

One interesting and little-known fact about the IBM-PC compatibility advertised by several manufacturers is that the IBM-PC has three kinds of BASIC. The first is ROMbased and only has I/O capability with the almost-never-used cassette system. The second is a simple disk BASIC that uses most of the ROM

BASIC and adds disk I/O and graphics. The third called BASICA is the complete IBM BASIC with all the "bells and whistles." Now the interesting thing about BASICA is that it is not completely contained on the IBM-PC DOS diskette that it is loaded for. It uses much of the ROM BASIC that is in the machine. Now this ROM is only licensed to IBM by Microsoft. They sell something called MSBASIC to go with the MSDOS licensed to other manufacturers. It is almost the same as BASICA (called GW BA-SIC by Microsoft for Gee Wiz!) but it lacks the interface to IBM-PC

We called several of the "IBM-PC compatible" manufacturers to find out what they were doing about this. We only got an answer from Columbia Data Products which said it was aware of the problem and has "patches" to MSBASIC to do the same thing, but will introduce its own BASIC at Comdex 1982. It feels this will take care of the problem.

WordStar for CP/M-86 and MSDOS. Micropro International has announced the availability of WordStar, SpellStar, and Mail Merge for 16-bit computers using CP/M-86 and MSDOS. Each of these products will be priced at \$250. WordStar is the most popular word-processing system for PC/M-80 computers and has recently been configured for the IBM-PC computer under PCDOS.

Micropro will release these new versions on 8" "standard" disks. We think this is somewhat strange since most of the computers now using CP/M-86 and MSDOS use some form of 51/4" disks! However, they all use different formats so Micropro has taken the easiest way out.

Business Software for the Otrona. The Accounting Plus package from Systems Plus (Palo Alto, CA) has been adapted for the portable Otrona Attache Computer. This package consists of modules

(List Price \$299)

SALE! \$14900

(when you buy 6 tape programs at sale prices)



We Love Our Customers **Our Prices and Service** Prove It!

One Day Delivery Express

We Have Commodore 64 Computers In Stock

- Commodore 64 Programmers Reference Guides Free With Purchase
- **Over 500 Programs To Choose From**
- Free Catalogs

You get the COMMODORE VIC-20 Computer for only \$149.00 when you buy 6 tape programs on sale for only \$69.00. These 6 tape programs list for \$96.00 to \$132.00! You can choose one of these three tape program packs: 6 GAME program pack \$69.00 (Alien Invasion, Target Command, Artillery, Chase, Snake Out, Cattle Round Up). 6 HOME FINANCE program pack \$69.00 (Check Book, Calculator, The Budgeter, Home Inventory, Income Tax, Utility Bill Saver). 6 SMALL BUSINESS program pack \$69.00 (Accountant, Accounts Receivable and Payable, Inventory, Order Tracker, Estimating and Bidding, Appointments).

33K COMMODORE VIC \$239 WITH 24 TIMES MORE POWER

WITH 2½ TIMES MORE POWER
For only \$239.00 you get the COMMODORE
VIC-20 Computer plus WE ADD 8,000 BYTES
OF USER MEMORY to give you 2½ TIMES
MORE PROGRAMMING POWER! This power
ful full-sized extra featured computer includes
the 6502 microprocessor (LIKE APPLE) 20,000
bytes ROM with a 16K extended LEVEL II
Microsoft BASIC, 13,000 bytes RAM, a total of
33,000 bytes memory, plug in expandable to
60,000 bytes, 66 key typewriter professional expanded keyboard with graphic symbols on
keys, color command keys, high resolution
graphics, 512 displayable characters, text
display is 22 lines 23 characters, sound and
music, real time, upper lower case, full screen
editing cursor, floating point decimal and trig
functions, string arrays, scrolling, multi statement lines, file management, PEEK AND
POKE. Assembly machine language is
available. We have easy to use self teaching
books and programs. Accepts TAPE-DISK AND
PLUG IN CARTRIDGES, connects to any TV,
includes AD adaptor, R.F. modulator, switch
box, self teaching instruction book, comes in a
beautiful console case. beautiful console case.

41K COMMODORE VIC \$279 WITH FOUR TIMES MORE POWER

For only \$279.00 you get the 41K COM-MODORE VIC with 400% MORE PROGRAMM-ING POWER THAN VIC-20! We add 16,000 bytes user memory to the VIC-20. You get a total of 41,000 bytes memory (20,000 bytes ROM, 21,000 bytes RAM and extended LEVEL II BASIC) plus all the extra features listed!

49K COMMODORE VIC \$319 WITH SIX TIMES MORE POWER

For only \$319.00 you get the SUPER POWERED 49K COMMODORE VIC with 600% MORE PROGRAMMING POWER than VIC-20! We add 24,000 bytes user memory to the VIC-20. You get a total of 49,000 bytes memory (20,000 bytes ROM, 29,000 bytes RAM and extended LEVEL II BASIC) plus all the extra features listed!

TRACTOR-FRICTION PRINTER \$399

This all new COM-STAR deluxe line printer, prints 8%" ½ 11" letter quality full size, single sheet, roll or fan fold computer paper, labels, etc. 40, 66, 80, 132 columns. Impact dot matrix, bi-directional, 80 CPS. Includes special cable that plugs direct into the VIC-20 printer port — no other costly interface is needed! List \$599. Sale \$399.

SUPER 10" COM-STAR PRINTER \$499

Has all the features of the COM-STAR printer shown above, PLUS! 10" carriage, 100 CPS, Dot addressable bit image graphics, 2.3 buffer, 18 character sets, 40, 48, 66, 80, 96, 132 columns, prints true descender, super and subscript, underlining. Includes special cable to plug into the VIC-20 printer port. List \$699. Sale \$499.

60K MEMORY EXPANDER \$89

Allows memory expansion to 60K total (20K ROM and 40K RAM). Has six slots to add six cartridges — you can switch select any comcarriages — you can switch select any com-bination of memory or programs. Stop and start any program with reset button, you don't have to remove-cartridges or turn off com-puter. This expander is a must to get the most out of your VIC-20 Computer!

PLAY ATARI GAMES ON VIC-20 \$79.

WOW !! Plug in our new "GAME LOADER" and you can play all ATARI video game cartridges, Activision, Imagic M-Network on your VIC-20 computer. List \$99. Sale \$79.

LOW COST PLUG IN EXPANSION

Accessories plug in direct to this computer, extra RAM memory, data cassette, telephone modem \$99.00, deluxe 80 column printer \$399.00, 170K disk drive \$349.00 all plug in direct! You do not have to buy an expensive expansion interface!!

WE HAVE THE LOWEST PRICES

We sell direct to customers and you save the profit margin normally made by computer stores, department stores and distributors, we are willing to take a smaller margin to develop volume. WE LOVE OUR CUSTOMERS — OUR PRICES PROVE IT!

IMMEDIATE REPLACEMENT WARRANTY

your computer fails because of warranty defect within 90 days from date of purchase, you simply send your computer to us via United Parcel Service prepaid. We will "immediately" send you a replacement computer at no charge via United Parcel Service prepaid. This warranty applies to all products we sell because WE LOVE OUR CUSTOMERS!!

15 DAY FREE TRIAL

DON'T MISS THIS SALE -ORDER NOW
VIC-20 for only \$149. plus \$69. for 6 pack of programs Specify pack wanted
33K-VIC for only \$239.
41K-VIC for only \$279.
49K-VIC for only \$319.
Tractor Friction Printer \$399.
Super 10 Printer \$499.
60K Memory Expander \$89.
Game Loader—Atari \$79.
We ship C.O.D. and honor Visa and Master Card. Name
Address
City
StateZip Code
USA MASTER CARD C.O.D.
Credit Card No.
Expiration Date Add \$10.00 for shipping, handling and Insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NO EXPORT TO OTHER COUNTRIES. Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars.

GET \$150 FREE SOFTWARE WHEN YOU BUY A COMMODORE 64 COMPUTER!!

ENTERPRIZES (FACTORY-DIRECT)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

CIRCLE NO. 40 ON FREE INFORMATION CARD

...SOFTWARE

covering accounts receivable, accounts payable, purchase order system, sales order entry, inventory control, and utilities. Accounting Plus is designed for a company that sells products on a day-by-day basis.

Z-100 Utility Program. Comput-

er Palace has created a Printer Screen Graphics program for the Zenith Z-100 Computer. The \$39.95 Utility Program will make a black-and-white copy of anything on the screen. It currently supports the Epson MS-80 and MS-100 as well as the MPI99G printers. Address: Computer Palace, 115 Shorewood Dr., Menomonie, WS 54741.

Software for Sony Computer.

Sony intends its new desktop computer, the SMC-70, to be amply supplied with software when it is released. The SMC-70 uses the Sony 3¹/₂" disk and has color graphics. The operating system will be CP/M-80 version 2.2 with color graphic enhancements. Language support will include Digital Research's CB80, a compiled Business Basic, as well as an interpretive Sony BASIC that supports color graphics, sound, and video disk features. Pilot Plus is another language that will be supported. Other software publishers who have adapted their products to the Sony format include: Visicale from Visicorp, Condor Data Base Management system and the Structured Systems Accounting Systems. Sony also will issue communications software to enable use of Compuserve, the Source, Dow Jones, and other networks. Sony intends to publish a software catalog listing all the software converted to run on its 3½" disk format. Address: Att: Harvey Lawner, Sony Microcomputers, 7 Mercedes Dr., Montvale, NJ 07645.

CP+ The CP/M Manager. Tarus Software has a super utility for CP/M users. It eliminates the jargon and complicated CP/M commands, replacing them with simple English messages and single keystrokes. For example, to copy a disk, you eliminate PIP A:=B: PROGRAM. TEXT [V], and replace it with a keystroke, which brings up the message "CP PLUS DISK FILE COPY" "YOUR CURRENT DISK IS DRIVE A: DRIVE TO COPY TO? B" "FILE NAME OF FILE TO BE COPIED? PROGRAM. TEXT"

CP+ offers HELP for the user when needed and lets him control the printing of computer output through print. This allows the user to call for the next print job while the printer is printing the previous one. CP+ takes about 15 minutes to install and it runs on CP/M versions 1.4 or 2.2. It can be used on just about all the computers that use CP/M-80. I recommend this package to all new users of CP/M. Even for those who can never unlearn the CP/M commands originally drilled into them, this program has enough

AUDIO CRITICS RAVE ABOUT THE VISTYPE V:



"Our tests show that the Shure V15 Type V not only lives up to the claims made for it, but in virtually every respect OUTPERFORMS the best cartridges we have previously tested....It is hard to imagine how the V15 Type V could be improved significantly. It offers the MOST PER-FORMANCE in the most areas, plus the most convenience and safety in installation and operation." - Julian Hirsch, Stereo Review, June, 1982

"...(The V15 Type V) is definitely the FINEST pickup Shure has ever made, which makes it one of the finest ever made, period."— High Fidelity, July, 1982

"...In a world of audiophile discs with demanding tracking requirements, the Shure V15 Type V KEEPS AHEAD of the times."—

Rich Warren, Chicago Sun-Times, June 4, 1982

"(The V15 Type V)
REDEFINES its maker as a pioneer in cartridge

design not only from the beginnings of microgroove technology but well into the future of the LP disc."— FM Guide (Canada), June, 1982

"... It may be safe to say that this cartridge's excellent tracking ability is NUMBER ONE in the world. Provides exquisite and elaborate sound."—
Swing Journal (Japan), May, 1982

Find out why the critics are so excited: Send for free fact-filled brochure AL694A.

Call for the name of the dealer nearest you 800-323-6556. Ask for Dept. R15.

Shure Brothers Inc., 222 Hartrey Avenue, Evanston, IL 60204

In Illinois: 800-942-6345. Ask for Dept. R15.

CIRCLE NO. 45 ON FREE INFORMATION CARD







400 16K..... \$269 32K..... \$349 ARK \$420

7011 723	
410 Recorder \$ 76.0	00
810 Disk Drive \$449.0	00
822 Printer\$269.0	00
825 Printer\$589.0	00
830 Modem\$159.0	00
820 Printer\$259.0	00
850 Interface\$169.0	00
CX40 Joysticks (Pair) \$ 18.0	00
CX853 Atari 16K Ram \$ 77.9	95
	100

800 —	-48K
B68	call

Microtek 16K Ram	. \$ 74.95
Axlon Ramdisk (128K)	\$429.95
Intec 48K Board	\$159.00
Intek 32K Board	. \$ 74.00
One Year Extended Warranty	\$ 70.00
CX481 Entertainer Package	. \$ 69.00
CX482 Educator Package	\$130.00
CX 483 Programmer Package	. \$54.00
CX 484 Communicator Package	\$344.00
Atari 800 Dust Cover	\$6.99
Atari 400 Dust Cover	\$6.99
Atari 810 Dust Cover	\$6.99
	Axlon Ramdisk (128K) Intec 48K Board Intek 32K Board One Year Extended Warranty CX481 Entertainer Package CX482 Educator Package CX 483 Programmer Package CX 484 Communicator Package Atari 800 Dust Cover Atari 400 Dust Cover

Disk Drives For **Atari Computers**

S1 Single Drive	\$589.00
A1 Add-on Drive	\$339.00
S2 Dual Drive	\$879.00
Single Side Dual Head	\$679.00
Dual Drive Dual Head	1046.00



M-SCI

MICRO-SCI Disk Drives For



CX853 Atari 16K Ram	. \$ 77.95
ATARI	
Pac Man	
Centipede	
Caverns of Mars	
Asteroids	
Missile Command	
Star Raiders	. \$35.00
DATASOFT	
Pacific Coast Highway	
Canyon Climber	A CONTRACTOR OF THE PARTY OF TH
Tumble Bugs	
Shooting Arcade	
Clowns and Balloons	
Graphic Master	
Graphic Generator	\$13.00
Micro Painter	\$25.00
Text Wizard.	
Spell Wizard	
Bishop's Square	. \$25.00
ON-LINE	
Jawbreaker	. \$27.00
Softporn	
Wizard and the Princess	
The Next Step	
Mission Asteroid	
Mouskattack	. \$31.00
SYNAPSE	
File Manager 800	
Chicken	
Dodge Racer	
Synassembler	\$30 00
Page 6	\$1900
Shamus	
Protector	\$26.00

Centipede	\$35.00
Caverns of Mars	. \$32.00
Asteroids	
Missile Command	. \$29.00
Star Raiders	. \$35.00
DATASOFT	
Pacific Coast Highway	\$25.00
Canyon Climber	\$25.00
Tumble Bugs	\$25.00
Shooting Arcade	\$25.00
Clowns and Balloons	\$25.00
Graphic Master	\$30.00
Graphic Generator	\$13.00
Micro Painter	\$25.00
Text Wizard.	\$89.00
Spell Wizard	\$64.00
Bishop's Square	. \$25.00
	STATE OF STATE
ON-LINE	
Jawbreaker	.\$27.00
Softporn	
Wizard and the Princess	\$29.00
The Next Step	\$34.00
Mission Asteroid	\$22.00
Mouskattack	.\$31.00
SYNAPSE	10
File Manager 800	\$79.00
Chicken	
Dodge Racer	\$26.00
Company	620.00
Page 6	\$1900
Shamus	\$26.00
Protector	\$26.00
Nautilus	\$26.00
Slime	
Disk Manager	\$24.00
And the sum of the sum of the	
K-BYTE	
Krazy Shoot Out.	\$32.00
K-razy Kritters	\$32.00
K-razy Antics	
K-star Patrol	\$32.00

ATARI	31-
Pac Man	\$35.00
Centipede	
Caverns of Mars	
Asteroids	
Missile Command	
Star Raiders	\$35.00
	and the state of
DATASOFT	
Pacific Coast Highway.	
Canyon Climber	
Tumble Bugs	
Shooting Arcade	
Clowns and Balloons	
Graphic Master	
Graphic Generator	\$13.00
Micro Painter	\$25.00
Text Wizard.	
Spell Wizard	
Bishop's Square	\$25.00
	10 多数10 数
ON-LINE	
Jawbreaker	\$27.00
Softporn	
Wizard and the Princess	
The Next Step	
Mission Asteroid	
Mouskattack	\$31.00
SYNAPSE	
File Manager 800	
Chicken	
Dodge Racer	
Synassembler Page 6	\$30 00
Shamus	
Protector	
Nautilus	
Slime	
Disk Manager	\$24.00
K-BYTE	
Krazy Shoot Out.	\$32.00
K-razy Kritters	
K-razy Antics	
it tally mitted	402.00

32.00	EVER!
32.00	
32.00	
32.00	We also carry Ea
5	Packard, Televi NEC, Commodor
	plete line o

		3000	CORN.	-	1000		-				-	•	100		8	-	_	40									
F	Dr.	A	P	P		2,)	1	I	;	}				,	1	Ş	1	P	8	u	n	b	1	F		1
	dex																										
Visif	ile						0																\$	18	39	0.0	0
Visig	plot.																						\$	15	59	0.0	0
Visit	term .		1.																				\$	18	39	0.0	0
Visit	rend	PIC	ot .																				\$	2	29	0.0	0
Visis	Sche	dule	ð																				\$	22	29	0.0	0
Des	ktop	Pla	n .																				\$	18	39	0.0	0
VIS	ICAL	C.																					. 5	51	7	9.0	00
for	App	le	11	p	lu	S,					A	ta	31	i,					-	C	В	М		&		IB	M
				C	0	1	1	t	i	1		e	21		1	t	8	1	ı								

VISICORP

The Home Accountant (Apple/Franklin). \$59.00 \$119.00 ..\$59.00 The Home Accountant (IBM) 1st Class Mail .

FLOPPY DISKS Maxell

141D 1 (BOX 01 10)	\$30.00
MD II (Box of 10)	\$46.00
MFD I (8")	\$4400
MFD II (8" Double Density)	\$5400
Verbatum	
5 1/4" SS DD	\$26 00
5 1/4" DS DD	\$36 00
Elephant	
5 1/4" SS DD	\$1999

TIMEX TIMEX SINCLAIR 1000

LOWEST PRICE

\$89.00

agle, Hewlett deo, Sharp, e and a comprinters.





64K Personal Computer Hardware, Software and peripheral compatable with the Apple II and even has some features not found on the Apple.

MONITORS AMDEK

\$169.00

Color I	\$339.00
Color II	
Color III	\$429.00
BMC	
12" Green	\$ 85.00
13,, Color 1400	\$279.00
13" Color 1401 (Mid Res)	\$369.00
ZENITH	
ZVM 121	\$ 99.00
SHARP	
Sharp 13" Color TV	\$275.00
PANASONIC	
TR-120 MIP (High Res. Green)	\$159.00
CT-160 Dual Mode Color	\$200 M

west 800-648-3311

STICK STAND

\$699

IN NV. CALL (702)588-5664 P.O.BOX 6688, STATELINE, NV. 88448

east 800-233-8950

IN PA. CALL (717)327-8575 477 E. THIRD ST., WILLIAMSPORT, PA. 17701

300G

In-stock items shipped same day you call. No risk, no deposit on C.O.D. orders. Pre-paid orders receive free shipping within the continental United States with no waiting period for certified checks or money orders. Add 3% (minimun \$3.00) shipping and handling on all C.O.D. and Credit Card orders. NV and PA residents add sales tax. All items subject to availability and price change. NoTe: We stock manufocturer's and third party software for most all computers on the market! Call today for our new catalogue.



\$419.88 UPS DELIVERED

- 100 characters per second, bi-directional, logic-seeking printhead action
 (48 lines/min) with 9K print buffer, expandable to 4K on-board.
- (48 lines/min.) with 2K print buffer, expanable to 4K on-board
 9 x 9 matrix produces proportional, 10, 12, 17 cpi with true descenders, double width, double strike, italics, & special graphics characters
- 120 x 144 hi-resolution dot-addressable graphics matrix
- Subscripts, superscripts, underlining, backspace, plus 2K user-programmable character ROM, perf skip, vert/horz tabs
- Friction/tractor standard; handles 3-part forms (8.5")

PRINTERS Anadex DP-9501A \$1409.88 Anadex DP-9629A \$1499.88 Centronics 122-1 \$829.88 \$949.88 Centronics 122-3 Centronics 352 \$2324.88 \$499.88 w/RS-232C..... C. Itoh Prowriter 2 \$609.88 \$734.88 W/RS-232C C.Itoh F-10 Starwriter, 40 cps Parallel or RS-232C \$789.88 \$1499.88 .ltoh F-10 Printmaster, 55 cps \$1799.88 Parallel or RS-232C F-10 Tractor \$289.88 Daisywriter 2000. \$1089.88 Daisywriter Tractor Daiswriter Cable \$49.88 Diablo 620 \$1269.88 Diablo 630 \$1969.88 Diablo 630 KSR. 630 Tractor \$314.88 DMP-85 Printer IDS Microprism \$679.88 IDS Prism 80 \$1104.88 \$1339.88 above w/graphics above w/sheetfeed. above w/4-color \$1539.88 IDS Prism 132. \$1269.88 \$1339.88 above w/graphics above w/sheetfeed. \$1459.88 above w/4-color \$1699 88

T I CONTINUE	
Microline 80 Microline 82A. 80/82A Tractor 82A Roll Paper Holder Microline 83A. 82A/83A Okigraph ROM Microline 84 W/graphics & tr Parallel, 200 cps. RS-932C, 200 cps.	\$439.88 \$59.88 \$49.88 \$694.88 \$44.88
NEC PC-8023A	\$1929.88 \$1809.88 \$2199.88
Qume Sprint 9/45	\$2109.88
Smith Corona TP-1	\$599.88 32C
CALL FOR PRICES on Epsol Datasouth, & other printers.	n, DIP, MPI,
MODEMS	
Hayes 300 Baud Hayes 1200 Baud Hayes Micromodem-II w/Software	. \$569.88 . \$299.88
Novation Apple Cat 1200 Novation Apple Cat 300 Novation 1200 Upgrade Novation Auto Cat 300 Novation Auto-Cat 1200 Novation Cat. Novation D Cat.	\$334.88 \$324.88 \$224.88 \$569.88 \$159.88
Signalman Mark 1	\$89.88

PRINTERS

Monitors, cables, IBM PC & Apple/Franklin hardware & software also available. Call for more information.

Information & Orders (603)-881-9855



Orders Only: (800)-343-0726

NO HIDDEN CHARGES

FREE UPS shipping on all orders—No extra charge to use credit cards—All equipment shipped factory fresh with manufacturer's warranty—COD orders accepted (\$10 fee) No purchase orders accepted—No foreign or APO orders accepted—Minimum \$50 per order—This ad prepared in November: prices subject to change.

HIGH TECHNOLOGY AT AFFORDABLE PRICES

THE BOTTOM LINE

to offer to make it worthwhile. To those just starting with the 16-bit generation of computers, Tarus Software is releasing a version to be used with CP/M-86 at the Comdex Fall 82 show. This should be in the stores when you read this. Address: Tarus Software, 870 Market St., San Francisco, CA.

CP/M Plus Enhances 8-Bit Micros. Digital Research Inc., "owners" of the popular disk operating system, CP/M, announce release of Version 3.0 of the 8-bit version called CP/M-80. They have renamed this CP/M Plus because it adds features designed to enhance both existing computers and new 8-bit designs to take advantage of the increase in memory size made possible by cheap, large-scale memory chips and extended addressing schemes. Also has the ability to use CP/M on the new hard disks in the megabyte range.

Other features of CP/M Plus (Version 3.0) are error trapping and recovery. It allows application programs to trap system errors and then use plain English to instruct users on how to correct the errors. No more "BDOS ERROR ON B:!" Thank DRI!


There is also an automatic log-in feature that eliminates the need to reset with CTRL C every time a disk is changed. Complementing all these goodies is a new console I/O redirection facility. Without changing the application program, this feature allows input to come directly from a file or output to be written directly to a file (no more I/O Byte). CP/M Plus now supports up to 16 disk drives, totaling 512 megabytes of storage each with file sizes of up to 32 megabytes. All of these features make CP/M Plus very user friendly and keep 8-bit processors in the running for the next decade.

Pricing for OEM'S has been set at \$350 for an evaluation copy. However, it is expected that manufacturers will incorporate CP/M Plus into their product line as they now do and make it available to owners of existing equipment for much less. **Address:** Digital Research Inc., 160 Central Ave., Pacific Grove, CA 93950.

Quick Brown Fox Jumps Over The VIC-20 Keyboard. The Quick Brown Fox is a word processor designed for use with the VIC-20 and Commodore 64 computers. This \$65 program will run on even the smallest VIC-20 with 3K and has features not found on systems costing hundreds of dollars more. The software is packaged in a cartridge that plugs into the computer. It includes full line and global editing, text moving, tab and margin settings, right justification, and proportional spacing. It can reformat edited text automatically instead of on a paragraph-by-paragraph basis.

When used with a memory and video expansion for the VIC-20, the software turns this low-cost computer into a full-capability word-processor system. Either a serial or parallel printer can be used and the whole word-processing station should cost less that \$2000. Sold wherever VIC-20 and Commodore 64 are sold. **Address:** Quick Brown Fox Software, 548 Broadway, Suite F, New York, NY 10012.

Now! A 60 MHz Tektronix scope built for your bench.



In 30 years of Tektronix oscilloscope leadership, no other scopes have recorded the immediate popular appeal of the Tek 2200 Series. The Tek 2213 and 2215 are unapproachable for the performance and reliability they offer at a surprisingly affordable price.

There's no compromise with Tektronix quality: The low cost is the result of a new design concept that cut mechanical parts by 65%. Cut cabling by 90%. Virtually eliminated board electrical connectors. And eliminated the need for a cooling fan.

Yet performance is written all over the front panels. There's the bandwidth for digital and analog circuits. The sensitivity for low signal measurements. The sweep speeds for fast logic families. And delayed sweep for fast, accurate timing measurements.

The cost: \$1200* for the 2213. \$1450* for the dual time base 2215.

You can order, or obtain more information, through the Tektronix National Marketing Center, where technical personnel can answer your questions and expedite delivery. Your direct order includes

probes, operating manuals, 15-day return policy and full Tektronix warranty.

For quantity purchases, please contact your local Tektronix sales representative.

Order toll free: 1-800-426-2200 Extension 43

In Oregon call collect: (503) 627-9000 Ext. 43

*Price F.O.B. Beaverton, OR. Price subject to change





LAST NIGHT WE EXCHANGED LETTERS WITH MOM, THEN HAD A PARTY FOR ELEVEN PEOPLE IN NINE DIFFERENT STATES AND ONLY HAD TO WASH ONE GLASS...

That's CompuServe, The **Personal Communications Network For Every Computer** Owner

And it doesn't matter what kind of computer you own. You'll use CompuServe's Electronic Mail system (we call it Email™) to compose, edit and send letters to friends or business associates. The system delivers any number of messages to other users anywhere in North America.

CompuServe's multi-channel CB simulator brings distant friends together and gets new friendships started. You can even use a scrambler if you have a secret you don't want to share. Special interest groups meet regularly to trade information on hardware, software and hobbies from photography to cooking and you can sell, swap and post personal notices on the bulletin board.

There's all this and much more on the CompuServe Information Service. All you need is a computer, a modem,

and CompuServe. CompuServe connects with almost any type or brand of personal computer or terminal and many communicating word processors. To receive an illustrated guide to CompuServe and learn how you can subscribe, contact or call:

CompuServe

Information Service Division, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8990

An H&R Block Company

TALK CAN BE CHEAP


Hundreds of words can be "spoken" by a Sinclair or Timex computer when adding an interface and a "Speak & Spell"

By Larry Dighera

A "talking" computer is not necessarily expensive—not if you mate one of the low-cost computers (Sinclair ZX-80, ZX-81, or Timex 1000) with Texas Instruments' popularly priced "Speak & Spell™ learning device. The combination gives you several hundred clearly articulated words that expand the use-

fulness of the small computer. All you need to make it happen inexpensively is a simple interface and some software, all described here. Using these ideas, you might design a low-cost security/fire-alarm that vocalizes the nature of a problem ("FIRE," "THEFT," etc.). You could also enhance your computer's portability by making its output audible instead of displaying it on a video screen; write educational programs

with truly meaningful student/ teacher interaction; spice up computer video games with synthesized speech:



... TALK CAN BE CHEAP

create useful programs for the visually impaired; etc. Here's how it can be done.

System Overview. The Speak & Spell consists of a pushbutton keyboard, microprocessor, display, ROM (contains speech data), voice synthesizer, and loudspeaker. A block diagram of the system is shown in Fig. 1. The microprocessor communicates with the speech units through a 6-line bus with CNTL 1, 2, 4, and 8 forming a 4-bit data bus and PDC (processor data clock) and CS (chip select) forming a control bus. The control commands used in the Speak & Spell are listed in Table I.

The ROM contains the binarycoded speech data for synthesis of the spoken word. Each word has a specific starting address. When it is desired to output a particular word, the ROM address of the beginning of the word is sent to the voice synthesizer in five 4-bit nybbles, preceded by the LOAD ADDRESS (code 2) command. The data is then clocked into the voice synthesizer by the PDC signal. Once the 5nybble word address is loaded, READ ROM (code 8) and SPEAK (code 10) commands are sent to cause speech to be generated. If the BUSY SPEAKING? (code 14) command is now sent, the voice synthesizer will raise the CNTL 1 line high until it finishes vocalizing.

A schematic of the interface circuit between the computer and Speak & Spell is shown in Fig. 2. The microprocessor in the Speak & Spell uses PMOS devices that operate at -21 V. (A typical I/O line is shown within the processor.) Because PMOS uses passive pulldown resistors, output current is limited. If ground potential is impressed on these lines, no harm will result, regardless of their state.

The Z80A Parallel Input/Output (PIO) chip in the interface used for *IC1* provides two bidirectional I/O ports: port A uses CMOS inverters (*IC2*) and open-collector pnp driver transistors (*Q1* through *Q6*) as the outputs. The emitters of these drivers are connected to the +5-volt line, which is also connected to the positive (COM) of the Speak & Spell. Thus, when a transistor is conducting, the S&S MPU "sees" a logic 1 (0 V); when the transistor is off, the PMOS pulldown resistors bring the line to logic 0.

Port B of the PIO is used for input and receives its signal from R7 through R12, which limit the incoming signal from the Speak & Spell. In addition to interfacing with the Speak & Spell, with appropriate software, the PIO can pro-


vide a much-needed parallel I/O capability for the computer, allowing use of joysticks and such functions as music, control, and process monitoring.

Construction. The circuit can be built on a dual 22-contact card similar to the Radio Shack No. 276-154. If you use the same edge-contact arrangement as in the computer, except for the clock line, the card is compatible with ZX bus expansion cards currently available. Use of sockets for the ICs and a miniature phone jack to interconnect the power supply are recommended.

The Speak & Spell draws about 200 mA and the interface about 70 mA at 5 V. If you are using a 16K RAM extension, the larger power supply can handle the extra load. Arrange switching so that both computer and interface power up at the same time. If you elect to use batteries in the Speak & Spell, disconnect the ground line by opening the jumper (see Fig. 2). Recheck the interface circuit before connecting it to the computer.

To make the connections to the Speak & Spell, carefully remove the back plate and locate the 40-pin microprocessor immediately below the display. Pin 1 is in the lower right-hand corner. Connections are made to pins 10 through 14, 36, 38, and the negative terminal of the bat-

(Continued on page 47)



Heathkit



Try something special

Kitbuilders build more than fine products. They build pride.



Begin a life-long fascination.

If the idea of creating a great product with your own hands appeals to you but you haven't yet built a Heathkit product, you have a very special experience in store.

And now is the time to get started because we really do have something out of the ordinary to encourage you to try it.

Why bother? Because it's worthwhile for a lot of good reasons.

The kitbuilding process is itself a tonic. It puts the cares of the day behind you. You lose yourself in absorbing work for as long as you like. Spare moments take on new value as your project develops and you master new skills.

As you build, you are guided step-by-step by famous Heathkit manuals. At any age and level of experience, the instructions are easily understandable—the process always enjoyable.

Finally, you have the satisfaction that comes with knowing you have built a really fine product that is uniquely yours. Because in building a Heathkit product, you enter into a partnership. We provide the best components and instruction. You contribute the care and skill. The result is workmanship in which we both take pride.

What's to build? You have more than 400 choices. Some are at the leading edge of technology, while others are quite basic and quick to complete.



Build your first kit now.

If you or your family are involved with computers, cars, boats, flying, amateur radio, alternative energy, woodworking or even the weather, we have a kit for you.

Build television receivers and audio components among the finest in the world. Or all kinds of advanced products for your home.

Your partnership with Heathkit gives you not only pleasure in building, but extra product value. Because these are kits without assembly cost, we can afford to put more into them in return for your time and effort. Our customers tell us this is one important reason why Heathkit products are well worth the hours they put in to construct them.

How long will it take to build the kit you choose? Many can be completed in one or two evenings.

As you progress to more complex kits, you will develop your own speed at which to work comfortably. You will probably surprise yourself at how quickly even major projects can be completed. For instance, the logsplitter shown above requires only about six hours to complete.

We stand behind you every step of the way with our promise, "We won't let you fail." Help, if you need it, is always as close as your phone or your nearby Heathkit Electronic Center.*

It's a simple, enjoyable, step-by-step process. To take the first step, just turn the page.

Heathkit

Heath

Company



A special offer exclusively for new first-time kitbuilders.

If you've read this far, you are the kind of person with a whole lot of curiosity in your makeup.

You are very likely wondering, "Could I?" And maybe at the same time you're asking yourself, "Would I enjoy the experience?"

There is only one way to find out. Try it. That is why I have arranged a special get-acquainted offer that is made *only to new Heathkit customers*. You don't risk a thing when you take me up on this unique offer.

To: W. E. Johnson, President Heath Company Dept. 010-974 Benton Harbor, MI 49022 Please send details on the President's

Please send details on the President's Special Offer plus my free Heathkit catalog.

I am going to take all of the risk because of my absolute confidence that once you try kitbuilding the Heathkit way, you will become a long-time customer.

Call 800-253-0570 toll-free or mail the coupon on this page. Because of the very unusual nature of the offer, it must be limited to those calling the special number or mailing the coupon.

There's no reason for you not to act. There is no risk for you, and when you call there will be no high pressure to buy.

So let us hear from you soon. I wouldn't want you to miss getting all of the facts about this exceptional opportunity to find out what kitbuilding is all about.

William E. Johnson President

Name

Address

City

State

Zip

... TALK CAN BE CHEAP

(Continued from page 40)

tery. Use fine insulated wire to make these connections and work very carefully to avoid creating short circuits.

The nine leads can be terminated in a 14-pin DIP socket, with the cable brought out through the battery compartment. Slip a short length of heat-shrinkable tubing over each wire before soldering it to the DIP socket. Then shrink it over the soldered connection.

The interface is wired to the Z80 microprocessor in the computer as shown in Fig. 2.

Software. Because it is necessary to supply the voice synthesizer with data at a rate beyond the capability of the BASIC interpreter built into the computer, machine language must be used during programming. The programming code given in Table II covers six program modules. The first, labelled PIO, is the initialization routine for the Z80 PIO chip (*ICI*). When power is first applied to the system, the PIO is in an inactive state and must be initialized (told what to do) before it can be used.

The listing in Table II can be entered into the computer using the BASIC program shown in Table III. The three lines without numbers at the beginning of the program are keyed directly into the machine to reserve the top 6K of RAM for the remainder of the program. After entering Table III, run it and enter each number shown in the decimal-

TABLE I—VOICE SYNTHESIZER CONTROL COMMANDS

Code	Use	Input/Outpu
0	RESET	Input
2	LOAD ADDRESS	Input
4	PLACE VOICE DATA ON BUS	Output
6	SPEAK SLOWLY	Output
8	READ VOICE DATA FROM ROM	Input
10	SPEAK	Output
12	BRANCH	Input
14	BUSY SPEAKING?	Output

code column of Table II, referring to the check sum as you go. If an error is detected, use B to move back. Moving forward without altering the data that has already been entered may be accomplished by entering s (for skip).

At this point, it is possible to test operation of the PIO by entering the following:

POKE 26624,62 ;LD A, data

POKE 26625,0

POKE 26626,211 ;OUT port A,A

POKE 26627,1

POKE 26628,201 ;return

Now enter:

1000 PRINT USR 16514

1010 INPUT A

1020 POKE 26625,A

1030 PRINT USR 26624

1040 GOTO 1000

By entering a number between 0 and 63, the six low-order bits of port A are controlled. These can be metered at the outputs of *IC2*. After testing, delete the BASIC programs. At this point, the listing in Table II should still be in the machine; it can be SAVED on cassette for future use.

Not all Speak & Spell ROMs are programmed with the same word addresses. Hence, it is necessary to construct a "word map" for your particular device. One way to find the starting address of a word would be to send the voice synthesizer successive addresses and note which produce usable speech output. However, this tedious method is not necessary since the interface can be used as a form of logic analyzer that allows you to monitor the bus and capture the addresses sent by the microprocessor. This can be accomplished by entering the BASIC program shown in Table IV. The REM at line I reminds you that the machine code of Table II should be in the machine.

To locate the address of a particular word, use the DETERMINE WORD ADDRESS routine and press the GO key until you hear that word.


Hit any key to start recording (which calls STODATA of Table II) and then operate the REPEAT key to put the address on the bus. The STODATA routine allows taking "snapshots" of the voice synthesizer bus at approximately 12-microsecond intervals and storing this data in the top 5K of RAM. (See RAM Memory Map in Table V.) This data can be graphically displayed via the LOGIC DISPLAY routine in Table IV. Successive frames can be viewed by hitting ENTER, or specific frames can be selected by hitting the appropriate key. You can also choose numerical readout by using the PRINT WORD ADDRESS portion of Table IV.

The machine-code module SPEAK (Table II) is the software driver for speech production. Because Speak & Spell uses CNTL 1, 2, 4, and 8 to turn on the display segments and convey data, there are always extraneous signals on the bus. This "noise" can be minimized by pressing ON, ON, GO. This leaves only the cursor on, which causes CNTL 8 to periodically go high. Because of this, SPEAK contains a trap that waits for the bus to clear before sending data. Once clear, five nybbles, stored in the 1K above RAMTOP, are clocked into the voice synthesizer. Then the READ ROM, SPEAK, and BUSY SPEAKING? control words are clocked in. When finished speaking, the voice synthesizer causes the CNTL 1 line to go low to allow the RESET control code to be clocked in. Finally, PIO port A is configured with all lines low via the OFF program module.

PDC is the machine-code module that clocks in the data presented by SPEAK. When called, it waits approximately 124 microseconds, brings the processor data clock high for 124 μ s, then holds the data for 124 μ s before returning. The 124- μ s timing is effected by the delay loop at 16645 of Table II.

If sentences rather than individual words are required, RAM address 16542 can be POKEd with the location of the next word to be spoken, then SPEAK called again. This is repeated until all words are vocalized. It is possible to store more than 200, 5-nybble word addresses in the 1K space above RAMTOP.

I said !	ko, a trajenosta	Miss doding	TABLE II—I	MACHIN	E CODE LIST	
Address	Label	Mnemonic (Code Decimal	CK Sum	Comment	
16514	PIO	LD A,207	62,207	62	Mode control word (Mode 3)	
16516		OUT (3),A	211,3	480	Mode control word to PORT A control register	
16518		LD A,192	62,192	545	Data direction word:bits 0-5=out,6&7=in	
16520		OUT (3),A	211,3	948	Data direction word to PORT A control register	
16522		LD A,207	62,207	1013	Mode control word (Mode 3)	
16524			211,7			
		OUT (7),A		1431	Mode control word to PORT B control register	
16526		LD A,255	62,255	1500	Data direction word:all bits input	
16528		OUT (7),A	211,7	1966	Data direction word to PORT B control register	
16530		LD A,7	62,7	2035	Interrupt control word: disable interrupts	
16532		OUT (3),A	211,3	2253	Interrupt control word to PORT A control reg.	
16534		OUT (7),A	211,7	2467	Interrupt control word to PORT B control reg.	
16536		RET	201	2675	Return	
16537		NOP	0,0,0,0	2675	No Operation	
16541	SPEAK	LD HL,0,104	33,0,104	2708	Set NYBL pointer to RAMTOP	
16544	AAA	LD BC,0,5	1,0,5	2813	Set NYBL counter = 5	
16547		IN A,PORT B	219,5	3037	Get current state of synthesizer bus	
16549		ADD A,0	198,0	3240	Set zero flag if no data present	
16551		JR Z.AAA	40,250	3280	Wait until data present	
16553	BBB	IN A,PORT B	219,5	3749	Get current state of synthesizer bus	
16555	555	ADD A, -8	198,248	3952	Wait until bus clear (CNTL 81)	
16557		JR Z,BBB	40,250	4240	Loop until bus clear	
16559		LD A,CS	62,32	4552	Get Chip Select/reset word	
16561	Act to the second	CALL,PDC	205,236,64	4789	Clock in reset	
16564		ADD A,2	198,2	5287	2= "LOAD ADDRESS"	
16566		CALL,PDC	205,236,64	5494	Clock in "LOAD ADDRESS" command	
16569		SUB,2	214,2	6008	Remove command	
16571	CCC	ADD A,(HL)	134	6144	Get NYBL	
16572		CALL,PDC	205,236,64	6349	Clock in NYBL	
16575		SUB,(HL)	150	6799	Remove NYBL	
16576		INC,HL	35	6834	Increment NYBL pointer	
16577		DJNZ,CCC	16,241	6850	Loop if less than 5 NYBLs	
16579		ADD A,8	198,8	7289	8 = "READ ROM"	
16581		CALL,PDC	205,236,64	7502	Clock in "READ ROM" command	
16584		ADD A,2	198,2	8000	10="SPEAK"	
16586		CALL,PDC	205,236,64	8207	Clock in "SPEAK" command	
16589		ADD A,4	198,4	8705		
16591					14="BUSY?"	
		CALL,PDC	205,236,64	8914	Clock in "BUSY?" command	
16594		LD A,CS	62,32	9276	0 = "RESET" command	
16596	000	CALL, PDC	205,236,64	9513	Clock in "RESET" command + CS	
16599	DDD	IN A,PORT B	219,5	10032	Get synthesizer bus status	
16601		BIT 0,A	203,71	10240	Check bit 0=0	
16603		JRNZ,DDD	32,250	10343	If bit $0 \neq 0$, then still speaking, so loop	
16605		LD A,CS	62,32	10655	0 = "RESET"	
16607		CALL,PDC	205,236,64	10892	Clock in "RESET" + chip select	
16610	OFF	LD A,0	62,0	11254	0 = off	
16612		OUT PORT A,A	211,1	11465	Turn off PORT A	
16614		RET	201	11667	Return	
16618		NOP	0,0,0,0,0	11667	No operation	
16620	PDC	OUT PORT A,A	211,1	11878	Send data to synthesizer	
16622		CALL, DELAY	205,5,65	12084	Set up time	
16625		ADD A,PDC	198,16	12352	16=Processor Data Clock	
16627		OUT PORT A.A	211,1	12579		
16629		CALL.DELAY	205,5,65	12785	Set clock high Clock pulse width	
16632		SUB 16	214,16			
16634				13069	Remove Processor Data Clock	
		OUT PORT A,A	211,1	13296	Let clock fall	
16636		CALL, DELAY	205,5,65	13502	Hold time	
16639		RET	201	13773	Return	
16640		NOP	0,0,0,0,0	13773	No operation	
16645	DELAY	PUSH,BC	197	13970	Save NYBL counter	
16646		LD C,21	14,21	13984	Initialize delay-loop counter	
16648	EEE	DEC C	13	14018	Reduce delay-loop counter by 1	
16649		JRNZ EEE	32,253	14050	Loop until time-out	
16651		POP,BC	193	14496	Retrieve NYBL counter	
16652		RET	201	14697	Return	
16653		NOP	0,0,0,0,0	14697	No operation	
16658	STODATA	LD, HL,108	33,0,108	14730		
16661	STODATA	LD C,5	14,5		Set data pointer to storage address	
16663	FFF	IN A,PORT B		14852	PORT B data register address	
			219,5	15076	Get current state of synthesizer bus	
16665		CP 50	254,50	15335	50 = CS + PDC + "LOAD ADDRESS" command	
16667	000	JRNZ,FFF	32,250	15417	Loop until 50 present	
16669	GGG	INI	237,162	15904	Send bus data to storage & increment pointer	
16671		LD A,129	62,129	16128	129= 2's complement of 32512	
16673		ADD A,H	132	16389	Test if H byte = 32512	
16674		JRNZ,GGG	32,249	16421	Loop until H byte = 32512	
16676		RET	201	16687	Return	
16677		NOP	0 x 14	16687	No operation	
		ASSESSMENT OF THE PARTY OF THE		10001	110 operation	



POKE 16389, 104 NEW

- 1 REM (178 CHARACTERS)
- 10 LETS = -1
- 20 LET B = 256
- 30 LET A1 = 0
- 40 FOR I = 16514 to 16690
- 50 PRINT AT 0,0; "ENTER"; I
- 60 INPUT A
- 70 IF A < 0 THEN GOTO 110
- 80 IF A > 255 THEN GOTO 150
- 90 SCROLL
- 100 POKE I, A
- 110 LET A1 = A1 + PEEK I 120 PRINT I; "="; PEEK I, A1
- 130 NEXTI
- 140 STOP
- 150 LET A1 = A1 PEEK (I-1)
- 160 LET I = I 2
- 170 NEXTI

PARTS LIST

C1-10-µF, 16-V electrolytic

C2-0.1-μF ceramic capacitor

IC1-Z80A PIO

IC2-4049 hex inverter

IC3-7805 5-V regulator

J1-14-pin DIP socket

P2-14-pin DIP connector

Q1 through Q6—2N2907 transistor

R1 through R6-5.6-kilohm, 1/4-W resistor

R7 through R13-150-kilohm, 1/4-W resistor

Misc.-Sockets, prototype board (Radio Shack 276-154 or similar), ribbon cable

Note: A cassette of software for the project is available from the author at PO Box 12100, Santa Ana, CA 92712, for \$6.00. California residents, add sales tax.

Operation of the BASIC program of Table IV is straight-forward. You will be prompted whenever an input is required. To return to the menu, enter M. When your word map is complete, you can delete all but the REM statement containing the ma-

chine code and write your own programs for speech production. To output speech, POKE the addresses of the words you want spoken into the area above RAMTOP, by adding a loop to the SPEAK WORD routine (line 1400) and let the loop incre-

TABLE IV—BASIC PROGRAM ZX-SPEAK 1 REM (Machine Code Here) 1754 PLOT X+4,CODE I\$+INT(L/2)*2 1756 LET L=L-INT(L/2)*2 1000 REM ZX-SPEAK REV. 3.1 1010 REM (c) L. DIGHERA 1982 1758 LET I\$-I\$(2 TO) 1760 PLOT X + 4,CODE I\$ + L*2 1020 IF PEEK 16389 < > 104 THEN STOP 1030 FAST 1770 NEXT X 1040 GOTO 3000 1780 SLOW 1190 REM DETERMINE WORD ADDRESS 1790 PRINT AT 21,4;H\$(A+1);" ""ENTER"" FOR NEXT FRAME" 1200 SLOW 1210 PRINT AT 1,9;"WORD LOCATER" 1800 LET L\$=INKEY\$ 1220 PRINT AT 4,3;"1...DISPLAY LOGIC DIAGRAM" 1810 LET A=ABS(A-1) 1820 IF L\$="" THEN GOTO 1800 1230 PRINT AT 6,3;"2. . . PRINT WORD ADDRESS" 1240 PRINT AT 10,9;S\$(A+1);"MODE" 1830 IF INKEY\$ < > " " THEN GOTO 1830 1840 IF L\$="M" THEN RETURN 1250 LET S = (CODE INKEY\$) - 28 1260 IF S = (CODE"M") - 28 THEN RETURN 1850 FAST 1860 CLS 1270 LET A = ABS(A-1) 1280 IF S < 1 OR S > 2 THEN GOTO 1240 1290 IF INKEY\$ < > " " THEN GOTO 1290 1880 IF CODE L\$ > 28 AND CODE L\$ < 64 THEN LET F = (CODE L\$ - 30)*60 + DATA1300 PRINT AT 10,0;H\$(A+1);"ANY KEY TO START 1890 NEXT F RECORDING. 1900 REM PRINT WORD ADDRESS 1310 LET A = ABS(A - 1) 1320 IF INKEY\$ = " "THEN GOTO 1300 1910 LETF = DATA 1920 LET ADDR = 0 1330 FAST 1930 FOR P=0 TO 4 1340 CLS 1940 LET F1=0 1350 IF INKEY\$="M" THEN RETURN 1950 LET F2=0 1360 RAND USR PIO 1960 FOR F=F TO 32512 1370 RAND USR STODATA 1970 IF PEEK F = 32 + 16 + 2 THEN LET F1 = 11380 IF S=1 THEN GOTO 1650 1980 IF PEEK F < 32 + 16 AND F1 = 1 THEN LET F2 = 11390 GOTO 1900 1990 IF PEEK F > = 32 + 16 AND F2 = 1 THEN GOTO 2010 1400 REM SPEAK WORD 2000 NEXT F 1410 PRINT AT 1,10; "SPEAK WORD" 1420 PRINT AT 4,5; "ENTER WORD ADDRESS" 2010 LET ADDR = ADDR + 16**P*((PEEK F) - 32 - 16) 2020 LET F=F+5 1430 INPUT AS 2030 NEXT F 1440 IF A\$="M" OR A\$=" "THEN RETURN 2040 REM KEYBOARD ADDRESSES 1450 LET WA = VAL A\$ 2050 IF ADDR > 803 THEN GOTO 2140 1460 LET H=65536 2060 FOR F=F TO 32512 1470 LET AS = 26624 2070 IF PEEK F=32+15 THEN LET F1=F1+1 1480 FOR I=4 TO 0 STEP-1 2080 IF PEEK F = 32 + 15 AND F1 > 14 THEN GOTO 1920 1490 LET N=INT(WA/H) 2090 IF PEEK F < > 32 + 15 THEN LET F1 = 0 1500 LET WA = WA - N*H 2100 NEXT F 1510 POKE AS+I,N 2110 PRINT AT 5,7;"ADDRESS NOT FOUND" 1520 LET H=H/16 2120 SLOW 1530 NEXT I 2130 GOTO1300 1540 RAND USR PIO 2140 PRINT AT 15,7;"WORD ADDRESS: ";ADDR 1550 RAND USR SPEAK 1560 PRINT AT 8,3;"'''ENTER''''TO 2150 GOTO 1190 2900 REM MENU SPEAK";A\$;"AGAIN." 2910 PRINT AT 1,7;"**ZX-SPEAK**" 2920 PRINT AT 4,3;"1...DETERMINE WORD ADDRESS" 1570 PRINT AT 4,5;" ' ' 'N' ' TO ENTER NEW WORD." 1580 INPUT B\$ 2930 PRINT AT 6,3;"2...SPEAK" 1590 CLS 2940 PRINT AT 10,9;S\$(A+1);"MODE" 1600 IF B\$="M" THEN RETURN 2950 LETS = CODE INKEY\$ - 28 1610 IF B\$="N" THEN GOTO 1400 2960 LET A = ABS(A-1) 1620 GOTO 1540 2970 IF S < 1 OR S > 2 THEN GOTO 2940 2980 IF INKEY\$ < > ""THEN GOTO 2980 1640 REM LOGIC DISPLAY 1650 FOR F=DATA TO 32488 STEP 60 1660 PRINT TAB 3; "** LOGIC SIGNAL DISPLAY**" 2990 FAST 2998 RETURN 1670 PRINT "FRAME:";(F 3000 REM****EXEC**** DATA + 60)/60;TAB12;"12US/ ";TAB22;"60 /FRAME" 3010 LET MENU = 2900 3020 LET PI0 = 16514 3030 LET SPEAK = 16541 3040 LET OFF = 16610 1700 FOR X=0 TO 59 3050 LET STODATA = 16658 1710 LET L = PEEK(F + X)3060 LET DATA = 27648 1720 LET I\$="72+? -" 3070 DIM S\$(2,8) 1730 PLOT X+4,CODE I\$+INT(L/32)*2 3080 LET S\$(1)=" SELECT" 1732 LET L=L-INT(L/32)*32 3090 LET S\$(2) = "SELECT" 1734 LET I\$ = I\$(2 TO) 3100 DIM H\$(2,5) 1736 PLOT X + 4, CODE I\$ + INT(L/16)*2 3110 LET H\$(1) = "HIT" 1738 LET L = L - INT(L/16)*16 3120 LET H\$(2) = "HIT" 1740 LET I\$ = I\$(2 TO) 3130 LET A=1 1742 PLOT X + 4, CODE I\$ + INT(L/8)*2 3140 SLOW

3150 GOSUB MENU

3190 GOTO 3140

3170 GOSUB S*200 + 1000

3160 CLS

3180 CLS

1744 LET L = L - INT(L/8)*8

1750 LET L = L - INT(L/4)*4


1748 PLOT X + 4, CODE I\$ + INT(L/4)*2

1746 LET IS = IS(2 TO)

1752 LET I\$ = I\$(2 TO)

... TALK CAN BE CHEAP

TABLE V—RAM MEMORY MAP



ment variable AS by five for each word.

When all words are stored, delete all but the first REM statement. Then write a subroutine that calls PIO at 16514. Then, after POKEing 16542 and 16543 with the location of the word to be spoken, call SPEAK at 16541. Or, if desired, you can arrange the words in the proper sequence; and, after calling SPEAK initially, call 16341 (SPEAK +3) for the next word.

Conclusion. Only the basics of using the Speak & Spell vocalizer with Sinclair and Timex computers have been discussed here. There are many things you can do with the system beyond what we've presented. For example, you can locate the addresses of individual word sounds (phonemes) contained in ROM and string them together to make words

that don't exist in the ROM's vocabulary, making it possible to build an almost unlimited dictionary of words. You might trim the prefix from the word "anything" to obtain "thing" simply by locating and using the starting address of the suffix.

Another approach to obtaining a larger vocabulary is by adding more ROMs to the system. Currently, as many as 16 ROMs can be connected into the system, each individually accessed through the address-decoded ROM chip select. Access to data output from the ROMs is available at the Speak & Spell's edge connector.

The more you use the system, the more you're likely to learn about it. As you experiment with it, you may discover many features of the Speak & Spell we haven't covered here. You may even crack the word-encoding scheme.



Everybody's Logic Analyzer



A logic probe and oscilloscope are no longer adequate for analysis in today's digital world. For testing or debugging microcomputer or other digital logic circuits you need a real logic analyzer.

The LA-12 captures, stores and displays TTL and LSTTL digital data so that the instantaneous meaning of the data stream (e.g. data value, ASCII code, address) can be understood and analyzed long after the actual events have passed.

■ Easy to Use ■ 10 MHz ■ Clock Qualifier ■ Trigger input ■ 3 Trigger Qualifiers ■ Built-in LED Display — No oscilloscope needed ■ Compact

■ Expandable ■ Low Cost

30 day trial

Purchase an LA-12, use it, and if you are not completely satisfied, return it within 30 days and receive a full refund.

Free Offer

If you order within 45 days, and mention this magazine, you will receive a \$49.95 input cable free with each LA-12 ordered.

Save \$28.95

In addition, if you enclose payment with your order you can deduct 5% and we will pay shipping charges.

All prices are in US dollars for 120VAC.

To order in the Continental US call

TOLL FREE 1-(800) 547-5995 EXT. 195

Connecticut microComputer, Inc. 36 Del Mar Drive, Brookfield, CT 06804 (203) 775-4595 TWX: 710-456-0052

Q	Description	Price	Total
	Logic Analyzer	\$379.00	
	Input Cable	49.95	
	20 Color-coded microclips	44.95	18 06
Conn	ecticut residents add 71/2	% sales tax	1402
	Shipping & Handling	\$10.00	iso b
710	Total		Y S

		enclosed (Rated
Firms only) Check	□ VISA	☐ MasterCard
Acct. No		
Signature		Exp. Date
Name (Print)		
Address		
City		
State		Zip

Dealer inquiries invited

CALCULATOR'S DISPLAY

Add a simple multiplexing circuit to your handheld calculator's output so you can use ½-inch digital displays

By Lawrence G. Souder

O YOUR eyes ache after spending much time with your calculator? Does Granny refuse to take advantage of the usefulness of a calculator because she can't see the digits? Did you ever want to use the calculator as a teaching aid in a math class but couldn't because the people in the back row couldn't see what came up on your display? If you answer yes to any of those questions, you will find this project a useful addition to your calculator. It is a simple circuit that provides a large, easy-to-read display. In addition to being practical, this project demonstrates a principle used in almost every electronic product with two or more seven-segment displays—multiplexing.

What is Multiplexing? Multiplexing is a form of time sharing, a technique that allows more than one signal to occupy the same conductor. It is commonly used in digital circuits, particularly seven-segment displays. Digital clocks, for example, require a separate sevensegment code for each digit. A fourdigit clock would need a total of 28 (7 segments times 4 digits) separate lines to feed the digits. However, the same display in a multiplexed configuration could use the same segment code bus for all four digits, with each digit taking its turn using the bus to get its data. Separate digit enable lines tell each digit when to take its turn at the bus. When the seven-segment code for the units value of the minutes is on the segment bus, all four digits get the same code, but only the enabled digit will actually display the code on the bus. Likewise, when the code for the tens value of the minutes is on the segment bus, only the enabled tens digit will display that value. The other three digits remain dark. The cycle continues until all four digits appear to be "on" at the same time because the process of scanning is so rapid.

TI-30 CALCULATOR CHIP

Pin	Function
1	Digit 7
2	Digit 8
2	Digit 9
9	V _{dd} (—)
11	Segment DP
12	Segment B
13	
	Segment G
14	Segment D
15	Segment A
16	Segment F
17	Segment E
18	Segment C
20	$V_{ss}(+)$
23	Digit 1
24	Digit 2
25	Digit 3
26	Digit 4
27	
	Digit 5
28	Digit 6

Handheld calculators use this technique to feed their displays. In the case of the standard nine-digit calculator, multiplexing makes it possible to feed all nine digits with just 17 conductors (eight segment lines and nine digit enable lines). Without multiplexing, a nine-digit display would require 72 signal lines

Multiplexing also economizes on current demands since only one digit is on (powered) at any one time. This feature is particularly advantageous for battery-powered devices.

About the Circuit. The outboard display circuit shown in Fig. 1 is essentially a copy of the multiplexed display used in most calculators. The important difference is that it uses 0.5-inch digits instead of the usual 0.15-inch digits. All like segments (A through G) of the nine displays are wired in parallel, and each segment line has its own transistor driver (Q1 through Q8). Each display common-cathode lead also has its own transistor driver (Q9 through Q16), the base of which is fed by a digit enable line. The base of every transistor has a series current-limiting resistor to isolate the low impedance of a forward-biased base-emitter junction from the signal line of the calculator chip. Nineteen leads in all run between the outboard display and the calcu-

WORD PROCESSOR?




You bet! Quick Brown Fox word processing software has more features than Word Star and runs on your VIC or Commodore 64. And it can grow and grow. Add memory, 80 column display, disks, even a letter quality printer. We'll show you how a 1st-class word processor can be yours for less than \$2000! You can even have a "student" system for less than \$700!

It all starts with the Quick Brown Fox at \$65.



Call or write for our free brochure Quick Brown Fox 548 Broadway New York NY 10012 Dealer Inquiries Invited (212) 925-8290

... CALCULATOR



PARTS LIST

D1 through D9—FND 503 0.5 inch, 7-segment display, common-cathode

lator: eight for the segment bus (A through G and decimal point), nine for the digit enable lines, one for $V_{\rm cc}$, and one for ground.

Construction. There is nothing critical about construction. Perforated board is probably the easiest and cheapest way to go, although it does require considerable point-topoint soldering. Multi-conductor ribbon cable will make the interconnection between the display and the calculator easier and neater. Try to use cable having individually colored conductors so that some kind of color-coding scheme can be used (e.g. digit enable one = brown, digit enable two = red, and so forth).

This outboard display was designed for the Texas Instruments TI-30 calculator. The table shows which pins of the calculator chip provide the segment-and digit-enable signals. Since the calculator pc board is crowded, soldering the nineteen wires from the display

Q1 through Q8—2N3904 transistor Q9 through Q17—2N4403 R1 through R8—1-k Ω , ¼-W resistor R9 through R17—2.2-k Ω , ¼-W resistor

must be done very carefully using fine solder and a needle-tipped soldering iron. The only additional modification required is to disconnect the digit enable lines of the TI-30's existing display. This is easily done by cutting (with a razor blade) the foil traces from each digit-enable pin of the calculator chip. Cutting them in this way will allow restoring the original display later, simply by bridging the cuts with small blobs of solder.

Adapting Other Calculators.

Although the hook-up shown is for a TI-30, this display circuit is easily adapted to other calculators that use a common-cathode display. All you need to do is find out whether your calculator's display is common-cathode or common-anode (common-anode displays are not compatible with the circuit) and what pins of the calculator chip provide the various segment and digit drives. To locate these pins, remove power from the calculator

Fig. 1. Nineteen leads connect the outboard display circuit to the calculator itself.

and experimentally apply a low dc voltage (about 5 V) in series with a current-limiting resistor (5000 ohms or so) to various pc traces near the display until at least one segment on the display lights up. When you get two different segments to light, you will know which element is common. Follow those traces back to the chip and record the pin numbers. Eventually, you should be able to track down all digit and segment drive pins.

Operation. Once the outboard display is properly connected, use the calculator as normal. No outside power source is needed since the outboard display "steals" its power from the calculator; the power switch on the calculator will control power to the display as well. The only difference from normal operation is that, since the larger digits draw about three times more current than the original display, it may be best to use the calculator's ac adapter. ♦

Picture where you can go with a \$99.95 computer.

Remember when they said all computers would be affordable someday? Well, here they are. All one of them.

The only \$99.95 computer.

Now you don't have to spend hundreds or even thousands of dollars to enjoy some really

useful and interesting software programs. You can own a full powered TS1000 personal computer for only \$99.95. And you can buy it directly from Sinclair Research, the company that pioneered the affordable computer. Only Sinclair has made this revolutionary new technology possible, with a unique Master Chip which replaces as many as 18 chips used in other personal computers.

The TS1000 is the lowest priced personal computer on the market. In addition to being very affordable, it's very expandable

You can select from a number of 1K software programs for the basic computer. You can also learn how to write your own programs.

The 16K Memory Module. More power to you.

For only \$49.95 more, you can purchase our 16K Memory Module and use even more sophisticated software. Choose from a wider selection of games, educational programs and business/household applications.

The 16K Memory Module plugs right onto the back of the Timex/Sinclair 1000 and provides 8 times more memory capacity. The perfect way to expand your system without emptying your wallet.

A computer even the merely curious can afford.

The TS1000 is designed precisely for you. Anyone can afford it. Anyone can learn how to use it.

So now even the curious can take advantage of our many software cassettes, which work with a standard cassette recorder.

The TS1000 comes with a complete software catalog and a comprehensive instruction book written in clear, simple English. And the computer hooks up to your TV for video display.

No wonder the TS1000 is the fastest selling personal computer ever. And Sinclair will let you try it in your home for 10 days at no risk.

Buy three cassettes, get one free. A good reason to order now.

The fact that computers are here to stay is probably reason enough to order now.

However, we also feature a special software offering. When you buy three cassettes, you get a free cassette. It's as simple as that. And now you can buy the computer and both 1K programs and 16K programs right from your home. No crowds, no waiting lines, no parking worries. Selecting from such a large variety of software has never been easier or more convenient.

But you have to order right away, this is a limited time offer.

How to order today.

Call our toll free number and use your MasterCard or VISA. Or send the coupon with a check or money order.


Then try out the Timex/Sinclair 1000 for




The Flight Simulator

Space Raiders

GERR UP



Backgammon



VU-CALC



02 25 02 03 05 06 06 75 06 06 0 ZXCVBNM



10 days. If you're not entirely satisfied, just return it to us and we will refund your money. (Sorry, no refunds on software.)

Call toll free: 800-543-3000. Ask for operator 509. In Ohio call: 800-582-1364. Ask for operator 509. In Canada call 513-729-4300, operator 509. Have your MasterCard or VISA ready when calling. Phones open 24 hours a day, 7 days a week. These numbers are for orders

If you want information, please write: Sinclair Research Ltd., 2 Sinclair Plaza, Nashua, NH 03061.

Call toll free

		(operator coo)
	Ad code:	With to. Shician Research, Dat.
2000	B2PE01	One Sinclair Plaza, Nashua, NH 03061
		or Money Order enclosed, payable to Sinclair
	Resea	rch.

Check the boxes of all software cassettes you want. If you buy <u>any</u> three cassettes, get <u>any</u> fourth one free. You must <u>circle</u> the one cassette you wish to receive free.

	Price	Qty.	Amount*
TS1000 Computer	\$99.95		
16K RAM	\$49.95		
1K Cassettes	\$ 9.00		
16K Cassettes	\$15.00		
Shipping/ Handling	\$ 4.95		\$4.95
*IIS Dollars		Total:	

1K Cassettes for basic computer: \$9.00 each

☐ 1) Statistics Includes Statistics, Regression and Trend, CHI Squared Text and Graphics Plot 2) Super Program 1

Invasion from Jupiter, Skittles, Magic Square, Doodle, Kim, Liquid

3) Super Program 2 Rings Around Saturn, Secret Code, Mind Boggling, Silhouette, Memory Test, Metric 4) Super Program 7 Racetrack, Chase, Nim. Tower of Hanoi, Docking the Spaceship, Golf

Cassettes for 16K Module: \$15.00 each

5) Space Raiders, Bomber The popular Arcade 6) The Flight Simulator Control a highly maneuverable light

aircraft 7) Chess Six levels of difficulty 8) Backgammon and Dice

9) The Cube Game One, two or three dimensional cube puzzle solving

10) The Organizer


General purpose information storage and retrieve program. Use it to catalog, maintain records, keep track of ☐ 11) VU-CALC Financial analysis, budget and projection tables; a powerful analytical tool 12) The Coupon Manager List coupons by store or

type 13) The Stock Option Analyzer Calculate last trading day; evaluate ROI, annual ROI

Five levels of difficulty

Name		
Street		
City		
State	Zip	

It's the same old Apple II.



For years, people have been trying to build a better Apple II.

It finally happened.

Meet the Apple IIe, an impressive new version of a most impressive machine.

The "e" means enhanced. Which means a bundle of new features:

A standard memory of 64K (versus 48K) that's easily

expandable. So you can create fatter files and crunch larger numbers of numbers.


A new, improved keyboard, with a complete set of ASCII standard characters. Plus full cursor controls, programmable function keys, and a rapid auto-repeat feature built into every key on the board.

Both upper and lower case

characters. (And if you want to see more of them on the screen at one time, a low cost 80-column text card is available.)

Improved peripheral ports. Which make it a lot easier to connect and disconnect game controllers, printers and all those other wonderful things that go with an Apple Personal Computer.

Except for the front, back and inside.



Self-diagnostics. That's a special feature that makes it easy to give your computer a thorough check-up.

Plus an even more reliable design. Achieved by reducing the number of components—which is to say, the number of things that could go wrong.

And bear in mind, the IIe still has all those other virtues that made the Apple II so very popular. Including access to more accessories, peripheral devices and software than any other personal computer you can buy.

So visit any of our over 1300

authorized dealers, and see the newest Apple for yourself.

Like the original, it's rather extraordinary. But then some things never change.



Call (800) 538-9696 for the location of the authorized Apple dealer nearest you, or for information regarding corporate purchases through our National Account Program. In California (800) 662-9238. Or write Apple Computer Inc., Advertising and Promotion Dept., 20525 Mariani Ave., Cupertino, CA 95014. © 1983 Apple Computer Inc.



NEW BRIEFCASE COMPUTERS

Portable microcomputers from Epson and Hewlett-Packard can double as small desktop machines with appropriate peripherals



COMBINE POWER & VERSATILITY

By Stan Veit

PORTABLE computers come in three sizes: pocket, suitcase, and briefcase. In the latter category are the Epson HX-20 and Hewlett-Packard HP-75C models. Though neither can be stuffed into a large


pocket, they don't take up much room in a briefcase.

In a welcome evolution, these portables feature keyboards that can be used by touch-typists, overcoming a shortcoming of many pocket computers. The two portables cannot be directly compared, as

each has its unique attributes. So we will discuss them in turn.

The Epson HX-20

THE NEW Epson portable computer is the larger of the two machines tested, measuring 113/8" W × 8½" H × 13/4" D com-



pared to the HP-75C's $10'' \times 5'' \times 1\frac{1}{4}$ ". But the HX-20 accounts for this most admirably by packing a microprinter and an optional micro-cassette drive or ROM program module easily into its rectangular face.

In this rather small area, the HX-20 also incorporates a full-size key-board that's slightly on the tight side and a four-line liquid-crystal display.

The Epson HX-20 is battery-powered, and the manual goes to great length to tell you that the plug-in power unit is only a battery charger and not a power supply for the computer. It is not designed to run your HX-20 directly from ac and you are warned to use the computer only on its internal batteries, charging them when necessary. This is different from most other plug-in adapter units that run on the plug-in power supply.

There are two dual CPU chips in the HX-20—both 6301 CMOS. The main CPU accesses the RAM and ROM memories. It also controls the keyboard. The secondary CPU controls the micro-printer, the external cassette, and an internal speaker. When a plug-in cartridge is installed, it has ports for both CPUs.

The liquid-crystal display shows four lines of 32 characters and it is a window on a "virtual width" line that is up to 255 characters wide. The use of four lines is a great advantage over handheld portables with a single line display. It is also possible to use the LCD to display plotting points and other graphic features. The complexity of the graphics is limited by the size of the LCD display, but the computer can create complex graphics when it is connected to a CRT through the optional video display controller. One other feature of the Epson HX-20 that will be appreciated by users is the provision for adjustment of the display. There is a small wheel on the right side of the computer that changes the viewing angle of the display unit so the user can see it from any angle.

The keyboard is a standard QWERTY type containing the ASCII upper/lower case character set on 68 keys. There are also five special function keys across the top of the board (PF1 through PF5). These are assigned functions in printer operation and software applications, and they are also used as the operating buttons on the microcassette when one is installed. There are also 13 special keys on the control panel. Two are to control the printer, and three are for PAUSE, MENU and BREAK when running BASIC programs. The INS/DEL key is used to insert or delete characters during screen editing, the NUM key converts part of the keyboard into a numeric keypad for rapid mathematical operation. The HOME/CLR key controls the cursor and clears the screen. Finally, the SCRN key scrolls the display for greater visability.

The keyboard has international character sets for use in foreign languages. The selection is made by setting switches inside the computer. Character sets are labeled for use in Denmark, England, France, Germany, Italy, Spain, Sweden, and the USA.

The keyboard is a high-quality type. The keys are large, the action is positive, and the satisfactory feel is aided by small depressions. A touch typist can operate the keyboard as rapidly as any portable typewriter. In addition to the standard ASCII character set, the HX-20 has a set of 32 graphic characters. These are for such useful things as small cars, people, airplanes, music notes, graphic patterns, and lines.

The printer is a 24-column, dotmatrix impact type. It uses the full ASCII character set (upper/lower case) and has a graphic print rate of 42 lines per minute. It prints graphic characters, and also has bit-addressable graphics. It uses plain paper in 55-mm rolls and has a cartridge ribbon for easy installa-

... BRIEFCASE COMPUTERS

tion. This is a very nice printer with good-quality printout—truly a "baby Epson."

When you use the computer for the first time, you must initialize the memory and the calendar clock. Once this is done, the computer will maintain the time and date information whether the computer is turned on or not.

The CMOS memory will also retain up to five programs in the computer until they are cleared. The TITLE command permits the user to make any of the stored programs part of the initial menu so that they can be directly accessed and run when selected from the menu.

The computer comes with 16K bytes of RAM memory and 32K of ROM. There is internal expansion room for 8K of ROM and external expansion provisions for 16K of RAM and 32K of ROM which must be bank-switched with the BASIC ROMs.

The Epson HX-20 uses a ROMbased form of Microsoft MBASIC. It is very much like other implementations of MBASIC except that it contains extensions for features found only on the HX-20 computer. Some of these include the clock and calendar, sound, and the cassettebased file system. This differs from the file system used with the HP-75C because it uses an audio-type cassette without the ability to drive the tape forward and backward to locate requested files. However, through the use of file indices and the location on the tape recorder digital indicator, it is possible for the user to find the requested programs on the tape.

The tape file system works either with the plug-in microcassette drive or an external cassette recorder unit. In addition to storage provided by the optional casssette file system, Epson advises it will provide an optional disk drive operating out of the high-speed serial port at 38,400 baud.

Another method of storing data inside the computer is provided by RAM files. This is an area of memory set aside to store data even when the computer power is turned off. To use this memory area, you define RAM files and then store strings and numbers in them. The size of this storage is not great; but if used to save numeric and string values, it can be very valuable for creating software systems.

Our experience with this computer shows it to be capable of running complex BASIC programs within its memory capacity. Since we did not have any of the external perhiperals, we could not test its operation as a complete system. We did use the RS232 cable to connect to a CRT terminal in order to get some idea of the operation, though the BASIC commands to open the port and send and receive data through it are somewhat complicated. We doubt if the beginning user can accomplish it. Epson advises that it will provide communications software that will be user friendly. However, the first owners of the computer will not find it easy to communicate.

The documentation supplied with the computer includes an Operations Manual that we found to be very frustrating. It goes to great lengths to be "cute" and tell the owner the basics of operation, but just when the owner is about to do something, this book stops and refers him to the Tutorial and Reference Manual. Even the Operations Manual for the Epson CX-20 Portable Acoustic Coupler does not tell

you how to operate the modem with the computer.

However, the Epson HX-20 BA-SIC Tutorial Manual is very good. It is not only a manual for the computer, it is a thorough course in the BASIC language, the HX-20 operation, and the file system.

Conclusions. Although I could not test the HX-20 with all its peripherals, this "notebook-size" computer is an admirable package. It answers the need for a portable with a full keyboard and enough computing power to be of real use on its own. The integral printer, though only 55 mm wide, is a real boon to computer users who want to travel light and yet retain a permanent record of what they are doing on the computer. With its interface provisions, the HX-20 can function reasonably well on a desktop, too, though this should not be its prime application. It is a lot of portable computing power for \$795 (without the cassette drive), but it needs applications software to reach its highest potential.

The Hewlett-Packard

THE new Model HP-75C ("C" for continuous memory) is the first personal computer produced by Hewlett-Packard that's small enough to take anywhere, yet has



February 1983

If you have put off learning more electronics for any of these reasons, act now!

- ☐ I don't have the time.
- ☐ High school was hard for me and electronics sounds like it may be hard to learn.
- ☐ I can't afford any more education.
- ☐ I have a family now.
- ☐ I'm here. You're there. I've never learned that way before. I'm not sure it will work for me.

Read the opposite page and see how you can get started today!

Be honest with yourself. Are the reasons really excuses? You already know enough about electronics to be interested in reading this magazine. So why not learn more? If you need encouragement, read on and see how excuses can be turned into results.

You don't have the time. Be realistic. All you have in life is a period of time. Use it. Try to know more tomorrow than you do today. That's the proven way to success. CIE studies require just about 12 hours of your time a week, two hours a day. You probably do have the time.

Electronics sounds like it may be hard to learn. You already know something about electronics or you wouldn't be reading this. Now, build on that. CIE Auto-Programmed ® Lessons help you learn. Topics are presented in simple, logical sequence. All text is clear and concise for quick, easy understanding. You learn step by step, at your own pace. No classes to attend. Nobody pressures you. You can learn.

You can't afford any more education. Actually, you can't afford NOT to gain the skills that can put you ahead of the others. You know what inflation is doing to you now. Education—learning a skill—is an inflation-fighter that can be yours. If you are not able to pay full tuition now, CIE will lend you funds on a monthly payment plan.


You have a family now. All the more reason why you have the responsibility to advance yourself. For the sake of your family. Do you want them to have what you had or have more than you had? The choice is yours. Electronics is a rewarding career choice. CIE can help you to get started on that career.

You're there. We're here. How does CIE help you learn? First, we want you to succeed. You may study at home, but you are not alone. When you have a question about a lesson, a postage stamp gets you your answer fast. You may find this even better than having a classroom teacher. CIE understands people need to learn at their own pace. When CIE receives your completed lesson before noon any day of the week. it will be graded and mailed back the same day with appropriate instructional help. Your satisfaction with your progress comes by return mail. That's how CIE helps you learn.

NOW, IF YOU AGREE CIE TRAINING CAN WORK FOR YOU, HOW ELSE CAN CIE HELP YOU?

Cleveland Institute of Electronics is the largest independent home study school in the world that specializes exclusively in electronics. Although "big" does not always mean "best," it is evidence that CIE is a strong, successful institution with the people and resources to help you succeed.

February 1983



Step-by-step learning includes "hands-on" training.

The kind of professional you want to be needs more than theory. That's why some of our courses include the Personal Training Laboratory, which helps you put lesson theory into actual practice. Other courses train you to use tools of the trade such as a 5MHz triggered-sweep, solid-state oscilloscope you build yourself—and use to practice troubleshooting. Or a Digital Learning Laboratory to let you apply the digital theory that's essential today for anyone who wants to keep pace with electronics in the eighties.



Your FCC License can impress employers.

For some electronics jobs, you must have your FCC License. For others, employers usually consider it a mark in your favor. Either way, your License is government-certified proof of your knowledge and skills. More than half of CIE's courses prepare you to pass this exam. Surveys show that some 80% of CIE graduates who take the exam are successful.

Find out more! Today. Now.

There's a card with this ad. Fill it in and return. If some other ambitious person has already removed it, use the coupon.

You'll get a copy of CIE's free school catalog, along with a complete package of personal home study information.

For your convenience, we'll try to arrange for a CIE representative to contact you to answer any questions you may have.

If you are serious about a rewarding career, about learning electronics or building on your present skills, your best bet is to go with the electronics specialists—CIE. Mail the card or coupon today or write CIE (please mention the name and date of this magazine), 1776 East 17th Street, Cleveland, Ohio 44114.

This could be the best decision you've made all year.

Associate Degree

Now, CIE offers an Associate in Applied Science Degree in Electronics Engineering Technology. In fact, all or most of every CIE Career Course is directly creditable towards the Associate Degree.

"If you're going to learn electronics, you might as well learn it right."



CIE Clevelar	nd Institute ronics, Inc.	PE 80
1776 East 17th Street, Clev Accredited Member National Ho		
	the specialists in electronics—CIE. Sectails about the Associate Degree progr formation.	
Print Name	[22] [4] [4] [6] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4	Caraba typik
Address		Apt
City		
State	Zip	Areas Trees III.
AgePl	hone (area code)	Lating to 2001
Check box for G.I. Bill bulletin of	on Educational Benefits: Veteran	☐ Active Duty

MAIL TODAY!

... BRIEFCASE COMPUTERS

The HP-75C connected to a Hewlett-Packard plotter through the HP Interface Loop.



the flexibility to perform as a desktop computer through use of many peripherals presently available and soon to be announced. Unlike handheld computers, its QWERTY keyboard can be used for touch typing, though it does not have the proper-size keys and spacing to satisfy a speed typist.

It is the only handheld computer with networking capabilities (excepting the HP-41 Calculator, which is not a full computer). The HP-75C is the master unit in the Hewlett-Packard Interface Loop (HPIL) network, a low-speed baseband type network designed to connect computers, perhiperals, and electronic test equipment.

The 26-oz HP-75C is powered by rechargeable nickel-cadmium batteries that are said to be able to operate the computer for 30 hours under maximum power-drain conditions and for three to four weeks under normal usage. It uses a CMOS CPU and RAM so that it can retain memory while turned off. The user can redefine the standard keys for special applications. In this case the redefined keys can be used with "snap-on" labels and keyboard overlays. The keys are somewhat larger than other handheld computers such as the Panasonic, which it somewhat resembles, but it is easier to type text with the HP-75C.

The HP-75C has a single-line liquid-crystal display that is a 32-character window on a 96-character line. The display is easy to read and you get used to the idea of a partial window on a line. For those who have trouble making this adjustment, there is a video adapter that can be connected to a monitor or an r-f modulator and a TV set. Of course, the use of a CRT eliminates portability of the system and the prime reason for buying a handheld computer!

The HP-75C has 16K of user RAM that can be increased to 24K by adding an 8K memory module. There are three firmware module plug-in slots that will accept 8K or 16K ROM modules. The use of these plug-in ROM modules frees the user memory for data.

The built-in operating system uses 48K bytes of the maximum 120K memory capacity, and it is ready to use when the computer is turned on. It features 169 instructions of which 147 are BASIC commands, statements, or functions. The operating system is based upon files. They consist of program files, data files, and appointment files. This is somewhat unusual for a hand-held portable computer. Most of them use simple monitor-type operating systems and cannot support disk file systems. This capability is

made possible by the HP-75C using digital cassette mass storage. As a result, tape can be moved forward and backward to locate a file and access it under command of the operating system.

There is a second type of magnetic storage available with the HP-75C—a hand-pulled magneticcard reader built into the computer. The magnetic cards are in the form of plastic strips with magnetic striping on the back. These are inserted into the built-in reader slot and pulled through by hand. Both programs and data can be stored on the cards and the operating system will both read and write to them. They have a capacity of 1.3K bytes per card; multiple cards can be used for a program. This unusual method of magnetic storage gives the computer mass storage even in a completely portable environment.

Using the HP-75C is easy. The documentation is all contained in one Owners Manual that is so good that it could be a model of its type. Every step is explained and illustrated so that no previous experience is required to learn to operate and program the computer.

The ATTEN key turns the machine off and on. Next to this are three other keys marked TIME, APPT, and EDIT which select the modes of operation. The TIME mode

displays the time and calendar information including day of week, day, month, year, hour, minute, second and a.m./p.m. Setting this information in the time mode makes it available for use in all other modes of operation.

The APPT key sets the appointment mode. In this mode the user can set the day and time of an appointment, including up to 68 characters of information about the event. When the appointment time comes, an alarm sounds and an annunciator turns on in the display window. The HP-75C comes with two calendars, a year calendar and an extended (10,000-year) calendar. Using the APPT mode, a user can schedule more than 3000 different appointments! Each appointment can keep repeating itself at intervals from 1 minute to 8 years.

The EDIT mode is the main operating medium of the HP-75C. Practically all operations are performed in this mode. When the computer is turned on, or when the EDIT key is pressed, the computer is in this mode of operation. There are two prompts. First there is the BASIC prompt which is the "greater than" symbol. In BASIC, you can write programs, run them, or load and save them. There is also a program editing facility. Keys can be re-defined and part of the keyboard can be used as a numeric keypad.

HP-75 BASIC is a very powerful version of the language. It supports many of the extended features of BASIC including conditional branching (IF-THEN-ELSE), multistatement lines, computed GOSUB, Program Timers, Arrays, Strings, User-Defined Functions, and Program Calls. There is also complete formatting capability for screen use as well as print formatting.

One does not expect to find this language strength in a portable computer. In addition the HP-75C includes a complete debugging facility with the ability to trace program execution, variables, and branches.

The HP-75C also has a file handling system that enables the user to store and access multiple programs,

text memos, appointment calendars, and other blocks of information. A file is defined as an area of memory that can be identified by name and manipulated as a unit. They are collections of lines of information that have either been entered from the keyboard or from a mass data-storage medium. The computer can hold as many files as memory permits. There are six types:

- 1. Basic or program files.
- 2. Text files
- 3. Appointment files.
- 4. Keys files (special text files).
- Language Extension files (special program files from magnetic cards, cassettes, or plug-in ROMS).
- 6. Logical Interchange files (files with a special format for interchanging information between the HP-75C and other computers).

Files are created from the EDIT mode when either the BASIC or TEXT prompt is selected. The system includes the capacity to edit all files in the computer.

The Hewlett-Packard Interface Loop enables the user to extend the capabilities of the HP-75C to as many as 30 external devices. This includes video interfaces, printers, plotters, tape drives, other computers with disk systems, and numerous electronic devices used for control and test purposes. It is this facility that is the best feature of the computer. It opens the whole world of control and computing to this relatively inexpensive device that is portable, powerful, and versatile.

The HP-75C can also be connected to the HP Series 80 computers by means of the HP-IL through an adapter plugged into the back of the

BENCHMARK TESTS

The benchmark test involved the generation of prime numbers from 0 to 1000; with 303 primes generated. Using the Sieve of Eratosthenes method adapted for portable computers, the times for the two computers were:

Epson HX-20: 79 seconds Hewlett-Packard HP-75C: 59 seconds computer. This makes it possible to use the computer as part of a desktop system and then detach it and carry it to use in a completely portable mode.

Conclusion. In our tests of the HP-75C, everything worked as specified in the excellent manuals. We did have one problem in getting the cassette storage function to work. We called Hewlett-Packard for help; but before they could get back to us, a little more reading in the manual enabled us to solve the challenge ourselves. We had not initialized the microcassette tape. We are used to disks that have to be formatted, but audio types normally do not require initialization. Once we did what the manual instructed, everything worked as it should. As usual we ran some benchmarks, which are given here in a box. The HP-75C is fast for a portable if that is your criterion, and it has the capability to solve the most complicated problems.

When it comes to price, the HP-75C costs more than twice as much as the Panasonic (Quasar, et al.), which can do some of the same things. However, the Hewlett-Packard is unique in some ways and thus must be considered to stand in a class of its own. For such a machine, I consider \$995 a reasonable price. You could spend much more on a less powerful but larger computer, without the same utility and capability. The 8K memory modules are priced at \$195, the digital cassette is \$550, and the printer/ plotter is \$795.

If you want to use a large video screen with a monitor or TV, you can buy an adapter for \$295. The HPIL converter to connect the loop to the other Hewlett-Packard Series 80 Computers is \$395. Other adapters for RS232C and the Hewlett-Packard Interface Bus (HPIB) will be released early in 1983.

Software for the HP-75C will be available in large quantities according to Hewlett-Packard. The first releases are to include nine Solutions Books for investment, real estate, math, and statistics. These will have programs on magnetic cards or tapes and are scheduled to be priced at only \$10 each.

A Broadcast-Band

By John Potter Shields

ANY shortwave receivers suffer from severe front-end overload when operated near highpower, AM-broadcast stations (50 kW or more). This problem is caused by several factors. One is insufficient front-end selectivity and another, which happens more frequently, is cross modulation due to nonlinearity of the first-stage transistor's operating characteristics. The effect of this broadcast band (BCB) overload is reduced overall receiver sensitivity and the appearance of spurious signals throughout portions of the shortwave band.

The problem of front-end overload can be corrected to some extent by placing a resistive attenuator between the antenna and receiver's input terminals. However, this will degrade overall receiver performance. A better solution is to install a series-resonant "wave trap" between the antenna and the receiver's input. This will eliminate the interfering broadcast signal without affecting receiver sensitivity in the SW bands.




Fig. 1. Frequency characteristic of the notch filter.





Fig. 2. Schematic diagram of the filter.

Circuit Operation. Figure 1 shows how the filter performs its task. In this example, the filter is tuned to

the interfering station (800 kHz). Note that the filter's notch greatly attenuates the signal amplitude at



Notch Filter

800 kHz, while not affecting signal frequencies on either side of the notch.

Figure 2 shows the schematic diagram of the filter. It is series-resonant, tuned to the frequency of the

interfering signal. A ferrite "loopstick" antenna coil is used for the inductance due to its high "Q." It provides a sharp null at the resonant frequency. Tuning is accomplished by means of a standard $365-\mu F$ variable capacitor.

Construction. You might be able to find most or all of the parts for the project in your junk box. The variable capacitor can often be salvaged from an old broadcast set.




Fig. 3. Construction of the filter.

(These capacitors can be purchased from companies, such as Calectro, which have parts displays in most electronic parts stores.) You can also use a 365-µF trimmer with good results. Similarly, the loopstick antenna coil can be dug out of an old set or purchased from a source such as Calectro.

Figure 3 shows a suggested method of assembling the filter. Although SO-239 connectors are shown, you can use "RCA" type. Also, you can include the filter in your receiver if there is room.

Use. Using the BCB filter is simplicity itself. Just connect the input of the filter to the antenna and the output to the receiver's antenna terminals. A length of shielded cable should be used between the output of the filter and the receiver's antenna terminals.

With the filter connected, switch on the receiver and adjust the filter's tuning control to notch out the interfering BCB signal.



CIRCLE NO. 56 ON FREE INFORMATION CARD

COMPUTER VIDEO GAMES

Hands-on Reviews of the Latest Computer Game Software

FREE FALL

Sirius Software. Arcade game for Apple II. \$34.95.

Programmer Mark Turmell has developed an eye-catching, cartoonist style as was evidenced in his earlier best-selling games of *Sneakers* and *Beer Run*. Turmell's legions of fans won't be disappointed by his latest effort—a wild, carefree romp through a never-never land of antigravity girders.

The girders fly across the screen. Atop some of the girders are fizzing bombs. The bouncing balls that are constantly traversing the screen can contact a bomb and set off a deadly explosion at any time. Also atop some girders are prizes. Long, deadly knitting needles shoot upward from the bottom of the screen and the floor of the display is cut by cartoon-man sized holes.

To the right of the girder display is the elevator that lifts your hapless cartoon hero to the roof over the girders, prizes, bombs and holes. Paddles, joystick, keyboard or joyport controls will allow you to control his grasping little hands so as to drop through space, grabbing girders and prizes all the way to—hopefully—vanish into a hole in the floor. Miss the hole and splat!

Higher levels of play introduce the dreaded bip-bops and the vicious and (to us, anyway) superdeadly gunners. If you like cartoonstyle arcade, you'll drop everything for this one.

BATTLE FOR NORMANDY

Strategic Simulations Inc. Wargame simulation for Apple II, Atari 800, and TRS-80. \$39.95.

If you've been thinking of getting into computer wargaming, this is just about the best introductory game we've seen. And, it is full of enough features so that even the old

campaigner should find it interesting.

You are in charge of Operation Overlord, the D-Day landings by the Allies on the shores of France. All of the units that took part in the historical battle are represented in the game. The computer, if you lack a human opponent, will gladly become a siliconized version of Reichmarshall Rommel and attempt to throw your invasion back into the sea.


The main map that you play on is called the Tactical Map. This is gridded in a hexagonal manner to regulate the movement of the playing pieces (hi-resolution shapes on the Apple, flags on the Atari and lettered blocks on the TRS-80). But, before you even begin moving each day you must split up that day's available transport allocation between fuel, general, combat and amphibious supplies.

Finally, once you have done the logistics, the paratroopers land; the United States hits Omaha and Utah beaches and the British Expeditionary Forces swarm ashore at Gold, Juno and Sword beaches. Meanwhile, you allocate your air and naval support.

You begin to carefully but aggressively establish your beachheads by moving your depot brigades to form a supply line for your rangers, commandos, and regular combat troops of both infantry and armored divisions. As you deploy, and make ready to fight for every pixel of land, you must keep in mind many factors. The bright terrain is delineated into clear hexes, as well as bocage,

Free Fall (right)

Battle for Normandy (below)




swamp, river, beach and ocean—and villages and cities are depicted as well. Each terrain has an effect on both defender and offender for each combat.


While the computer does indeed keep track of figuring out the fairly complex formulas that govern the results of combat and movement— it is well for the human player also to be familiar with these as presented in the rules. While it is possible to play this game without knowing, for example, how combat results will affect fatigue levels—the computer or a studious human opponent would win every time.

We found the new movement system of one-key controls to be easy to learn and use. You simply move a cursor atop a unit, and then move the unit. Full on-screen details are given for each of the units you are moving to help you keep track of the myriad of variables involved in even the simplest move.

Victory conditions are much the same as they were on D-Day. The Allied player must take and occupy the Cherbourg Peninsula while also taking Caen and St. Lo. Meanwhile, the Allies must mass for a breakout through Normandy.

Sit down with this game on your computer and a videotape of *The Longest Day* playing on the TV in the background, and you'll be on the edge of your seat as you really get into the strategic and tactical concepts of this fine simulation. \diamond





THE POWER IS WITHIN YOUR REACH.



TIMEX INTRODUCES THE POWER OF THE COMPUTER FOR JUST \$9925*

TIMEX SINCISIC 1000

This new computer from Timex represents a major breakthrough: a real computer at an almost unreal price. What makes it possible are our advances in microchip technology and computer circuitry. And, as technology increases, price decreases. It happened to the calculator. It happened to the digital watch. Now Timex has made it happen to the computer.

The Timex Sinclair 1000 allows you to use your own TV as a display monitor, and your audio cassette

recorder for storing programs. For \$99.95* you get everything else you need, including our step-by-step learning guide that'll have you running programs within hours. And writing them within weeks.

Pre-programmed cassettes for the Timex Sinclair 1000 are available on such subjects as education, finance and entertainment. And for \$49.95,* you can add an additional 16K RAM memory bank that will let you do further advanced programs.

The power of the computer is within your reach today. Visit your local retailer or call our toll-free

number 1-800-248-4639 for the Timex computer dealer nearest you.



TIMEX COMPUTERS

THE POWER IS WITHIN YOUR REACH

*Suggested retail price

© Timex Computer Corporation, 1982

PROGRAMMER'S NOTEBOOK

Designing Subroutines For a Board Game

By Jim Keogh

NCE in a while, we all get talked into playing one of those board games—usually just when we feel like doing something else. Sometimes, though a board game can be just what you need to get a small party off and running. Chances are it might be even better if you could play the game on your microcomputer. With a little programming ability, you can design your own program to play your favorite game on your computer.

Here is a subroutine that will "draw" the game board on your display screen. Subroutines for both the TRS-80 and Apple II are shown here. However, they can be modified to operate on other microcomputers.

The game board generated by

APPLE II

- 1 REM CLEAR SCREEN
- 2 CALL -936
- 3 GR
- 4 COLOR=1
- 10 REM OUTSIDE EDGE OF GAME BOARD
- 20 HLIN 4,37 AT 4
- 30 VLIN 4,37 AT 4
- 40 HLIN 4,37 AT 37
- 50 VLIN 4,37 AT 37
- 60 REM INSIDE EDGE OF GAME
 - BOARD
- 70 HLIN 9,32 AT 11
- 80 VLIN 11,30 AT 9 90 HLIN 9,32 AT 30
- 100 VLIN 11,30 AT 32
- 110 REM GAME BOARD BOXES
- 120 VLIN 4.11 AT 10
- 130 VLIN 4,11 AT 15
- 140 VLIN 4,11 AT 20
- 150 VLIN 4,11 AT 25
- 160 VLIN 4,11 AT 30
- 170 HLIN 4,9 AT 13
- 180 HLIN 4,9 AT 18
- 190 HLIN 4,9 AT 23 200 HLIN 4,9 AT 28
- 210 VLIN 31,27 AT 10
- 220 VLIN 31,37 AT 15 230 VLIN 31,37 AT 20
- 240 VLIN 31,37 AT 25
- 250 VLIN 31,37 AT 30
- 260 HLIN 32,37 AT 13
- 290 HLIN 32,37 AT 28
- 270 HLIN 32,37 AT 18 280 HLIN 32,37 AT 23

these subroutines is not designed to represent any particular one. The purpose of the display is to illustrate how you can modify this subroutine to fit your own program.

The REM statements contained in these subroutines identify program statements that will display the outside of the board, the inside of the board, and the game board



A sample board.

boxes. To modify this design, find the segment of the subroutine that you would like to change and insert the newly modified statements in that segment of the subroutine.


By careful study, you will be able to mold the subroutine into one of your favorite game boards. Of course to make your computerized game board complete, you will have to include other subroutines.

Remember these subroutines are just building blocks from which you can create your own board game. You should, however, find building a board game from this subroutine just enough to head you in the proper direction.

TRS-80


1 CLS	400 POKE 15658,191
2 REM OUTSIDE EDGE OF GAME	410 POKE 15601,191
BOARD	420 POKE 15537,191
BOARD 10 FOR A = 15428 TO 15483 20 POKE A,176	430 POKE 15665,191
20 POKE A,176	440 POKE 15573,191
30 NEXT A	450 POKE 15509,191
40 FOR A = 15492 TO 16260 STEP 64	460 POKE 15637,191
50 POKE A,149	470 POKE 15566,191
60 NEXT A	480 POKE 15502,191
70 FOR A = 16262 TO 16315	490 POKE 15630,191
80 POKE A,176	500 FOR A = 15685 TO 15690
90 NEXT A	510 POKE A,131
100 POKE 16260,181	520 NEXT A
101 POKE 16261,176	530 FOR A = 15877 TO 15882
110 FOR A = 15547 TO 16316 STEP 64	540 POKE A,131
120 POKE A,170	550 NEXT A
130 NEXT A	560 FOR A = 16069 TO 16074
140 POKE 16315,186	570 POKE A,131
150 REM INSIDE EDGE OF GAME	580 NEXT A
20 POKE A,176 30 NEXT A 40 FOR A = 15492 TO 16260 STEP 64 50 POKE A,149 60 NEXT A 70 FOR A = 16262 TO 16315 80 POKE A,176 90 NEXT A 100 POKE 16260,181 101 POKE 16261,176 110 FOR A = 15547 TO 16316 STEP 64 120 POKE A,170 130 NEXT A 140 POKE 16315,186 150 REM INSIDE EDGE OF GAME BOARD 160 FOR A = 15627 TO 16075 STEP 64	590 FOR A = 15731 TO 15738
160 FOR A = 15627 TO 16075 STEP 64	600 POKE A,131
170 POKE A,170	610 NEXT A
180 NEXT A	620 FOR A = 15923 TO 15930
160 FOR A = 15627 TO 16075 STEP 64 170 POKE A,170 180 NEXT A 190 FOR A = 15629 TO 15666 200 POKE A,176 210 NEXT A 211 POKE 15666,144 220 POKE 15627,160 230 POKE 15628,176 240 FOR A = 15730 to 16115 STEP 64 250 POKE A,149	630 POKE A,131
200 POKE A,176	640 NEXT A
210 NEXT A	650 FOR A = 16115 TO 16122
211 POKE 15000,144	660 POKE A,131
220 PORE 15027,100	670 NEXT A
240 FOR A = 15720 to 16115 STED 64	680 POKE 16206,191 690 POKE 16270,191
240 FOH A = 15/30 to 16115 STEP 64 250 POKE A,149 260 NEXT A 280 FOR A = 16140 TO 16178 290 POKE A,131 300 NEXT A 301 POKE 16139,130 302 POKE 16178,129 310 REM GAME BOARD BOXES 320 POKE 15580 191	700 POKE 16142,191
260 NEXT A	710 POKE 16142,191 710 POKE 16277,191
280 FOR A — 16140 TO 16178	720 POKE 16217,191
290 POKE A 131	730 POKE 16149,191
300 NEXT A	740 POKE 16284,191
301 POKE 16139 130	750 POKE 16220,191
302 POKE 16178 129	760 POKE 16156,191
302 POKE 16178,129 310 REM GAME BOARD BOXES 320 POKE 15580,191 330 POKE 15516,191	770 POKE 16291,191
320 POKE 15580.191	780 POKE 16227,191
330 POKE 15516,191	790 POKE 16163,191
340 POKE 15644,191	800 POKE 16298,191
350 POKE 15587,191	810 POKE 16234,191
360 POKE 15523,191	820 POKE 16170,191
370 POKE 15651,191	830 POKE 16305,191
380 POKE 15594,191	840 POKE 16241,191
390 POKE 15530,191	850 POKE 16177,191
	000 0010 000

860 GOTO 860



BEHIND EVERY GOOD SINCLAIR IS A MEMOPAK

If you own a Timex-Sinclair 1000 or ZX81 computer, you should have a Memopak behind it. From increased memory to high resolution graphics, Memotech has a Memopak to boost your system's capabilities. Every Memopak peripheral comes in a black anodised aluminum case and is designed to fit together in "piggy back" fashion to enable you to continue to add on and still keep an integrated system look.



Order at no risk

All Memotech products carry our 10 day money back guarantee. If you're not completely satisfied, return it in ten days and we will give you a full refund. And every Memotech product comes with a six month warranty. Should anything be defective with your Memopak, return it to us and we will repair or replace it free of charge. Dealer inquiries welcome. To order any Memotech product call our toll-free number 800/662-0949 or use the order coupon.

PEPOTECHCORPORATION

7550 West Yale Avenue Denver, Colorado 80227 (303) 986-1516 TWX 910-320-2917

REPORTION	
OEOOPEN 321	omin.
memopali 16k	
меморак нас	
	Printendes, type parallel Printendes
МЕМОРАК I/F	printer Intervace
	\$1\\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2010\\2

Code:CE-02	*Price	Qty.	Total
		Qty.	iotai
64K RAM	\$179.95		
32K RAM	109.95		
16K RAM	59.95		
Centronics Parallel Printer Interface	104.95		
RS232 Printer Interface	139.95		
High Resolution Graphics	144.95		
Shipping and handling	4.95		\$4.95
* All prices quoted in U.S. dollars		Tax**	
** Colorado residents please add sales tax ☐ Check ☐ MasterCard ☐ Visa		Total	
Account No.		Exp	
Name			
Address			
City		State	Zip

Memopak 64K RAM The 64K RAM extends the memory of your Sinclair by 56K to a full 64K. It is directly addressable, user transparent, is neither switched nor paged and accepts such BASIC commands as 10 DIM A (9000). The Memopak 64K turns your Sinclair into a powerful computer suitable for business, recreational and educational use. No additional power supply is required.

Memopak 32K RAM The 32K RAM Memopak offers your Sinclair a full 32K of directly addressable RAM. Like the 64K Memopak, it is neither switched nor paged and enables you to execute sophisticated programs and store large data bases. It is also fully compatible with Sinclair's or Memotech's 16K RAM to give you a full 48K of RAM.

Memopak 16K RAM The Memopak 16K RAM provides an economical way to increase the capabilities of your Sinclair. And at the same time, it enables you to continue to add on other features with its "piggy back" connectors. It is compatible with the Sinclair 16K or a second Memopak 16K or Memopak 32K to give 32K or 48K of RAM respectively.

Memopak High Resolution Graphics The Memopak HRG contains a 2K EPROM monitor and is fully programmable for high resolution graphics. The HRG provides for up to 192 by 248 pixel resolution.

Memopak Printer Interface The Memopak Centronics Parallel or RS232 Interface paks enable your Sinclair to use a wide range of compatible printers (major manufacturers' printers available through Memotech at significant savings). The resident software in the units gives the ASCII set of characters. Both Memopak printer interfaces provide lower case character capabilities. The RS232 Interface is also compatible with modems.

New products coming soon Memotech will soon be introducing four new Sinclair compatible products: a high quality, direct connection keyboard, a digitizing tablet, a 16K EPROM and a disk drive. Watch for our future advertisements.

ROBOTICARMS


By Leslie Solomon, Technical Director

R OBOTIC arms operate under the control of a pre-programmed computer or computerlike control system. Any one of various types of end-of-arm tools can be added to create a machine capable of performing almost any number of


industrial tasks such as painting, welding, or in a physically smaller version, even moving chess pieces on a board. For industrial purposes the arms are usually fixed to some form of baseplate, making them static. This type of mechanism is


sometimes called a "pick-andplace" device since that is about the extent of their use.

There are three types of arm actuation—hydraulic, pneumatic, and electrical. The first two require the use of large, expensive, and



... ROBOTIC ARMS





noisy pumps and compressors. Therefore they are for heavy-duty, factory-type applications where physical strength is required to manipulate large heavy objects. The electrical approach can essentially be divided into two areas—heavy-duty (factory) and mobile robots. The heavy-duty area is similarly used in a factory environment, and requires large multi-horsepower motors and heavy-duty gear trains and reduction gears.

In the low-power, electrically actuated mobile robot, movement is via fractional horse-power dc motors, which limits its "work" power to light loads. However, this approach lends itself to relatively low cost and permits operation from batteries. This frees the robot from restraints of power system cabling, allowing it to be mobile.

Some of the terms used for fixedarm industrial robots are also applicable to "personal" robots. Such configurations refer to the coordinate system used by the arm, and include Cartesian, Cylindrical, Polar, and Revolute. These are shown in Fig. 1. The particular coordinate system used dictates the shape and size of the area, called "work envelope," in which the end of the arm and its attached manipulator (gripper, etc.) can be placed. As can be determined from Fig. 1, the Cartesian system can produce a work envelope shaped like a cube; the Cylindrical coordinate system's work area will be shaped like a thick cylinder; the Polar coordinate system produces a work space shaped like half a sphere; and the Revolute approach can almost emulate the human arm.

Degrees of Freedom. The number of intricate motions that a robot's arm can perform is determined by the number of axes it has. These are often called "degrees of freedom." A device having 10 degrees of freedom is shown in Fig. 2. Note that other than the capability of extension and retraction of the arm "shoulder," all axes resemble those of the human torso. Most industrial robots have three to five degrees of freedom to perform their specified task. Obviously, the greater the number of degrees of freedom, the more complex task the robot can perform.

In the mechanical systems shown in Fig. 1, some form of gripper or manipulator as in Fig. 3 is assumed to be attached to the end of the arm. In Fig. 1B, the manipulator can be extended, retracted, moved up or down, or rotated to any desired azimuth. Thus, the work envelope forms a cylinder. In the approach shown in Fig. 1C, the manipulator can be extended, retracted, pivoted in the vertical plane, and rotated around the base to form a halfsphere work envelope. The Revolute approach shown in Fig. 1D closely resembles the human arm. It has a base plus an "upper arm" and "forearm" that move in a vertical plane with respect to base, while the "elbow" and "shoulder joint" resemble those of the human arm. The work envelope of this approach approximates a major portion of a sphere.

MOOD A INDEX M

TENSENESS LEVEL?

Connecting an interactive "Biobox" to a TRS-80 Color Computer enables you to monitor how tense you are and experiment with biofeedback techniques

By Jim Barbarello

If your emotions have been riding the express track all day and can't stop to heed the command above, maybe you need a Biobox in your life. The Biobox is a low-cost (\$15) electronic device that detects body changes due to stress and tension. The electronic information from the Biobox is applied to a TRS-80 Color Computer and fed back to you in the form of variations in sound and color on the TV display. Through the biofeedback procedure, it is possible, with practice, to consciously control your emotional state. (Note: Biofeedback is a subjective procedure and may not give the same results in all cases.)

About the Circuit. One condition of the body that can be measured easily is skin resistance. When you are tense or stressful, the electrical resistance between your index and middle fingers decreases. As you relax, this resistance increases. The Biobox senses this resistance change and converts it into a voltage.

As shown in Fig. 1, the two "bioprobes" are attached to the middle and index fingers. The resultant skin resistance is represented by R_{BIO} . The two resistances, R_{BIO} and R1, form a voltage divider. As the skin resistance decreases, the voltage at the base of transistor Q1 increases. This voltage is multiplied (amplified) by a factor of about -20 and applied to the computer's joystick input.

About the Program. So far, the hardware we've discussed detects changes in skin resistance and sends a binary number betweeen 0 and 63 to the Color Computer. What we need now is a program that uses this information to provide audible and visible feedback. That program is shown on page 79. It does not use any Extended BASIC functions so it can be run on any version of the Color Computer.

The program begins with the DATA statement of line 10. The eight numbers represent the eight different screen colors (3-blue, 6—cyan, 1—green, 5—buff, 2—yellow, 7-magenta, 8-orange, and 4—red). Using these colors, we can create a "Mood Index." If we consider buff as the middle (neutral) point, the "cooler" colors of green, cyan, and blue (also black) will indicate successive stages of calm. The "hotter" yellow, magenta, orange, and red indicate escalating tension.


When the program is run, the screen presents a title and the Mood Index. The Index is used as a gauge with an arrow as the indicator. Next, a message to attach the Biobox to the right joystick input is displayed (lines 170-180) below the title. The message in line 190 instructs you to press ENTER when this has been completed. After pressing ENTER, the title is replaced with lines 210-260.

After attaching the bioprobes to


your index and middle fingers, you can begin to vary the ADJUST control on the biobox. As you do, you will note that the arrow pointer moves along the scale (see lines 270-300). When you press ENTER, execution jumps to line 310. The actual biofeedback monitoring occurs in lines 310-360.


The number corresponding to the voltage generated by the Biobox is stored in the variable M. This number is then used to determine the pitch of the audible feedback beep (line 330), the color the screen presents as a visual feedback (lines 340-350), and the repetition rate of the beep (line 360). Thus, as tension decreases, the screen's colors become "cooler," and the beeping is at a lower pitch and repetition rate. At the "ultimate" state of calmness (see line 320), sound and visual presentation cease (CLSO produces a totally black screen).


Construction. The Biobox is relatively simple to construct. Start by assembling the circuit of Fig. 1 on a small piece of perf board or printed-



.. TENSENESS LEVEL








PARTS LIST


RI—100-kilohm linear potentiometer R2—22-kilohm, ¼-W, 5% resistor R3—1-kilohm, ¼-W, 5% resistor J1—3/32" subminiature phono jack P1—6-pin male (stereo) audio DIN connector

P2—3/32" subminiature phono plug Q1—2N2222 or 2N2222A npn silicon, general-purpose transistor

Misc.—Control knob, pc board or perf board, 1' 3-conductor wire, 4' stranded and twisted wire, 1 case (Radio Shack #270-230 or similar), self-sticking hook-and-loop fasteners (Radio Shack #64-2345 or similar) two #4-40 × ¼" machine screws, two #4-40 machine nuts, 4 flat washers, 1' #22 stranded

Note: The following is available from J. J. Barbarello, RD #1, Box 241H, Tennent Rd., Englishtown, NJ 07726: complete kit (Item CBF) containing all listed materials and Biofeed program on cassette tape for \$15. New Jersey residents, add 5% sales tax.





wire, solder, etc.

small piece of perf board or printedcircuit board (using the foil pattern of Fig. 2). Mount R1, R2, and Q1, and connect four 3" lengths of wires to R1 and J1 as indicated in Fig. 3. Now prepare the Color Computer interconnect cable as shown in Fig. 4. Finally, connect the cable to the pc board as shown in Fig. 3. Mount the unit in any suitable case.

The bioprobes are simple electrical contacts with a contact area of about 1 sq in. each. In its simplest form, a probe could be a piece of aluminum foil wrapped around a finger with a jumper wire connecting it to the circuit. Our bioprobes, however, are a bit more sophisticated. Besides the foil, hook-and-loop fastener material (commonly called "Velcro") is used.

Cut two $3'' \times 34''$ hook pieces and two $1\frac{1}{4}'' \times 34''$ loop pieces. On each of the four pieces, punch a $\frac{1}{8}''$ -diameter hole located $\frac{1}{4}''$ from

one end and centered along the width (i.e. 3/8" from either side).

Cut a $2'' \times 3''$ piece of aluminum foil. Fold it in half to form a $1'' \times 3''$ piece. Fold it in half again to form a $1'' \times 1'! 2''$ piece. Then fold the four sides over 1/8'' for a final size of $3/4'' \times 11/4''$. Create another piece the same way. Now remove the paper backing from the two loop pieces, and carefully place an aluminum foil piece (with the folded edges toward the adhesive) onto each of the two loop pieces.

Using a sharp knife, cut the paper backing of the hook piece ½" from the end that has the ½" hole. Remove that ½" of paper backing. Take the loop piece and place it on the exposed adhesive of the hook piece so that both ½" holes are aligned and the aluminum foil is sandwiched in the middle. Using a sharp knife, slit the aluminum foil in the ½" hole so the screw passes

through but makes electrical contact. Repeat this procedure with the remaining hook-and-loop piece.

To complete the bioprobes, you will need two $\#4-40 \times \frac{1}{4}$ " machine screws, two #4-40 nuts, four small washers, a four-foot length of stranded, twisted wire and a subminiature phono jack. Place a screw through the 1/8" hole of one of the hook/loop pieces so the screw head is against the hook piece. Place a washer over the end of the screw (on the loop side). Strip 1/2" of insulation from one wire and wrap the wire around the end of the screw. Place another washer over the screw and secure with a nut (Fig. 5). Repeat this procedure with the other hook/loop piece. Finally, attach the subminiature phono plug to the other end of the wire. Remove the remaining paper backing and press your fingers against the adhesive. Repeat this until the adhesive is no


BIOFEEDBACK PROGRAM

- 1 REM** BIOFEEDBACK PROGRAM
- 2 REM** NAME:BIOFEED
 3 REM** #4, 21 AUGUST #4, 21 AUGUST 1982
- 4 REM**
- 10 DATA3,6,1,5,2,7,8,4
- 20 CLS:FOR I = 1024TO1055:POKE I, 32:NEXT/ 30 FOR I = 1056TO1212STEP32:POKE I.32:POKE I + 31, 32:NEXT/

- 80 PRINT@227, "C 1982 BY J.J. BARBARELLO";
- 90 FOR I=1280T01535: POKE I, 32:NEXT
 100 A\$="MOOD": FOR I=1T04:POKE1324+(I-1)*2, ASC(MID\$(A\$,I,1))-64:NEXT
 110 A\$="INDEX":FOR I=1T05:POKE1387+ (I-1)*2,ASC(MID\$(A\$,I,1))-64:NEXT
- 120 POKE1475,128
- 130 FOR I=0TO21STEP3:READ CL:POKE 1478+I,127+16*CL:POKE 1476+I,45:POKE 1477+ I,45:NEXT 140 RESTORE:POKE 1347,3:POKE 1379,1:POKE 1411, 12:POKE 1443,13:POKE 1507,30
- 150 POKE 1339,20:POKE1371,5:POKE1403,14:POKE 1435,19:POKE1467,5

- 150 POKE 1339,20:POKE1371,5:POKE1403,14:POKE 1435,19:POKE1467,5
 160 FOR I=1 TO 1000:NEXT:GOSUB 370
 170 PRINT@133, "BIOBOX' CONNECTS TO ";
 180 PRINT@163, "THE RIGHT JOYSTICK INPUT.";
 190 PRINT@227, "PRESS <ENTERS WHEN READY.";
 200 A\$=INKEY:IF A\$= ""THEN 200 ELSE IF ASC(A\$) <> 13 THEN 200
 210 GOSUB 370:PRINT@33, "PLACE THE BIOPROBES ON YOUR";
 220 PRINT@65, "INDEX AND MIDDLE FINGERS.";
 230 PRINT@65, "INDEX AND MIDDLE FINGERS.";
 230 PRINT@97, " USING THE <ADJUSTS CONTROL,";
 240 PRINT@129, "SET THE ARROW TO THE POSITION";
 250 PRINT@129, "SET THE ARROW TO THE POSITION";
 260 PRINT@125, "PRESS <ENTERS WHEN ADJUSTED.";
 270 I=JOYSTK (D):M=JOYSTK(1):SO=SC:SC=8-INT((M+1)/8)
 280 A\$=INKEY\$:IF A\$=""THEN 290 ELSE IF ASC(A\$)=13 THEN GOSUB 370:GOTO 310
 290 IF SO <> SC THEN POKE 1507+SC*3,30:POKE 1507+SO*3,32
 300 FOR I=1 TO 100:NEXT:GOTO 270
 310 I=JOYSTK(0):M=JOYSTK(1)+1
 320 IF M>56 THEN CLSO:GOTO 360

- 320 IF M > 56 THEN CLS0:GOTO 360
- 330 SOUND197.1-M*M/16,1 340 SC=8-INT((M+1)/8)
- 350 FOR I=1 TO SC:READ CL:NEXT:CLS CL:RESTORE
- 360 FOR I=1 TO 15*M:NEXT:GOTO 310
- 370 FOR I=100TO200STEP20:SOUND I,1:NEXT:RETURN





NTS HOME TRAINING INVITES YOU TO EXPLORE MICROCOMPUTERS, DIGITAL SYSTEMS AND MORE, WITH STATE-OF-THE-ART EQUIPMENT YOU ASSEMBLE AND KEEP.

2.

Without question, microcomputers are the state of the art in electronics. And NTS is the only home study school that offers you training for this booming field with a choice of 3 production-model micro computers.

We'll explain the principles of troubleshooting and testing your microcomputer and, best of all, we'll show you how to

program it to do what you want.
You'll use a digital multimeter, a
digital logic probe and other
sophisticated testing
gear to learn how to
localize problems
and solve

them.

Send for the full color catalog in the electronics area of your choice—discover all the advantages of home study with NTS!

NTS also offers courses in Auto Mechanics, Air Conditioning and Home Appliances. Check card for more information.

1.

We believe that training on production-model equipment, rather than home-made learning devices, makes home study more exciting and relevant. That's why you'll find such gear in most of NTS's electronic programs.

For instance, to learn Color TV Servicing you'll build and keep the 25"

(diagonal) NTS/HEATH digital color TV. In Communications Electronics you'll be able to assemble and keep your own NTS/HEATH 2-meter FM transceiver, plus test equipment.

But no matter which program you choose, NTS's Project Method of instruction helps you quickly acquire practical know-how.



... TENSENESS LEVEL (from p. 78)

longer sticky. This completes construction of the bioprobes.

Experimenting With Biofeed-back. Locate a quiet area where you won't be disturbed. Relax yourself (loosen clothing, remove shoes, etc.). Sit in a position that is com-

fortable and provides arm/elbow support. Your hands should be clean and dry, and the room temperature should be around 70°F.

Load and run the Biofeed program. The first instructions will advise you to connect the Biobox to the right joystick connector. Do so, and then press ENTER to continue. Next, you will be advised to place one bioprobe on your index finger,


and the other on your middle finger. Turn the Biobox's ADJUST control to the point where the MOOD INDEX arrow begins moving. Keep that hand with the bioprobes stationary, and move the ADJUST control so the arrow points to the INDEX position that best matches your mood. For instance, if you are moderately calm, place the arrow to midrange (the white box). When adjustment is done, press the ENTER key.

The screen will clear in a color that reflects your level of tension/calmness. A beeping will be heard, the pitch and speed of which are also an indication of your mood. Try to relax by breathing deeply, relaxing your body, etc. Note which of your efforts get best results. You may notice that the feedback indicates momentary jumps in mood. This is common, but can be minimized by keeping your hand completely motionless.

As an experiment, take a deep breath and hold it for a few seconds. You should see a calming trend. Conversely, pinch your arm, bite your lip, or otherwise cause mild pain. You should notice an increase of tension. You will find that it is easier to increase tension than it is to calm yourself. This is a normal body reaction. The body tends to tense up faster and calm down much more slowly. In fact, trying too hard to calm down will actually cause you to tense up. Learning to relax requires practice-don't become discouraged!

Some people find that visualizing a pleasant scene (such as a beach or forest) helps in reducing tension. Conversely, thinking of an unpleasant experience can raise tension. So one method of learning to control your mood is to first visualize an unpleasant experience until the feedback indicates heightened tension, and then visualize a pleasant scene in an attempt to reduce the tension.

It is interesting to note that many people who respond to a question with a deliberate lie will exhibit increased tension. Does that suggest another use for the Biobox? If you're interested in the more serious aspects of biofeedback, your physician or a person knowledgeable in the field can direct you to further sources of information.



The smartest, fastest, easiest, most reliable way to connect instrumentation to DIP IC's is with A P PRODUCTS Logical Connection.

A Logical Connection combines the performance proven IC Test Clip with a complete, tested, ready-to-use cable assembly. On one end, a pair of single row socket connectors attach to the pins of a connector compatible model Test Clip. On the other end, choose from among the four industry standard connector types, or order open-ended to terminate with your own connector. In sizes to accommodate DIPs from 14 pin to 64 pin.

The Logical Connection is available from our stocking distributors. Or ask an A P rep how we can make a custom Logical Connection for you.

Call TOLL FREE, 800-321-9668 for the name of the distributor near you. (In Ohio, call collect. (216) 354-2101)



In Europe, contact A P PRODUCTS GmbH Baeumlesweg 21 • D-7031 Weil 1 • W. Germany CIRCLE NO. 5 ON FREE INFORMATION CARD

A Programmable FUNCTION GENERATOR

Produces laboratory-accuracy sine/square/triangle waveforms through crystal control

By Gary McClellan

THE UBIQUITOUS function generator is a versatile general-purpose test instrument in the tradition of the multimeter and the oscilloscope. Like these instruments, the function generator finds a host of applications in virtually every area of electronics, from audio to digital. The low-cost programmable function generator described here has few of the shortcomings of other such instruments. It also has features you'd normally expect to find


in far more expensive instruments.

Thanks to crystal control, the programmable function generator's frequency range (20 to 10,000 Hz in 1-Hz steps and 200 to 100,000 Hz in 10-Hz steps) can have a calibrated accuracy of $\pm 0.005\%$ or better, which is true laboratory-grade quality. Even without instrument calibration, the project's basic accuracy is in the range of $\pm 0.01\%$, an impressive figure by itself.

Available at the programmable

function generator's output are sine, square, and triangle waveforms, all buffered to drive low-impedance loads and direct coupled to provide excellent low-frequency response. Sine-wave distortion ranges from less than 0.5% THD at all frequencies up to 10,000 Hz and to 3% beyond.

General Description. The programmable function generator is built around a single chip that has



... FUNCTION GENERATOR

very low sine-wave distortion characteristics. The basic circuit of the instrument, shown in Fig. 1, consists of two phase-locked loops (PLLs). (CMOS devices are used throughout to keep power requirements low.) The first PLL is a frequency synthesizer made up of *IC1*, *IC2*, and *IC3* and their associated components.

The output of oscillator/divider *IC1*, controlled by a conventional 3.58-MHz color TV crystal, goes to the phase-detector portion of *IC2*, whose output is, in turn, coupled to its companion voltage-controlled oscillator (vco). Coupling here is via a loop filter that converts the output of the phase detector into a smoothed dc voltage that controls oscillator frequency. The loop filter also stores the dc for short periods when the phase detector goes into its high-impedance state.

The vco's output drives programmable frequency divider *IC3*, which accepts BCD data from four thumbwheel switches (*S1* through *S4*). This stage divides the input frequency by the factor programmed by thumbwheel-switch selection. The divided output from *IC3* is the second input to the phase detector contained in *IC2*. Hence, the dc output of the phase detector that controls the vco's frequency is proportional to the frequency (actually

phase) difference between the two inputs.

The selected vco frequency is passed to frequency divider IC4, a dual decade counter. To obtain 1and 10-Hz resolution on the 10- and 100-kHz ranges, respectively, the first PLL must operate at some high frequency that can be successively divided to produce a frequency in the desired range. To accomplish this, IC4 divides by 10 for the 100kHz range and divides by 100 (10×10) for the 10-kHz range, depending on whether RANGE switch S5 is set to LO or HIGH. The complete schematic diagram of this portion of the circuit is shown in Fig. 2.

The second PLL in the system is made up of IC5, IC6, IC7, Q1, and their associated components. This tracking-filter circuit accepts the signal selected by the RANGE switch and delivers clean sine, triangle, or square waveform signals from the logic-level signals delivered by IC5.

Function generator *IC6* is essentially a wide-range vco with sine, triangle, and square output waveforms. Frequency control is via VMOS power FET *Q1*, which serves as an electronically variable resistance in the negative-voltage supply to *IC6*.

One input of *IC5* is from *IC4*, through RANGE switch *S5*; the other input comes from *IC6*, whose output is buffered by one element in *IC7*. Output pulses from *IC5* (the error voltage between the selected

input from *IC4* and the oscillator in *IC6*) are coupled through a loop filter that smooths the dc output to drive *Q1*. This locks the output frequency of *IC6* to the dc output of *IC5*, which in turn can be traced directly to the crystal oscillator.

Output waveforms (sine, triangle, or square) are selected with S6. LEVEL control R32B provides the means for adjusting the amplitude of the output signal. The output of IC6, selected with S6, is passed to buffer IC8 for connection to external devices. The complete schematic diagram for this portion of the project is shown in Fig. 3, which is a continuation of the circuit shown in Fig. 2.

Since the generator requires a bipolar source of power from a pair of rechargeable 9-volt batteries, some means must be used to create a reference ground for the needed positive and negative voltages. This is accomplished with the power supply circuit made up of 12-volt regulator *IC10* and operational amplifier *IC9* in Fig. 3.

All circuitry on the project's circuit board assembly connects between the +12-volt and common (negative) lines of the power supply. Some off-board components, namely the LEVEL control and OUTPUT connectors, however, connect to *IC9*'s output ground (GND) to ensure that the signal swings symmetrically above and below reference ground.




Fig. 1. The basic circuit consists of two phase-locked loops.

Get serious about ZX81 & TS 1000 Computing

DATA STORAGE SYSTEM

AULTIFILE PLUS

For 16K or greater ZX81

PRICE INCLUDES:

- 1. PROGRAM TAPE 2. 8-PAGE BOOKLET 3. THREE DATA STORAGE TAPES 4. STORAGE CASE







ACTUAL SCREEN PRINT

An amazingly versatile multi-purpose filing system for the 16K ZX81. The program is menu-driven, and number, size and headings of files are user-definable. Both string and numerical files are catered for. Files may be created, modified, replaced, and searched, and are protected by an ingenious foolproof security system. Output to the ZX printer is also provided. The program comes on cassette, together with three quality data cassettes for file storage, and comprehensive documentation, describing a host of applications for both business and personal use. Supplied in an attractive storage case. If your ZX81 is bored with playing games, then this program will give it plenty to think about!

The Complete ZX81 and TS1000 Library!

	The Complete ZX81 Basic Course\$34	1.95
1	Basic Course Cassettes (2)	.50
1	Getting Acquainted with your ZX81	3.95
ı	ZX81 Pocket Book).95
	Making the Most of Your ZX81	0.95
ı	Computer for Kids, ZX81 Edition	3.95
l	Explorers Guide to the ZX8110	0.95
	ZX81 Companion	3.95
	49 Exploding Games for the ZX81	0.95
1	Not Only 30 Programs for ZX81: 1K	4.95
į	Machine Language Made Simple for Sinclair19	9.95
i	Mastering Machine Code on your ZX81	2.95
l	ZX81 Rom Disassembly: Part A14	4.95
	ZX81 Rom Disassembly: Part B	4.95
l	Understanding your ZX81 ROM19	9.95



Add high quality solid-state speech to your ZX81 or TS1000. Many applications in personal computing, education, and industry. DCP Speech Pack contains all the letters of the alphabet, numbers zero to over a million, and some other general words. Easy to use under ZX81/TS1000 control using POKE commands (fully explained in manual). The DCP Speech Pack connects directly onto rear of ZX81. It can be used in addition to a RAM Pack, Printer, or other accessories. Contains its own speaker and volume control, and allows an external extension to be added. Additional Word Pack ROMs are available and simply plug into sockets inside the Speech Pack to extend the vocabulary of the unit.

> OLL-FREE ORDER LINE 800-833-8400 Have Visa or Mastercard ready

Simplicity of BASIC with the Speed of Machine Code

A complete implementation of the FORTH language for the ZX81 and TS1000 computer.

FORTH's most distinctive feature is its flexibility. The basic unit is the word — the programmer uses existing words to define his own which can then be used in further definitions. FORTH is a compiled language so programs run very fast (typically five times faster than BASIC)

ZX-FORTH is supplied on cassette and is accompanied by extensive documentation:

56-page Users Manual 8-page Editor Manual

\$29.95

ASSEM BLE

This Machine Code program occupies 7K of memory and locates itself at the top of memory. The program is a full Editor/Assembler and Monitor. Labels may be used instead of any string. The features include Line Insertion/Delete, Insert Characters, Auto Repeat on all keys. The monitor has facilities to inspect memory, registers and run machine code programs.

CX BUS

Machine Code Monitor & Disassembler

ZXBUG is a powerful tool for machine language programming. It is 4K long and uses memory from 71EO to the top memory. ZX BUG works in hexa-decimal (base 16), not decimal, so all addresses are a maximum of 4 Hex bits long. Provides a total of 28 commands.

\$14.95

9 Powerful New Functions!

RENUMBER. This routine renumbers a program in any step and from any line up to 9999

DELETE. This command deletes a group of lines in a pro-

MEMORY. Prints how much spare memory is available. DUMP. Displays current values of string and numerical values, except arrays.

FIND. Will find any string of up to 255 characters and list each line containing that string. REPLACE. Replaces any string of up to 255 characters

by any other string. SAVE. Transfers program in computer to below RAM-TOP

APPEND. Allows two programs to be joined. REMKILL. Removes all REM statements from a program, otherwise leaving it unchanged, preserving memory

\$14.95

with Quality Hardware and Software from Gladstone Electronics



Professional Keyboard & Case


A full-sized professional keyboard for the ZX81 Features 47 keys and a full-sized space bar. Connects to the ZX81 with no soldering required, via a plug-in flexible connec tor. You can purchase the keyboard only, or the optional metal case that holds both keyboard and ZX81. Expansion devices (i.e. RAM packs, etc) connect to the ZX81 edge-connector which extends from the rear of the

A professional keyboard makes program entry easier and less error-prone.

Assembled Keyboard Optional metal case

\$85.00

\$25.00



\$89.95 with "piggy-back" feature

A sensible choice for 16K RAM owners. Jigsaw 32K RAM 'piggy-backs' onto your 16K RAM to give a total memory of 48K! If you do not own a 16K RAM, you may use a 32K RAM instead. At a later date you may add the ZX81. TS1000, or Jigsaw 16K RAM, should you decide you require more memory.

Larger memory enables longer programs and greater data bases, enhancing the value of your personal com-

64K RAM

Expands the ZX81's memory capacity to its maximum.

\$149.95

16K RAM

Equivalent to ZX81 or TS1000 16K RAM. \$49.95

NY Residents call (716) 874-5510

Mail to: Glad	stone	e Electronics, 15	85 Ke	nmore
()Check	()Mastercard	()Visa
Acct No _		Exp	_	
Name				
Address				
City		State	7in	

*Add shipping: \$3.00 first hardware item, \$1.50 each additional. \$1.50 first software item, 50¢ each additional. 90 day limited warranty all Dealer inquiries are invited

CIRCLE NO. 19 ON FREE INFORMATION CARD

1585 Kenmore Ave., Buffalo NY 14217

me:	Price	Tota
4.7	11100	
andling*		
	Qty	Qty Price

... FUNCTION GENERATOR

Op amp IC9 serves as a buffer, with resistors R29 and R30 forming a voltage-divider network between the +12-volt and common buses. As a result, the +V and -V are at +6 and -6 volts, referenced to GND at the output of IC9.

An expanded-scale voltmeter consisting of M1, R33, and zener diode D3 monitors the condition of the battery's charge state. It's designed to cover a range of 13 to 14.5 volts across two-thirds of its scale. which indicates simple BAD/GOOD conditions.

Since IC10 stops regulating at about a 13.8-volt input level, it's important to recharge batteries B1 and B2 just as or before the meter's pointer swings into the BAD area on the scale.

The meter's circuit works on the "knee" of the zener diode. When the input from B1 and B2 is less than 12 volts, D3 isn't biased, resulting in no indication on M1. At an input of 12 volts, D3 begins conducting and passes current through limiting resistor *R33* and the meter.

PARTS LIST

B1,B2—Rechargeable 9-volt battery C1,C17-0.1-µF, 25-V disc capacitor C2-33-pF disc capacitor -5-to-20-pF trimmer capacitor (E.F.

Johnson No. 275-0320-005 or similar) C4,C14-10-pF disc capacitor

C5-47-pF disc capacitor

C6,C11-1-µF, 16-V tantalum capacitor (do not substitute)

C7—47- μ F, 16-V upright pc electrolytic C8—100- μ F, 16-V upright pc electrolytic C9,C10-22-µF, 16-V tantalum capacitor (do not substitute)

C12-0.0068-µF Mylar capacitor (do not substitute)

C13—100-pF disc capacitor C15,C16-22-µF, 16-V upright pc electrolytic

D1,D2-1N4148 diode

D3-1N4742 (12-V, 1-W) zener diode

IC1-MM5369 EST oscillator/divider IC2,IC5—CD4046 CMOS PLL

IC3-CD4059 CMOS counter

IC4—CD4518 CMOS counter

IC6—XR2206 function-generator

IC7—CD4050 CMOS hex buffer IC8—318 operational amplifier

IC9-356 operational amplifier

IC10-7812 or 340-12T 12-V regulator J1,J2-5-way binding post (red, black)

J3—Power connector (Switchcraft 712A) M1-0-to-400-μA meter movement with

BAD/GOOD scale Q1-VN10KM VMOS FET

The following are 1/4-W, 5% carbon-film resistors unless otherwise specified:

R1-10 megohms

R2 through R18,R23,R29,R30—100 kilohms

R19,R31-2.2 kilohms

R20,R26,R28,R33-10 kilohms

R21-500-ohm potentiometer (Jim-Pak No. 840P-500 or similar)

R22-20-kilohm potentiometer (Jim-Pak No. 840P-20 or similar)

R24-330 ohms

R25—1 kilohm

R27-100 ohms

R32—50/5-kilohm dual linear-taper pot.

R34—Approx.100 ohms

S1 through S4—Decade thumbwheel switch (Unimax No. SR-21 or similar)

S5—Spdt switch

-3-position, 2-pole nonshorting rotary switch

S7—Spst switch

XTAL—3.579545-MHz color TV crystal Misc.—Printed circuit board or materials for fabricating same; quick-set epoxy cement; one 24-, five 16-, and three 8pin IC sockets; battery holders and connectors for B1 and B2; control knobs (2); plastic enclosure large enough to house circuitry; ribbon cable; 14-V plug-in battery charger; etc.

Note: The following is available from Technico Services, P.O. Box 20HC, Orangehurst, Fullerton, CA 92633: etched and drilled printed circuit board (PFG-1) for \$12.00 postpaid in U.S. California residents, please add sales tax. Foreign residents, add \$3.00 postage and handling for for-

eign orders.





Fig. 2. The first phase-locked loop is a frequency synthesizer as shown here.



when you join the Small Computer Book Club.

You simply agree to buy 3 more books—at handsome discounts—within the next 12 months.

This set of six carefully selected books—a \$76.25 value—will be your basic reference source for small computing.

1. BASIC AND THE

PERSONAL COMPUTER.

Thomas A. Dwyer and Margot Critchfield. A down-to-earth introduction to programming in BASIC. Includes: computer graphics, program development, data bases, and more. Also, many sten-by-sten examples of word processing. step-by-step examples of word processing, computer games, and computer simulations.

Publisher's Price \$14.95

2. USING CP/M: A Self-Teaching Guide. J.N. Fernandez and R. Ashley. A complete introduction to the CP/M ("Control Program") software package used on many advanced micro-computers. Publisher's Price \$14.95

3. MICROCOMPUTER GRAPHICS.

Roy E. Myers. Provides the essential mathematics and programming techniques you will need for computer graphics applications in BASIC, and many other topics. Publisher's Price \$11.95

4. INTERFACING MICROCOMPUTERS TO THE REAL WORLD.

Murray Sargent III and Richard L. Shoemaker. The complete guide for computerizing your home, office, or laboratory. Tables, charts, and displays show you how to handle microcomputer software and operating systems. Examples feature the Z-80 microprocessor. Publisher's Price

5. THE WORD PROCESSING BOOK:

A Short Course in Computer Literacy.

Peter A. McWilliams. You'll see how to save up to \$15,000 by buying a small computer with word processing capacities. Includes a brand name buying guide. Publisher's Price \$9.95

6. EXECUTIVE COMPUTING.

John Nevelson. 25 business methods illustrated by computer programs, in a step-by-step casebook. You'll find details on pricing techniques ...long-range planning...corporate data bases ...and much more. Publisher's Price \$9.95

SMALL COMPUTER BOOK CLUB is a division of the Library of Computer and Information Sciences, the oldest, largest and most respected computer book club in the world. The SMALL COMPUTER BOOK CLUB will keep you upto-date with the latest developments in soft-

MEMBERSHIP BENEFITS • In addition to getting the Microcomputing Library for only \$2.95 when you join, you keep saving substantially on the books you buy.

Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings up to 70% off the publishers' prices.

At 3-4 week intervals (16 times per year) you will receive the Book Club News, describing the Main Selection and Alternate Selections, together with a dated reply card. • If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card, and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage

ware, improvements in hardware, programming languages, and much more-all at handsome discounts.

So start enjoying the club's benefits today.

Y-AC6

The Small Computer **Book Club**


(a division of the Library of Computer and Information Sciences)
Riverside, N.J. 08075

Please accept my application for trial membership and send me the MICROCOMPUT-ING LIBRARY (11000), billing me only \$2.95. I agree to purchase at least three additional Selections or Alternates over the next 12 months. Savings range up to 30% and occasionally even more. My membership is cancelable any time after I but these ship is cancelable any time after I buy these three books. A shipping and handling charge is added to all shipments.

No-Risk Guarantee: If you are not satisfied—for any reason—you may return the MICROCOMPUTING LIBRARY within 10 days and your membership will be cancelled and you will owe nothing

Name	
Address	Apt
City	
	Zip


(Offer good in Continental U.S. and Canada only. Prices slightly higher in Canada.)



Current rises rapidly for any small change in voltage thereafter. The value of *R33* is selected to provide a mid-scale meter pointer deflection with a 14-volt input.

Construction. Although the programmable function generator can be assembled using any desired wiring technique, pc board wiring is recommended. A full-size etching-and-drilling guide for those who wish to fabricate their own pc board is given in Fig. 4. Locations and orientations of components that are to be mounted on the pc board are il-

lustrated in Fig. 5. It's a good idea to use sockets for all ICs in the project. And when wiring the circuit as shown, be sure to observe component orientations and to install wire jumpers on the compo-



Internal view of the

author's prototype.

Fig. 3. Shown here are the second PLL and the power supply.




Fig. 4. Full-size etching and drilling guide for pc board.




Fig. 5. Locations and orientations of the components on the pc board.

nent side of the board where indicated.

All off-the-board components must be mounted on the walls of the enclosure selected to house the project, via appropriate-size mounting holes. The exception here is with batteries B1 and B2, which mount in brackets that are secured to one of the inside walls of the enclosure with quick-set epoxy cement. An ordinary $4^{\prime\prime} \times 6^{\prime\prime}$ plastic file box makes an ideal-size enclosure for the project.

Interconnect the off-board components with the pc assembly according to the diagram shown in Fig. 6. Note the use of 4-conductor

ribbon cable between thumbswitches S1 through S4 and the appropriate solder pads on the printed circuit board.

Upon completion of assembly, use a lettering kit to label identifiers and/or positions of the various controls, switches, connectors, and meter.

Test and Adjustment. With the function generator powered up, measure the frequency at pin 1 of *IC1* with a frequency counter. The counter's display should read 100 Hz, which is the reference signal; if it reads 60 Hz, the wrong IC is installed. Make sure that you install

an MM5369-EST version in the *IC1* socket before proceeding.

Set thumbwheel switches S1 through S4 to 1-0-0-0 and use the frequency counter to measure the frequency at pin 4 of IC2, which should be 100,000 Hz. Then set S1 through S4 to 2-0-0-0, 4-0-0-0, and 8-0-0-0 and in each case note the frequency measured at pin 4 of IC2. The displayed frequencies should be 200, 400, and 800 kHz, respectively. Repeat the switch-setting sequence using 0-1-0-0, 0-2-0-0, 0-4-0-0, and 0-8-0-0 and note that the measured frequencies at pin 4 of IC2 are 10, 20, 40, and 80 kHz, respectively. Repeat the thumbwheel settings one




Fig. 6. Connection of off-board components to the pc assembly.

more time, using the sequences 0-0-1-0, 0-0-2-0, 0-0-4-0, and 0-0-8-0 and measure at pin 4 of *IC2* the frequencies 1, 2, 4, and 8 kHz.

Return the settings of S1 through S4 to 1-0-0-0 and connect the frequency counter to first pin 9 and then pin 14 of IC4. The counter should indicate 10,000 Hz at pin 9 and 1000 Hz at pin 14.

To check operation of *IC6*, keep the thumbswitches set to 1-0-0-0 and connect an oscilloscope's probe to pin 14. A 10-kHz signal should be displayed on the scope's CRT with the project's RANGE switch set to HI and 1 kHz with it set to Lo. A square-wave signal should be present at pin 11 of *IC6* and pin 3 of *IC5*.

Once the programmable function generator has been tested, you can proceed to adjustments with an oscilloscope and accurate frequency counter. If you don't have access to these instruments, you can skip this section. Basic accuracy of the instrument, even without formal calibration procedures, will be sufficient for all but critical testing.

Begin the adjustments procedure by setting POWER switch S7 to ON, FREQUENCY SELECT thumbwheel switches to 1-0-0-0, RANGE switch to LO, and function switch S6 to SQUARE. Position LEVEL control R32 to the center of its rotation.

Connect the frequency counter between TP (pin 7 of IC7) and GND jack J2 on the instrument's front panel. Carefully adjust trimmer capacitor C3 for a displayed frequency of 3,579,545 Hz. This done, disconnect the frequency counter and set it aside.

Connect the scope's probes to the function generator's OUTPUT and GND binding posts. Set the scope's vertical gain for a display of at least two graticule divisions and horizontal sweep time and sync controls for display of one full cycle, starting and ending at the ends of the graticule. Adjust trimmer potentiometer




Fig. 7. Filter to be used in viewing project output on scope.

R22 until the waveform changes state at the center of the graticule, producing positive and negative signal peaks of equal size on the CRT screen.

There are three ways to adjust for minimum sine-wave distortion. One is to set the function switch to SINE

and adjust trimmer potentiometer R21 (DIST) for a clean approximation of a sinusoid waveform at the output of the function generator. Using this technique, distortion can be brought to within 3%. If the sine wave flattens during adjustment, decrease signal amplitude with the LEVEL control to restore the sinusoid shape to the monitored waveform.

An alternative approach to making the distortion adjustment requires building of the bridged-T filter shown schematically in Fig. 7. (Use 1% tolerance resistors and matched capacitors when assembling this circuit.) With this filter connected to the project's OUTPUT and GND binding posts, use an oscilloscope to observe the signal present directly at the project's output connectors (before the filter) while adjusting the LEVEL control for a 2-to-3-volt peak-to-peak signal. Then move the scope probes to the output end of the filter and adjust the scope's vertical gain for a usable display. Set the function generator's FREQUENCY SELECT switches for the lowest-amplitude display, which should be in the neighborhood of 1590 Hz with the component values specified in Fig. 7. Disregard the least-significant-digit switch (S4), since the units position switch generates such small changes in amplitude that they won't be discernible on the scope's CRT.

Having adjusted for minimum amplitude, adjust DIST control *R21* to minimize the displayed signal. All peaks should have equal amplitude. In the prototype, this point occurred at about a 9-mV peak-topeak signal level.

The third and, by far, most accurate approach to minimizing distortion is with the aid of a total harmonic distortion (THD) analyzer. If you have access to such an instrument, connect it to the programmable function generator's OUTPUT and GND binding posts and set the FREQUENCY SELECT switches for a 1-kHz output. Then adjust the project's DIST control for the lowest possible measured distortion figure. This is a one-time-only adjustment; the DIST control need never be touched again unless you replace IC1 or IC6.

Tiny, powerful electronic "ears" let you hear whispers through walls, conversations 2 miles away.

The Dyna-Mike **Transmitter**

It's smaller than a quarter. But DYNA-MIKE will transmit every sound in a room to an FM radio tuned to the proper unused frequency, from 1/3 mile to 2 miles away

If you're at a neighbor's home Cony a block from your own, you can hear your baby's cry, or you can tell the instant your spouse comes home. If two of you are driving tandem in two cars, one or both of you can communicate with the other even if other cars drive between you

DYNA-MIKE has as many uses as your imagination can think of. For a business conference, let the tiny microphone sit unobtrusively on the table or concealed on a shelf, and you'll be able to record every word. For businesses, you can put an FM receiver in a warehouse or remote office and "broadcast" instructions or orders to be filled.

Public speakers never had a better friend than the DYNA-MIKE. No wires or setup - just turn on one or more radios and your speech will come through with perfect fidelity. Put one on the front porch. If you hear a suspicious sound, turn on the radio and you'll hear the doorbell or the ring of the telephone.

Choose Your Model

New Horizons is introducing three models of the DYNA-MIKE supersensitive broadcast microphone. Model IC-18 is the world's smallest micorphone - it's a miracle of electronic miniature power, with a high-fidelity range of 1800 feet. Introductory price is \$129.95 (two for only \$119.95 each).

Model X-18 is the longest-range microphone, with an unbelievable two-mile range. Introductory price is \$149.95 (two for only \$139.95 each)

Model X-3 is the most sensitive microphone. It broadcasts perfect-quality sound even from low-levels or whispers, up to 1,500 feet. Introductory price is \$99.95 (two for only \$89.95

Each microphone is fully wired, complete with standard HC-1.35v. battery, good for 100 hours of continuous use and easily and inexpensively replaceable.

Of course you're protected by the New Horizon guarantee: use any DYNA-MIKE transmitter microphone for 30 days, with the right to return it for a full refund if you're not delighted.

Phone or use this coupon —

The Super-Ear You'll hear it all.

Effortlessly, you can hear not just a baby's cries, but quiet breathing, through a concrete wall a foot thick. Put the SUPER-EAR earphone in your ear and place the speaker on the wall. That's all there is to it.

SUPER-EAR hears everything, and even more astounding, hears it clearly. It's as though the wall weren't there. If you're coming home late at night and think intruders are in your residence, let SUPER-EAR find out for you. Want to know if the meeting is over in the room with the closed door? SUPER-EAR will tell you in a second.

SUPER-EAR is undetectable from the other side of the wall. The quality of sound has amazing fidelity-good enough to record, and SUPER-EAR has its own built-in recorder jack.

Because SUPER-EAR is the ultimate listening device, you can use it to pinpoint hidden squeaks in your car or the source of mysterious engine noises Construction experts use it to check for flaws or cracks in buildings It Works Anywhere!

Ever put your ear to a railroad track to try to hear the train? Try it with SUPER-EAR. You'll hear that train many miles away. Use it as a powerful stethoscope on yourself, a friend, or a pet. You can even hear a bird's breathing.

The only source for SUPER-EAR is New Horizons. Choose from two models - Model SB-5, with ultrasensitive microphone, \$139.95 (two for only \$129.95 each); or Model SB-1, with suction-type microphone, \$99.95 (two for only \$89.95 each)

Use your SUPER-EAR for 30 days. If for any reason you're not delighted, the absolute New Horizons guarantee means you can return it for a prompt refund

The **Phone Answerer** Recorder

The PHONE ANSWERER/RECORDER connects in seconds between any tape recorder and your telephone. When you're away it automatically delivers a message up to 20 seconds to anyone who calls: when you'll return, when to call back, where you are.

When you're there, the ANSWERER/-



RECORDER starts any cassette recorder automatically when you pick up the phone and shuts off when you hang up.

It records both sides of the conversation with astonishing clarity, giving you a permanent record of every call, preventing unauthorized use of your phone, and eliminating misunderstandings over what was said. It's specially wired to extend recording time on your tape recorder. Needs no batteries - it's always

The PHONE ANSWERER/RECORDER is a masterpiece of miniaturization. It's yours for \$49.95 (two for only \$44.95 each). PHONE RECORDER unit alone, records but doesn't answer, \$29.95 (two for \$24.95) each). Every instrument has the unbeatable New Horizons quarantee

For immediate service on credit card orders, call toll-free 24 hours a day, seven days a week

1-800-824-7888

Ask for operator NO. 551

in California: 800-852-7777

We Absolutely Guarantee! Use any electronic instrument acquired from us for up to 30 days. If you decide for any reason that you don't want to keep it, return it for a 100% refund

NEW HORIZONS

Penn Plaza, Suite 100 New York, N.Y. 10119 For Information Call (201) 370-8029

New Horizons, 1 Penn Plaza, Suite 100 Please ship at once, with 30-day money-ba	, New York, NY 10119 CE-2 ack guarantee: — Phone or use this coupon —
☐ 2 for \$129.95 each ☐ Super-Ear Model SB-1, \$99.95	Indicate payment method: Check enclosed
☐ 2 for \$89.95 each ☐ Dyna-Mike Model IC 18, \$129.95 ☐ 2 for \$119.95 each	Bill toVISA Master Card
☐ Dyna-Mike Model X-18, \$149.95 ☐ 2 for \$139.95 each ☐ Dyna-Mike Model X-3, \$99.95	Expires Signature Name Address
 □ 2 for \$89.95 each □ Phone Answerer/Recorder, \$49.95 □ Phone Recorder, \$29.95 □ 2 for \$24.95 each 	City State Zip Please add \$1.75 per total order for shipping.

Deciding Which Computer to Buy

Of the 1.9 million peoplé who bought small computers last year, over 20,000 of them bought the wrong computer for their needs. And no wondér. New products are introduced into the market at a breathtaking pace. The language question. The terminology problem -RAMs, ROMs, bits, bytes, bauds, protocols and processors. What's important? What's standard and what's optional? Even the dealers are confused

To help you tackle this problem, we pulled together many of our sources -including leading experts in the field, manufacturers, marketing analysts, computer dealers and customers. In addition, we utilized computer user groups, clubs and associations throughout the United States, contacts in Japan and numerous industry and business publications. COMPUTER GUIDE 1983 is the natural result of learning from the knowledge and mistakes of more than one million people.

The following steps will help you with your computer shopping -whether you're buying your first computer, or updating the one you have. **COMPUTER GUIDE 1983** can help you make the right decision.

1. What is the computer to be used for?

You may want to use it for entertainment, financial planning, learning, how to speak a foreign language, office work, drawing and many other tasks a computer does well. The possible uses of a computer are as varied as human activities.

2. Which program will do the best job?

There are thousands of application programs on the market to consider. It is the program that gives you the power to control the actions of the computer. You must choose the right application program.

The first section of COMPUTER GUIDE 1983 surveys each of the application programs available with computers today. Similar programs are grouped together and compared -one against another. COMPUTER GUIDE 1983 contains over 2,000 application programs, grouped in over 100 categories -including programs for accounting, management, professional uses, word processing, graphics, research, games, learning and special applications. Programs are described using comparison charts -listing for each application program: the program name, computer(s) and system configuration(s) required, the documentation available and the price.

COMPUTER GUIDE 1983 provides you with a quick and efficient way of deciding which application program and which computer and options for that computer can do the right job for you.

3. The language?

You cannot get a computer to do anything useful unless you know how to talk to it. This is no easy task. But, **COMPUTER GUIDE 1983** can help.

The second section of **COMPUTER GUIDE 1983** guides you in selecting the right language. Different dialects of languages are grouped in their generic category. The BASIC language, for example, is a generic name and has many dialects -including Microsoft Basic, Atari Basic, Basic Plus and Basic-80.

COMPUTER GUIDE and CESS are trademarks of Computer & Electronic Supply Services. P.O. Box 345, MIT Branch P.O. Cambridge, MA 02139.

Each of these languages have their own machine requirements. **COMPUTER GUIDE 1983** provides the name, machine and machine requirements, documentation and price of over 500 dialects, for over 50 languages. **COMPUTER GUIDE 1983** helps you solve the language problem.

4. What about the machine?

Depending on your needs, there will probably be several computers still in the running. Now the decision is based on the guts of the machines (hardware). **COMPUTER GUIDE 1983** compares machine characteristics in an easy to follow format. You don't have to be an electrical engineer to make an intelligent decision.

The solution is to work top down and not to go any further down than is needed. Your uses for the computer determines which machine characteristics are important. COMPUTER GUIDE 1983 divides the machine into five areas -the keyboard, video display, printer, other peripherals and I/O, processor and memory and direct access storage. These five areas correspond to your basic machine needs. For example, an accountant needs a keyboard with a numeric keypad; word processing requires a printer; games utilize a video display; a mathematician wants a very fast machine; lots of memory is best when using the LISP language; and so on, as the hardware combines with the application program to develop a complete computer system.

COMPUTER GUIDE 1983 contains machine descriptions for over 250 computer systems, produced by over 150 manufacturers. Information is displayed in spreadsheets -allowing you to get the information you need. You don't have to bother with extraneous details and cumbersome text. COMPUTER GUIDE 1983 can accommodate millions of people in making the right decision, as varied as those decisions will be.

5. Where to buy the chosen computer system.

COMPUTER GUIDE 1983 lists hundreds of vendors, by geographical location, and by the products they sell. It also provides additional consumer information. The first ship date, the ship rate, the number installed to date, prices and what that includes, purchasing terms and warranties. COMPUTER GUIDE 1983 contains the names, addresses and phone numbers of hundreds of manufacturers, dealers and stores throughout the United States.

No one wins when you buy the wrong computer or computer product. Make the right decision. Use **COMPUTER GUIDE 1983.**

Send me COMPUTER GUIDE 1983
The complete computer buyer's guide.

I'm enclosing my check for \$32.75 plus \$1.50 for shipping. (Mass. residents add 5% sales tax.)

Mail to: CESS

P.O. Box 345, MIT Branch P.O. Cambridge, MA 02139 (617) 491-8925

Name______Address______City, State and Zip_______

Please allow six to eight weeks for delivery.



Build The Intelligent Thermometer Part 2

A microprocessor and a programmed EPROM are used in this sophisticated circuit to measure and analyze changes in temperatures

By Tom Fox

AST month, we described the circuit of the Intelligent Thermometer and how it works. Here is a description of the program and instructions on construction.

EPROM Program Description. Figure 5 shows a simplified flow

Figure 5 shows a simplified flow chart for the program.

The CPU must receive 18 identical temperature readings in a row before it can continue its program. This feature provides digital filtering, makes for a steady display, and eliminates faulty readings.

Every four minutes an internal clock causes the CPU to stop what it's doing, find the current temperature, and then proceed to the MEAN routine. Although the procedure appears simple in the flow chart in Fig. 5, it takes many instructions to calculate the different mean-temperatures and degree-days. For instance, first the hourly mean is calculated. This is done by using temperature readings taken every four minutes over a one-hour period. These temperatures are added together and divided by 15. Next, the daily mean is found by adding up 24 consecutive hourly means and dividing by 24. Finally, the mean is found by adding up the daily means and dividing by the days since the mean was last cleared.


A complete EPROM listing can be obtained free of charge by including a self-addressed stamped envelope and requesting it from the address in the Parts List.

Construction. The project should be constructed on a pc board. A double-sided board for this purpose has been designed but the foil patterns are too large to be reproduced here without reduction. Full-size copies of the foil patterns for the CPU board and the display board will be supplied with component layout diagrams when the EPROM listing is ordered from the address given in the Parts List. Note that, while the pc board is double-sided with plated-through holes, it is possible to use a one-sided board with jumpers, instead of foil, on the component side. Use wires or a cable to connect points labeled with letters on the display board to the same points on the CPU board. External elements are connected to the CPU board as shown in Fig. 6.

Battery B1 is an optional four-cell nickel-cadmium type that has a fully charged voltage of about 5.2 V. This back-up battery will allow retention of information in its memory during a power failure. Resistor R13 should be chosen for a proper trickle-charge rate for the battery used. As a rule of thumb this rate should be around C/50, where C is the capacity of the battery in ampere-hours. AA cells having an ampere-hour rating of about 0.5 were used in the prototype. C cells have a rating about three times as high. With AA cells you can try 470 ohms for R13. It is best to check B1's charging rate after you have the project up and running for a day or so. Use a milliammeter placed in series with B1.

If you choose not to use a back-up battery, eliminate D1, D2, R13, and C6 and connect pin 35 of IC8 to the main V_{cc} (+5 V) source. You can do this on the circuit board by connecting jumper wire J to point J5 instead of point JB on the board.

Resistors R34 through R45 are optional. In most applications they increase the circuit's noise immunity although here their use is ques-



tionable. They are not shown on the pc board. If you wish, they can be easily soldered directly to the switches.

Capacitors C7 and C31 are needed for IC8's crystal oscillator to perform properly. The 6802 is designed to be used with a 4-MHz parallel-resonant fundamental crystal.

Connect point T on the CPU circuit board to a secondary lead of the power transformer. Make sure this lead is not a ground. If you are not sure of the voltage rating of the transformer (which sometimes happens if you buy a commercial power supply) use an ac voltmeter to measure the voltage between this lead and ground. If the voltage is 6.3 V, R7 should be about 100 kilohms. If the voltage is 12.6 V, try a 39kilohm resistor, and if you have a 16-V transformer, a 33-kilohm resistor is close to optimum. The exact value of R7 is not critical. Just make sure it is chosen so that the output of IC5A is normally high when R9 is adjusted properly.

Notice that R30 and R31 are 1% precision resistors. They simplify calibration. If you wish, you can re-

ORDERING INFORMATION

Note: The following are available from Magicland, 4380 S. Gordon, Fremont, MI 49412: complete kit of parts including pc boards, all ICs, and sensor, but not case, power supply, battery or cable, for \$179.00, postpaid. Also available separately: 2708 EPROM (preprogrammed) for \$25.00; ADC0801 for \$8.25, LM135H for \$9.50; 1% precision resistor for \$1.75 each; LM324N for \$1.25. On orders less than \$5.00, add \$1.00 for handling. Outside U.S., Canada, and Mexico, add \$5.00 for shipping. Michigan residents, add 4% tax. The following are available from Danocinths Inc., PO Box 261, Westland, MI 48185: microprocessor pc board (#RW403) for \$64.00; display pc board (#RW403D) for \$10.85; both pc boards for \$70.00; postpaid. Michigan residents, add 4% tax. The listing for programming the EPROM and the foil patterns and component layouts for the pc boards can be obtained by sending a stamped, self-addressed legal-size envelope to Dept. IT, Computers & Electronics, One Park Ave., New York, NY place *R31* with a combination 22-kilohm resistor and 5-kilohm pot in series. However, this complicates calibration and can reduce long-term accuracy.

For a faster responding unit, reduce C8 (IC9, pin 4) to 150 pF, but some flicker may be noticed in the display. Although they are not shown in the schematic (they are shown on the component layout), 0.01-µF capacitors should be connected between the supply leads (+5 V and ground) physically close to IC5, IC10, IC13, IC17, IC18, IC20, IC22, IC24, and IC27.

Figure 7 shows a typical low-cost power supply that uses a 6.3-V transformer that can be purchased from surplus electronic dealers. The transformer should be rated at least at 1.5 A. This circuit uses two voltage-doubling circuits to achieve +12 V and -5 V, in addition to the +5-V supply. Keep in mind that this is a low-cost power supply that provides the minimum power requirements. Any other power supply is suitable as long as it is well filtered, well regulated ($\pm 5\%$), and provides the following minimum requirements: +5 V at 500 mA, +12 \hat{V} at 50 mA, and -5 V at 40 mA.

To protect the circuit against lightning and other destructive power-line surges, it is wise to connect a surge absorber to the ac line immediately after the switch and fuse. You can use Panasonic's ZNR or GE's Varistor or any other similar device. To protect the RAM from error bits, you also might want to connect an r-f filter to the line circuit. One filter that is readily available is Radio Shack's 15-1106.

Sensor Assembly. Use a 2-conductor cable, size #26 or larger, for the sensor probe assembly. If a length of several hundred feet is desired, use #22 wire.

Refer to Fig. 8 for one way of sealing and waterproofing the probe. If you use this construction, first, color code the leads so there can be no confusion. Cut off the "Adj" lead from D9 since it will not be used. Place sleeving on the cable's wires before making connections to the sensor. After soldering (use a heat sink between the solder and sensor), spray the assembly

with several coats of a plastic insulating spray. Pull up the sleeving to cover all bare wires. Spray the assembly again. When the spray is dry, use an epoxy-type putty (E-POX-E Ribbon etc.) to encase the assembly. Use your fingers and hands to form a neat appearing probe. After the epoxy sets, spray the assembly again with plastic. If you wish to paint the probe, use a white or metallic silver paint.

Preliminary Testing. If the display doesn't show some number when first turned on, don't panic! It is possible that R9 may have to be adjusted. Slowly turn R9 until the display appears steady. Then turn it another 1/8th of a turn in the same direction. Hold the probe in your hand. The display should show increasingly larger numbers. If everything seems to be OK so far, proceed to the Calibration section. If not, use a voltmeter or oscilliscope to measure the voltage at pin 40 of IC8. It should be close to 4 volts. If you cannot get pin 40's voltage up this high by adjusting R9, you'll have to increase R7. Try first increasing it by about 25%. If still no luck, increase it further.

Calibration. Use an accurate voltmeter (a DVM is preferred) to measure the voltage, with respect to ground, at pin 9 of *IC9*. Adjust *R28* so that it is exactly 2.49 V.

Note that the display shows the temperature of the probe unless one of the pushbutton switches is pressed. To measure temperatures in degrees Fahrenheit, place the "F/°C" switch (S10) in the "F" position. The "F" on the display should light. If you prefer the Celsius system, switch to "C".

For final calibration, place the waterproof probe in the middle of a large container that has a mixture of ice and water (50% minimum ice). Stir occasionally and wait at least 10 minutes. Adjust *R26* so that 32 F or 00 C shows on the display. If you wish, you can place a drop of cement on *R26*'s wiper arm.

Operation and Use. If this sophisticated instrument is to be used to monitor the weather and local climate (its original purpose) don't




Fig. 6. External connections to the main pc board.

simply stick the probe out a window! Even a north window isn't good enough. No matter how accurate an instrument is, the readings it takes can only be correct if the probe is placed in a suitable location. The reason for this is that only air temperature readings are pertinent for most applications. Your primary aim in locating the probe is to avoid letting the sensor receive

that is at a different temperature from that of the air. You may already have taken the first step by painting the probe white or metallic silver. Placing the probe at the 5-foot level in a large screened porch where it gets plenty of air circulation and is away from a heated building is close to being the ideal location for the sensor.

On the other hand, a simple shelter can be made from a wood box that has no bottom and a back con-

sisting of a fine meshed plastic or aluminum screen. A second large roof on top of the box can be added for even better results. Paint the shelter and roof white and suspend the sensor in the middle of the box about 5 feet from ground level. Place the shelter in a location that gets plenty of air circulation and orient it so that the screened back is pointing north.

After turning the unit on, press the RESET switch (S8). This is necessary to clear internal registers in the memory. The RESET switch can also be used whenever you want the precise mean temperature or degree-days from a particular time. If you simply clear the MEAN memory registers (by pressing the MEAN and CLEAR switches at the same time), without pressing the RESET switch, the mean temperature shown by the display can be off a bit. Practically speaking, however, if you plan to

find the mean-temperature or degree-days for a period longer than a week, it is not necessary to reset the circuit (except when you first turn it on).

To clear the minimum, maximum, mean, heating degree-days, cooling degree-days or growing degree-days memory registers, press clear switch *S7* at the same time you press the switch that pertains to the register you want cleared.

When the minimum or maximum memory registers are cleared, the present temperature is stored in the registers. When the mean register is cleared, $-56^{\circ}F(-49^{\circ}C)$ is stored in the mean memory register. When any degree-day registers are cleared, 0 is stored in the respective register.

When operating any of the pushbutton switches, keep the switch depressed until the display



he Creative Computing Sweepstakes is open to all our readers. No purchase is necessary-and you'll receive a fantastic Atari home computer system worth over \$1600 if you're the lucky winner!

How the Sweepstakes works

Just mail the attached card or the coupon below after filling in your name and address. Be sure to indicate whether you're also subscribing to Creative Computing at the special rates shown—you can save as much as

Then, if you win, you'll get a superb Atari personal computer system: the Atari 800 with 16K RAM and 10K ROM...an 810 Disk Drive... a 16K RAM Memory Module for extra memory... a pair of Joystick Controllers for game interaction. Use the Atari to handle small business and professional applications as well as sophisticated home processing functions-and, of course, for entertainment. Analyze your investments, learn languages, do

business accounting, play video games. Programmable in Basic or Assembly, the 800 can use all Atari peripherals and can control up to four disk drives and a 60 lpm printer. In all, the 800 and its accessories form a package worth a full \$1620 at retail!

You're sure to win with Creative Computing!

Whether you win our Sweepstakes or not, the hours you spend with a computer are certain to be winners when you subscribe to Creative Computing. It's the Number One magazine of computer applications and software-filled with indepth evaluations of computers, peripherals and software, plus applications and software that you can run directly on your computer.

Why not enjoy a year or more of Creative Computing at our low introductory prices? You'll save up to 33% if you subscribe at the same time you enter our Sweepstakes!

> creative compating

CHECK ONE:

☐ Bill me later.

☐ Payment enclosed.

Atari is a registered trademark of Atari, Inc.

OFFICIAL RULES =

No Purchase Necessary

- 1. On an official entry form or a 3" x 5" piece of paper, hand print your name, address and zip code. Enter as often as you wish, but mail each entry separately to Creative Computing Sweepstakes, P.O. Box 5215, Boulder, Colorado 80322. Entries must be received no later than March 31, 1983, and the drawing will be held by April 21, 1983. All entries become the property of Creative Computing, which reserves the right to reprint the name and address of the winner.
- 2. The winner will be selected in a random drawing from among all entries received, under the supervision of the publishers of Creative Computing, whose decision will be final. Only one prize will be awarded in this Sweepstakes. Winner will be notified by mail and may be required to execute affidavit of eligibility and release. Odds of winning will depend on the number of entries received. Creative Computing will arrange delivery of prize. Taxes are the responsibility of the winner. Any manufacturer's claims and warranties will apply, but Creative Computing makes no claims or warranties with regard to any prizes. Prize is not transferable. No substitutions for prizes.
- 3. Sweepstakes open to all residents of the U.S., its territories and possessions, except employees (and their families) of Creative Computing, its affiliates, and its advertising and promotion agencies. Void wherever prohibited or restricted by law
- 4. For the winner's name, send a stamped, self-addressed envelope to Creative Computing Sweepstakes. Circulation Department, One Park Avenue. New York, N.Y. 10016.


--- OFFICIAL ENTRY FORM

Mail to: Creative Computing Sweepstakes P.O. Box 5215, Boulder, Colorado 80322

- YES! Enter my name in the Creative Computing Sweepstakes and start my subscription to Creative Computing for the term checked:
 - □ One year (12 issues) only \$19.97—20% off!
 - ☐ Two years only \$36.97—26% off!
 - ☐ Three years only \$49.97—33% off!
 - Savings based on full one-year subscription price of \$24.97.
- NO I don't wish to subscribe now, but tell me if I've won the Creative Computing Sweepstakes.

Mr./Mrs./Ms. (please print full name) 8H294 Address Apt State_ Zip.

City Offer valid only in the U.S., its territories and possessions. Please allow 30 to 60 days for delivery of first issue if you subscribe.



PARTS LIST (Power Supply)

C1,C5—470- μ F, 25-V electrolytic C2,C3—470- μ F, 15-V electrolytic C4—12,000- μ F, 15-V electrolytic C6 through C11—2.2- μ F tantalum capacitor

D1 through D4-1N4001 diode (or similar) D6 through D8-1N5400 diode (or similar) D9-Varistor (Panasonic ZNR or similar) F1—½-A slow-blow fuse IC1—78M12CP, 12-V voltage regulator IC2—7805CK, 5-V voltage regulator

IC3—79MO5CH, —5-V voltage regulator S1—125-V, 3-A spst switch T1—6.3-V, 1.5-A transformer Misc.—AC filter (Archer 15-1106 or similar), wire, hardware, etc.

Fig. 7. Schematic for a suitable power supply.




Fig. 8. How to make the sensor assembly.




Fig. 9. Connecting to the terminals on the back panel.

changes. The CPU must receive 18 identical temperature readings in a row before continuing the program. If the temperature is exactly between two numbers (which occurs infrequently) this "digital filtering" can cause a second or so delay in switch action.

The operation of the MINIMUM and MAXIMUM switches is rather obvious. When you press either of these switches, the display shows the minimum or maximum temperature, respectively, measured since last memory clearance. When the MEAN switch is pressed, the display shows the accumulated mean temperature over a period of days (255 maximum) since the MEAN register was last cleared.

To display degree-days, place the LS/MS switch (S11) in the MS position. Also determine if you want Fahrenheit degree-days or Celsius degree-days and place the °F/°C switch (S10) in the appropriate position. (Note: Celsius degree-days are automatically rounded off to the nearest hundred and the LS display will always show 00.) When you press the particular DEGREE-DAY switch you are interested in, the display will show the number of degree-days in hundreds (e.g. 34 stands for 3400). Finally, switch the LS/MS switch to the LS position to

... THERMOMETER


find the units. (If the display shows 34 in the MS position and 53 in the LS position the number of degreedays is 3453.)

To display the threshold temperature stored in the alarm memory register, press the DISPLAY TEMPERATURE ALARM (DTA) switch. To change this threshold temperature, momentarily switch on the SET ALARM TEMPERATURE switch while pressing the DTA switch. Continue pressing the DTA switch until the desired temperature shows up on the display and then release it.

Up to 30 V and up to 40 mA dc can be controlled with the FREEZE and ALARM outputs (Fig. 9). The "FREEZE" output sinks current when the temperature drops to 32°F (0°C) or lower. The "ALARM" output sinks current when the temperature drops to or below the "threshold temperature" stored in the ALARM memory register. The

ALARM output is complementary to the ALARM output since it responds to temperatures above the threshold.

Applications. The practical uses for this thermometer to measure the current temperature, and record the maximum and minimum tempera-



Photos of the rear and interior of the author's prototype.

tures over a period are obvious.

The interested builder should consult library references covering heating/cooling degree days as they pertain to gas or oil heating and air conditioning, and growing/cooling degree days as they pertain to plant and crop growing.

The FREEZE output is connected to an alarm that will sound off when the measured temperature drops below freezing. The ALARM output is set to the "threshold" temperature; and, when an alarm is connected to this output, it will sound off at the preset temperature. The threshold temperature can be set (another example) to -20° F to sound an alarm that the water pipes are frozen!

By connecting the ALARM output to one relay, and the ALARM output to another relay, you can create a digital heating/cooling thermostat. It is possible to re-write the EPROM program to use the built-in clock and make a very sophisticated thermostat that is activated by time and temperature.

GETTHE SAME VIDEO TRAINING THE PEOPLE AT SONY GET.

Now you can be trained by Sony even if you aren't employed by Sony.

Because we're making our vast library of training videotapes available to you. The very tapes that teach our own engineering, service and sales personnel

The tapes cover the products and concepts of video and its related technologies. You can learn the basics of video recording. Color systems. Digital video and electronics. Television production. And more. Plus you can learn how to service specific products. As professionally as Sony does.

The tapes are produced entirely by Sony and contain up-to-the-minute information. They communicate clearly and simply. And some of

them are even programmed for interactive learning.


And learning through video can be done at your own pace, in the convenience of your home, shop or school. Reviewing is quick and easy. And the tapes are always available for reference.

Send for your catalog, which lists more than 250 titles. In your choice of 3/4" or 1/2" formats. Write Sony Video Products Company, Tape Production Services, 700 W. Artesia Boulevard, Compton, California 90220.

There's no obligation. Except the obligation you have to yourself: to find out about the best training available in one of the country's fastest-growing, most lucrative fields.

CIRCLE NO. 49 ON FREE INFORMATION CARD

Hire a fast thinker.




5 MHz CPU Card

■ Intel 8085A-2 microprocessor ■ Hardware floating point ■ Performs calculations six times faster than other CPUs ■ On-board monitor in PROM ■ 1K RAM scratch pad ■ Keyboard or RS232C terminal ■ Variable clock frequency

PRICE—\$450 (California residents add 6% sales tax)

Call or write Artec for details.



ARTEC ELECTRONICS, INC.

605 Old County Rd., San Carlos, CA 94070 Telephone (415) 592-2740 CIRCLE NO. 55 ON FREE INFORMATION CARD

COMPUTER HOTLINE

The C & E Staff Answers Your Questions About Computers

CP/M ANYONE

Q: I went to a lot of trouble and expense to add CP/M to my computer. Now I find that I can not get versions of programs to run on my machine. In addition, all of the CMUG (CP/M Users Group) and SIG/M public-domain software that I thought I would be able to use does not come in my format. Is this a ripoff or just a misunderstanding on my part?—Joe Stratton, Norr Hope, PA.

A: It is a misunderstanding of CP/M and the mechanism for distributing public-domain software. Each manufacturer who distributes CP/M for his computer writes the BIOS for his format and design; most of them are different. Software publishers sell their programs through distributors who undertake to translate the CP/M program into many different formats that they support. Lifeboat Associates, for example, has a list of CP/M formats that they support. When a customer orders a copy of a program, say, in Micropolis format, the people at Lifeboat download the programs from a "standard" 8-inch singledensity disk to the Micropolis format. This is the process used to convert all CP/M sofware from one format to another. Now this doesn't happen unless the computer manufacturer makes his equipment available to the distributors and asks that his format be supported.

In the case of public-domain software, all distribution is made in 8inch, single-density, single-sided disks. In some cases, there are also libraries of other formats such as NorthStar, Micropolis, and Apple because someone in the group went to the trouble of downloading the entire library of software. SIG/M will supply clubs with NorthStar



CIRCLE NO. 6 ON FREE INFORMATION CARD





Earn Your
DEGREE

No commuting to class. Study at your own pace, while continuing your present job. Learn from easy-to-understand lessons, with help from your home-study instructors whenever you need it.

In the Grantham electronics program, you first earn your A.S.E.T. degree, and then your B.S.E.T. These degrees are *accredited* by the Accrediting Commission of the National Home Study Council.

Our *free* bulletin gives full details of the home-study program, the degrees awarded, and the requirements for each degree. Write for *Bulletin ET-83*.

Grantham College of Engineering 2500 So. LaCienega Blvd. Los Angeles, California 90034

... COMPUTER HOTLINE

and Micropolis versions for distribution to their members. It is up to the club to keep them up to date by getting future releases. I don't know if anyone has collections of CP/M Users Group or SIG/M software in any other formats.

When you see a new computer come on the market and it is advertised to have CP/M, do not assume that there will be CP/M software to run with it. There is no assurance that software vendors will convert their product to this new format.

AC CONTROL CIRCUIT

Q: I'm interested in designing and building an ac outlet control circuit for my home that can be controlled by my Radio Shack TRS-80 Color Computer. I need help in designing the carrier-current circuit that would activate electrical outlets via the home power system.—David McNamara, Detroit, MI

A: There are two types of devices needed to implement a computer-operated, carrier-current, electrical control system. First, there is the Interface/Controller connected to the computer. This device translates the programmed output from the computer into coded pulses. The pulses are then transmitted along the 60-Hz lines to the receivers.

The second type of device is a Receiver/Decoder and Switch that's connected to the power system at the remote location. When this unit receives its coded number, it changes the status of the switch according to the received message (from ON to OFF or vice versa).

I would not recommend that you build the Interface/Controller device. Use the one designed for your computer. Radio Shack has provided the TRS-80 Plug'n Power Controller for the Color Computer and Models I and III. It plugs directly into the cassette port and is able to access any of 16 house codes used to avoid conflict. For each house code there are 16 module codes that control individual outlets, appliances, or lights. This gives you maximum flexibility in working out the different control programs.

The professional breadboard.

(For professional, hobbyist or student.)

Global Specialties' PB-203A Proto-Board® The solderless breadboard that set the industry standard for speed, versatility and convenience. With a capacity up to twenty-four 14-pin DIPs and three regulated power supplies (one fixed, two variable), PB-203A features a large array of sockets and bus strips that emulates standard PC layouts. Permitting instant insertion and removal of virtually any component from the largest DIP to the smallest discretes. Helping you design, assemble, test and modify circuits almost as fast as you can think! And built with professional durability, for all types of applications.

Our PB-203A. Only \$174* (kit \$149.95*) or PB-203 with single 5V supply, \$133.* One more reason so many people say "Proto-Board" for solder-

less breadboarding.

GLOBAL SPECIALTIES

CORPORATION

70 Fulton Terr., New Haven, CT 06509 (203) 624-3103, TWX 710-465-1227 OTHER OFFICES: San Francisco (415) 648-0611, TWX 910-372-7992, Europe: Phone Saffron-Walden 0799-21682, TLX 817477 Canada: Len Finkler Ltd., Downsview, Ontario

Call toll-free for details 1-800-243-6077 During business hours

*Suggested U.S. resale. Prices, specifications subject to change without notice © Copyright 1981 Global Specialties Corporation

CIRCLE NO. 46 ON FREE INFORMATION CARD

POCKET SCANNER CLOSE OUT

Thanks to a European Distributor's overstock, you can get a great deal on a pocket scanner.

It's a six channel, three band unit that is actually the smallest scanner available on the market. You'll hear your choice of police, fire and emergency calls and get extra features like channel lock-outs, manual control, two antennas plus an AC

10 95 Includes TWO FREE frequency crystals. Additional crystals \$4.95 ea., other accessories available

charger/adapter. Coverage includes UHF bands, VHF high bands and mid-band.

We've taken what is already a good value and made it a steal! From the original price — the equivalent of \$190 — we've lowered the price a full \$110. Plus you get two frequency crystals of your choice at absolutely no charge. And, you'll have our 25 day no-hassle refund privilege so you can try it out before making your decision. Don't Delay. Sup-

plies are limited. Call Today. 24 hrs. a day 7-days a week.

Order product 1050. Visa/Master Charge or COD customers may call toll free. Or send check for \$79.95 plus \$2.00 shipping and handling. 90 day warranty.

MTN

800-528-6050, Ext. 1035

P.O. Box 215 In AZ

In AZ 800-352-0458 Ext. 1035

Yankton, S.D. 57078
CIRCLE NO. 48 ON FREE INFORMATION CARD

TEST REPORT: VIDEO



RCA Model VGM 2023S 25" Color TV Receiver

HEN is a TV set not a TV set? When it's a Selecta-Vision Video Monitor like the new Model VGM 2023S 25" color model introduced recently by RCA. Taking a tip from a host of component TV systems that feature separate video monitors and tuners, RCA combined both in a single unit.


This is essentially a top-of-theline RCA ColorTrack TV receiver with an extra source of picture and sound from a PW44000 circuit board added to a CTC-121 chassis. It includes an auxiliary input/output panel at the rear for easy access to video and audio monitor facilities for a VCR, video camera, video disc, computer, and external hi-fi stereo system. Its high-performance TV receiver section includes a bevy of advanced features such as a solidstate tuner that can receive 127 channels (vhf, uhf, and the cable midband, superband, and hyperband channels), comb filter and surface acoustic wave (SAW) filter circuitry, and a deluxe infrared wireless remote control. Additionally, the audio system includes a pseudo stereo synthesizer with a pair of speakers for each channel, while the monitor section has stereo output/input hi-fi signal jacks and external speaker jacks.

The "S" in the model number we tested stands for silver finish, add-

ing \$50 to a suggested retail price of \$1080 (a wood-grain finish cabinet is the standard model).

General Description. One obvious attribute is the unit's cabinet size. RCA's designers have managed to wrap the cabinet so closely around the screen that only a two-inch space is left at the sides and bottom, and only three inches at the top. This results in a cabinet that is

21¾" H × 24¼" W. And, because of the short, 110° deflection, 25" CRT, the cabinet is only 18¾" deep. Within the top three inches RCA has neatly stowed channel tuning and power and volume controls, while the rest of the customary controls are located under a hinged panel strip that runs the width of the screen. A set of built-in, high-compliance speakers (5" woofer, 2" tweeter) are located at each





The Computer Book Glub®

"The ONLY Book Club for micro hobbyists"

Save time and money Keep up with the latest in computer books and software without leaving your terminal!

Select 5 fact-filled books for ONLY \$295 (values to \$102.75)



1369 List \$21.95

















1350 List \$15.95



1473 List \$18.95

List \$17.95



1050 List \$12.95









1526 List \$18.95



1290 List \$15.95



List \$16.95



1141 List \$11.95



List \$16.95



1391 List \$17.95



1195 List \$13.95



335 List \$14.95





1085 List \$11.95







7 very good reasons to try The Computer Book Club Blue Ridge Summit, PA 17214

· Reduced Member Prices. Save 20% to 75% on books sure to increase your computer know-how

· Satisfaction Guaranteed. All books returnable within 10 days without obligation

· Club News Bulletins. All about current selections—mains, alternates, extras-plus bonus offers. Comes 13 times a year with dozens of up-to-the-minute titles you can pick from

• "Automatic Order." Do nothing, and the Main selection will be shipped automatically! But . . . if you want an Alternate Selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News

· Continuing Benefits. Get a Dividend Certificate with every book purchased after fulfilling membership obligation, and qualify for discounts on many other volumes

· Extra Bonuses. Take advantage of added-value promotions, plus special discounts on software, games, and more Exceptional Quality. All books are first-rate publisher's editions, filled with useful, up-to-the-minute information



The Computer Book Club Blue Ridge Summit, PA 17214

Please accept my membership in The Computer Book Club and send the 5 volumes circled below, billing me \$2.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership cancelled. I agree to purchase 4 or more books at reduced Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

> 335 1050 1062 1070 1085 1108 1141 1160 1169 1195 1205 1276 1277 1290 1293 1295 1350 1369 1391 1394 1398 1406 1442 1455 1466 1468 1473 1479 1485 1526

Name	Phone
Address	
City	
State	eign and Canada add 20%. Orders outside U.S
(Valid for new members only. For or Canada must be prepaid with it	eign and Canada add 20 %. Orders outside U.S nternational money orders in U.S. dollars.) Thi
order subject to acceptance by T	

...RCA TV

side panel, internally recessed to project sound forward. The 127-channel tuning system uses frequency-synthesized circuits. An infrared (IR) remote control permits either direct channel access by dialing the channel number, sequential scanning through every channel, or scanning through preprogrammed channels only. There is also a channel-up/down, and a mute switch that instantly silences the audio. (The same channel selection can be made using the levered pushbuttons at the top of the set.)

Fifteen separate RCA phono jacks, two slide switches, and two potentiometers provide the array of video and phono inputs and outputs accessible to the user on the set's rear panel. Video inputs are selected by using the channel selection on the front of the receiver or by the IR remote control. Once the two video

input level controls are set, the viewer can switch from TV reception to monitoring a VCR or another source of video just by dialing "91" or "92."


The channel number and the time-of-day are superimposed on the picture whenever a channel is selected or the RECALL button is pressed. After about 6 seconds, the display disappears. Separate pushbuttons under the hinged panel at the top of the screen set the correct hours and minutes. The internal digital clock runs even when the set is turned off, but if power is interrupted, the next time display on the screen will show blank dashes, requiring resetting of the clock.

The TV broadcast channels, 2 through 83, are selected in the usual manner by their assigned numbers. To receive any of the 45 cable channels, the viewer must actuate a slide switch at the rear of the set near the antenna terminals. A simple chart is provided assigning a two-digit num-


ber to each cable channel. Both vhf and uhf 300-ohm terminals as well as a 75-ohm, coax terminal with a moveable jumper, permit connection of indoor and outdoor antennas or cable TV signals.

Though the channel selection and on-screen display features are not unusual in digital tuning TV sets, the fact that they are accomplished by only four ICs is certainly novel. Even more intriguing, however, is the actual r-f tuner circuitry. It consists of three separate, varactortuned, r-f amplifiers, oscillators and mixers—one covering uhf and one each covering the superband and vhf midband channels. Each r-f amplifier uses individually trimmed, multiple, resonant-circuit input and output stages as well as isolation amplifiers following the mixer. A host of separate varactor diodes assures precise tuning for each channel.

The output from the solid-state varactor tuner goes to an i-f amplifi-



106



DISCOVER THE MAGAZINE THAT HELPED LAUNCH THE MICROCOMPUTER INDUSTRY

Incredible as it may seem, *Popular Electronics* helped launch the microcomputer industry. Back in 1975, we published plans for building the first powerful microcomputer based on the 8080 cpu. These plans generated incredible excitement—and started the world thinking about personal computing.

Since then, we've added more coverage of personal computing. Today, so much of the magazine is devoted to microcomputers that we've changed our name to...

Computers & Electronics


Computers & Electronics continues the Popular Electronics tradition of helping our readers experience the advances of the future—today. We do it with clearly written, in-depth articles explaining each innovation...plans for building useful, money-saving projects incorporating the newest technology...reviews of the latest mass-produced equipment. Whether it's microcomputer equipment, audio, video, or personal electronics, Computers & Electronics will make it possible for you to enjoy the newest, the most sophisticated, the most innovative technology around.

Helpful buying guides

Computers & Electronics compares and contrasts computers and other electronics gear in meaningful buyer's guide articles. We discuss features and options, what to look for, and how to get the best value. Recent buyer's guides have covered computer printers, pocket computers, sophisticated telephones, video cassette recorders and high-tech audio cassettes.

World-famous test reports

In every issue of *Computers & Electronics* you'll find our famous in-depth test reports. We take a new product, test it and analyze the results. Recently we've tested the Radio Shack TRS-80 Model III, the IBM Personal Computer, and the Sinclair ZX-81. Microcomputers by Apple, Atari, Hewlett-Packard, Intelligent Systems and Netronics. Plus an interactive data terminal, software,



and a variety of audio, video and testing equipment.

Innovative construction projects

If you're a do-it-yourselfer, you'll love the construction projects in *Computers & Electronics*. Not only did we bring the world the first successful microcomputer kit, but also projects for building the first low-cost modem. The first computer keyboard integrated with the computer (SOL).


The first low-cost voice synthesizer. The first low-cost logic analyzer. The first 1802-based microcomputer (ELF). The first low-cost function generator. The first gas-laser communicator (awarded a place in the Smithsonian Institution). The first low-cost color graphics computer module. An interface to transfer narrow line listings from your TRS-80 Pocket Computer to either a printer or CRT screen....

As you can see, our construction projects, while not necessarily complex (thanks to multifunction IC chips), will keep you at the forefront of technological development—at remarkably low cost. And in the future, we'll be bringing you construction projects to help you make your microcomputer more useful—whether it's an enhancement, an application, or a merging of technology with external controls and products.

Get the leader in the field—at up to 33% off!

Computers & Electronics is the world's most widely read computer and personal electronics magazine. Now you can subscribe at big savings: up to 33% off. At our New Subscriber rates, a one-year subscription is only \$12.97. Take advantage of this offer—complete and return the coupon or postage-paid reply card today!

Computers&Elec	ctronics P.O. Box 2774, Bou	ılder, Colorado 80322	100
☐ YES! Send me one y ☐ I prefer two years for \$2 I save 28%.	year (12 issues) of <i>Computers &</i> 22.97—	& Electronics at \$12.97- Make that three years I save 33%.	
Saving	gs based on full one-year subscriptio	n price of \$15.97.	
25 125 125			
Mr./Mrs./Ms	(please print full name)	State	4S994
Mr./Mrs./MsAddress	(please print full name)	en Page	4S994 Apt
	(please print full name) State		



SEND FOR EXCITING FACTS-No Obligation! ALL SPECIAL TOOLS AND EQUIPMENT INCLUDE

YOURS

TO KEEP!

This Pro Key Machine can alone add up to \$200 a month to your income... and it wan't cost you a penny extra with your training. Find out all about it! RUSH COUPON!

RUSH Send for your coupon! copy today!

NO RISK FOLEY-BELSAW INSTITUTE 10149 Field Bldg. Kansas City, MO. 64111

Fulltime business of

Send for your

There is NO OBLIGATION and NO SALESMAN Will Call-ever! FREE! FOLEY-BELSAW INSTITUTE 10149 Field Bldg., Kansas City, Mo. 64111 Please rush FREE Book "Keys to your Future." YOUR FUTURE" Tells how to make money in Locksmith-ing almost from the

CIRCLE NO. 33 ON FREE INFORMATION CARD



CIRCLE NO. 18 ON FREE INFORMATION CARD

...RCA TV

er IC, which also provides automatic gain control (agc), noise limiting, detection, and video preamplification. A surface acoustic wave filter ensures proper i-f response. The vertical-sync system operates in two different modes, depending on the setting of an internal electronic switch that senses whether or not the NTSC standard vertical sync is received. On NTSC signals the crystal-controlled horizontal sync signal is counted-down further to generate the vertical sync. If another type of vertical sync signal is detected, the count-down is disabled and a sync separator and detector are switched in. The horizontal sync system uses two phase control loops: one each for slow and fast changes—comparing the incoming horizontal sync pulses against those counted-down from the 251-kHz crystal oscillator. This system provides such solid lock-in that no external horizontal sync control is needed.

Probably the most important circuit feature is the CCD (charge coupled device) comb filter, which removes the interleaved color subcarrier from the luminance signal, and then reinstates it while maintaining the full 4-MHz luminance bandwidth. Thus, video information, i.e., picture detail carried at the higher frequency, is retained without interference from the lower-frequency chrominance sidebands. This system is not really new, but the combination of the filter with RCA's elaborate automatic color features promises unusually high video quality. The automatic color control section maintains color intensity regardless of station variations. The automatic contrast/color control (accc) maintains the balance of color, contrast, and brightness. RCA's unique automatic flesh-tone correction ensures that there are no green or purple faces, and the automatic light sensor uses a light-dependent resistor (LDR) to compensate for changes in room lighting.

When we dial 91 or 92 on the front panel or on the remote control channel selector, the RCA model VGM 2023 becomes a video monitor. There are two separate video input channels, each with its own stereo audio input capability. One channel provides an optional internal bridge circuit for both video and audio inputs. This allows us to connect, for example, a camera and microphones to the monitor, and then connect a VCR to the other side of the bridge. If the bridge on the first video input is not desired, a slide switch disconnects it. The second video input channel is not bridged. There is a level adjustment for each video input, while a set of output

TEST MEASUREMENTS RCA MODEL 2023S 25" CO

Parameter Sensitivity, vhf (Ch. 3): Sensitivity, uhf (Ch. 20): Noise figure, vhf (Ch. 3): Noise figure, uhf (Ch. 20): Horizontal resolution at CRT: Video bandwidth to CRT (-6 dB): R-f osc. stability (Ch. 3): (105 to 130 V ac, 2 hr.) (Ch. 20): Agc dynamic range: Dc restoration: Horizontal linearity: Vertical linerarity: Convergence: Audio frequency response: Speaker impedance: Dc regulation, B+: (105 to 130 V ac) High-voltage regulation: (105 to 130 V ac) Weight:

Power rating:

OLOR TV RECEIVER	
Measurement -58 dBm -55 dBm 5 dB 9 dB 350 lines 4.25 MHz 0.05 MHz 0.05 MHz 67 dB 100% 100% left, 100% right 100% top, 100% bottom 95% at worst area 60 to 16,000 Hz 16 ohms (internal > 6 ohms) 98% at +127 V dc	
96% at +27.0 kV	
78 lb 110 W avg.	

jacks provides access to video and audio whether in the monitor or TV broadcast mode. The audio is either in mono or stereo, and separate jacks are available for speakers.

For regular TV broadcast operation the audio is, of course, monophonic. However, the SelectaVision monitor automatically engages the Dual Dimension Sound circuitry to electronically divide and enhance the mono sound to simulate stereo. In addition, the internal stereo amplifier for this and other Selecta-Vision monitors can be connected to any external stereo signal source via the audio inputs on the rear panel. Similarly, if you want to hook up a stereo disc or VCR to your own hifi equipment, the monitor's audio output will route the sound directly to your amplifier or audio receiver, while at the same time displaying the video portion of the program on the screen or recording on another VCR. RCA's audio specifications include a frequency response of 50 to 15,000 Hz, an audio output of 1.3 V rms, audio input of 0.96 V rms, and an external speaker impedance of 6 ohms or greater. The VGM 2023 also has bass and treble controls for use with the internal amplifier.

For servicing purposes, you should note that this is a "hot" chassis except for the monitor panel section's audio and video output. Thus, an isolation transformer should be used when troubleshooting circuits.

Laboratory Measurements. The r-f performance measurements of vhf and uhf sensitivity and signal-to-noise ratio are clearly the best of any TV all-in-one receiver we have reviewed in the last two years, although the tuner of the Sony Profeel component system came very close. The noise figure of 5 dB vhf and 9 dB uhf are obviously the result of the elaborate r-f amplifier circuits described. This receiver will do well even in deep fringe areas.

As soon as we saw the color pictures from our studio camera, we knew that the video bandwidth was excellent. We measured 4.25 MHz, slightly better than the Sony Profeel monitor, though the difference of 0.05 MHz would not be noticeable on any picture. As promised by RCA's literature, the CCD comb filter provided excellent bandwidth and color fidelity without any trace of 900-kHz interference. The same five observers who had previously admired the color pictures of the Sony Profeel now agreed that the RCA VGM 2023 color quality and resolution were just as good.

The remaining measurements, as indicated in the accompanying table, show excellent results that correspond almost exactly to those measured on the Sony Profeel monitor. Deflection linearity and convergence were excellent. The top of the screen has a 5% misconvergence, but this was noticeable only with a grid pattern.

User Comments. Summing up the results of our measurements, it is clear that this RCA Model VGM

2023 provides excellent performance, both as a deluxe color TV receiver and as a versatile video monitor. From a technical point of view, RCA's r-f tuning system and its CCD comb filter, combined with all the automatic color circuitry, represent a highly sucessful, advanced design. For the consumer, this RCA model represents the top-of-the-line in performance and features.


If we continue the comparison with the Sony Profeel as a reference, we find that the two systems are close to equal in performance and operating features; both are excellent. There are some differences, however, that may be important.

While both systems have versatile video and audio input/output arrangements, only the Sony has the ability to accept RGB signals directly. Also, Sony's RS232 computer interface connector, for RGB and other signals, is a decided advantage for some applications. The RCA system, on the other hand, is much more compact. Its monitor and built-in tuner are smaller than Sony's 25" monitor alone. Sony's tuner is designed to be part of a modular video system, but it is a separate box and needs a cable to connect it to the monitor.

A significant difference between the RCA and the Sony, however, is cost. RCA's suggested selling price for the VGM 2023 is \$1080, while Sony's is \$2020 for the monitor alone if one is using a VCR as a tuner. Bevond price, a buyer should take into account the potentially superior picture garnered by using RGB signals with the Sony. This becomes especially important should the monitor be used for computer alphanumeric displays. Furthermore, the Profeel is built like a monitor—coaxial cable connectors rather than pin jacks, for example—throughout.

We were favorably impressed with the Sony Profeel's performance and features, and now that we have tested RCA's VG2023, we are equally impressed and hope that other manufacturers will join in elevating TV receivers to meet the multiple needs of today's video applications. —Walter Buchsbaum

CIRCLE NO. 102 ON FREE INFORMATION CARD



Color-bar pattern scope photos. Input on Ch. 3 at top; video output below.

February 1983 109

SOLID-STATE DEVELOPMENTS




Flash Analog/Digital Converters Come of Age

By Forrest M. Mims

TRANSFORMING a digital signal into its analog equivalent is relatively simple; it can be done with little more than a handful of resistors and an op amp. The reverse operation, analog-to-digital conversion, is more involved.

Many clever schemes have been developed for achieving analog-to-digital (A/D) conversion. Unfortunately most require a synchronized series of operations that are very slow by today's standards. Consider, for example, an A/D converter consisting of a D/A converter, clock, counter, and comparator, as shown in Fig. 1.

The counter, which is initially cleared, is incremented by the clock. Each successive count is converted to an analog voltage by the D/A converter and applied along with the incoming analog signal to the comparator. When the voltages are unequal, the counter continues to advance. When the voltages are



equal, the comparator changes states and inhibits the clock. The binary output from the counter is the digital equivalent of the analog input signal.

The conversion time for this method of A/D conversion, can range from instantaneous when the input signal is 0 V to 2^n clock periods (where n is the counter's capacity in bits). Therefore, an 8-bit counter would require a minimum of 256 clock intervals for a single conversion cycle.

However, there are other sequential A/D conversion methods that are faster than the rudimentary method just described. The successive approximation method, for example, although more complex, achieves a conversion in only n clock periods.

Flash A/D Converters. There's a much simpler method of A/D conversion and it is achieved by means of a voltage divider, a string of comparators and an encoder, connected as shown in Fig. 2.

Each node in the divider chain provides a successively higher voltage which serves as a reference level to the noninverting input of the comparator to which it is connected. As the signal voltage is increased from zero potential, it reaches the reference level of the lowest order comparator and causes it to change states. When the signal amplitude rises to the next reference voltage level, the second comparator changes states. The comparators continue to change states to reflect the level of the incoming signal.

Since all comparators whose reference voltage is at or below the amplitude of the signal change states, a basic voltage-divider/comparator circuit can function as a LED bargraph voltage indicator. For microprocessor and other digital applications, it's necessary to incorporate a network of gates to encode the output pattern from the comparators into its respective digital word. Though this increases circuit complexity, no clock is required and the conversion time is much faster than that of other methods.

Though the operating principle of a flash converter is very simple, the number of circuit components increases rapidly with the resolution required. The number of comparators needed, for example, is $2^n - 1$ where n is the number of bits of resolution required. Therefore, a 4-bit flash A/D converter requires only 15 comparators but an 8-bit unit requires 255.

For this reason, flash A/D converters have not been developed nearly as rapidly as other types. One firm that makes microprocessor compatible flash A/D converters is TRW LSI Products (PO Box 2472, La Jolla, CA 92038).

TRW's 6-bit TDC1014J flash A/D converter accepts and digitizes a 1-volt p-p signal at sample rates of dc to 30 megasamples per second. A complete conversion requires only 33 ns! This chip is supplied in a 24-pin DIP package, with an optional evaluation board available.

One-micron fabrication technology has recently permitted TRW to surpass the performance of the TDC1014J. For example, the TDC1025EIC is a 100-mm by 160-




Fig. 2. A 3-bit flash A/D converter.




Fig. 3. Ferranti's ZN436 6-bit D/A converter operates from a 5-V supply and has 1-µs conversion speed.

makes an 8-bit chip that uses what the company calls a "half-flash" technique. Designated the ADC0820, the chip includes 32 comparators and has a maximum conversion time of 1.2 µs. While not as fast as some chips that use nonflash A/D conversion methods, it's reasonably priced. The plastic-packaged version of the chip sells for \$12.95 in quantities of 100.

All these new products portend

mm circuit board containing an 8-bit flash A/D converter and all necessary support circuitry.

The circuit provides 75 megasamples per second. Even faster conversion speeds are provided by TRW's TDC1029J. This 6-bit flash A/D converter provides 100 megasamples per second!

The lastest flash A/D converter from TRW, the TDC1019J, provides 9 bits of resolution, the highest yet for a monolithic flash A/D converter. Operating at 20 megasamples per second, the 9-bit chip incorporates 511 comparators, a 511-to-9-bit encoder, and a 9-bit ECL-compatible latch on a *single* chip.

No other A/D conversion method available can come close to the conversion speeds provided by these flash converters. Unfortunately, however, the TRW flash converters are more expensive than slower kinds of converters. The price drawback may soon change, however, as more companies enter the flash A/D converter business.

Recently, for example, RCA (Route 202, Somerville, NJ 08876) introduced the first CMOS flash A/D converter, the CA3308. This 8-bit device operates at 15 megasamples per second and dissipates only 240 mW. Fully microprocessor compatible, the CA3308 includes an 8-bit latch with three-state outputs, plus two chip-enable inputs. Two CA3308's can be paralleled to double the conversion speed of a single chip.

Motorola (Box 20912, Phoenix, AZ 85036) and National Semiconductor (2900 Semiconductor Drive, Santa Clara, CA 95051) have also begun to make flash A/D converters. Motorola's 10315/10317 provides 7 bits of resolution at 15 megasamples per second. National

VIC20 PERSONAL COMPUTER

TOP 10 ARCADE GAMES

VIC-20 TAPE PROGRAM SALE!!

Rank	Name 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997	List	Sale
1.	Super Paratrooper (Fantastic)	\$24.95	\$19.95
2.	Exterminator-Plus (Better than Centipede)	\$24.95	\$19.95
3.	Cricket (Better than Frogger)	\$24.95	\$19.95
4.	3-D Hackman (3-Dimensional)	\$24.95	\$19.95
5.	Snackman (Better than Packman)	\$19.95	\$15.95
6.	Bug Blast (Creepy)	\$19.95	\$16.95
7.	Anti Matter Splatter (Nuclear Disaster)	\$24.95	\$19.95
8.	Bombs Away (Great)	\$18.95	\$15.95
9.	3-D Maze-Escape	\$16.95	\$14.95
10.	Krazy Kong	\$16.95	\$14.95

BUY ANY FOUR — DEDUCT 10% MORE

VIC-20 ACCESSORY SALE!!

- 1. TRACTION-FRICTION LINE PRINTER This new COM-STAR deluxe printer, prints 8½" x 11" full size letter quality single, roll or fan fold paper, labels and etc. Impact dot matrix bidirectional 40, 66, 80, 132 columns. Includes interface cable that plugs direct into the VIC-20 computer, no other costly interface is needed. List \$599.00 Sale \$399.00.
- 2. UP TO 60K EXPANSION MODULE Aero Space designed—6 slot—add up to 6 cartridges— switch select any program. Start and stop any program with reset button—not necessary to remove cartridges or turn off computer, saves time, television and computer (one year warranty) List \$149.00 Sale \$89.00.
- 10 DAY FREE TRIAL
- WE HAVE THE LOWEST PRICES
- . ONE DAY DELIVERY EXPRESS MAIL
- . FREE CATALOGS
- . WE LOVE OUR CUSTOMERS!

PROTECTO

ENTERPRIZES (FACTORY-DIRECT)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

CIRCLE NO. 47 ON FREE INFORMATION CARD

... SOLID STATE

the eventual arrival of a wide selection of very affordable flash A/D converters. This development, which cannot be far away, will usher in a new era of ultra-fast processing for such applications as speech processing and recognition, television special effects, video frequency signature recognition, and highspeed sampling and data analysis.

One application to watch for will be inexpensive, high-speed, sampling oscilloscopes that incorporate one or more flash A/D converters. While some of these instruments will resemble conventional scopes, others will take the form of hardware peripherals that convert ordinary personal computers into highly sophisticated, fully programmable oscilloscopes.

One such peripheral is already available from Northwest Instrument Systems, Inc. (PO Box 1309, Beaverton, OR 97075). It's called the Model 85 aScope™, and it's designed to interface with an Apple II™ equipped with 48K of RAM and a Disk IITM (plus DOS 3.3). While the aScope uses nonflash A/D conversion, it can provide a bandwidth of dc to 50 MHz. Flash A/D conversion would provide even higher bandwidths. The aScope sells for \$995. You can receive a data sheet by calling toll free 800-547-4445.

Low Cost D/A Converter. Many different D/A converter chips are readily available, but few can match the price of Ferranti Semiconductor's new 6-bit ZN436. Featuring a 1-μs conversion time, the ZN436 is priced at only 83 cents in quantities of 1000.

As shown in Fig. 3, the ZN436 contains an R-2R ladder network and an array of bipolar switching transistors. The chip is housed in a 14-pin DIP package. For more information, contact a Ferranti distributor or write the company (87 Modular Ave., Commack, NY 11725).

A Liquid-Crystal Bar-graph Readout. Epson America, Inc. (23844 Hawthorne Blvd., Torrance, CA 90505), a major supplier of liquid-crystal displays manufactured by Japan's Shinshu Seiki Co., Ltd., has recently introduced a 100-element bar-graph and display. Designated the LD-H9003A, the display is organized as a row of 100 parallel bars, each tenth bar being slightly longer than the preceding nine. The display measures 2.75" by 0.87" and is enclosed in a glass package.

The LD-H9003A does not have conventional connection pins. Instead, connection is made to the conductive regions on the display by means of elastomer connectors similar to those used to establish electrical contact with the miniature liquid-crystal readouts used in watches. Operating over a -20° C to +80° C range, it is available for \$8.10 in 100-unit quantities.





time wasted on subjects you don't need or traveling to and from class. Instructors are as close as your telephone. Use our 24-hour home-study hot line—we pay the bill.

Thousands of Electronic Specialists

Have Exciting Jobs Like These

Choose from exciting opportunities in the fastgrowing space-age industries...Automation, Aerospace, Cable-TV, Missile Design, Electronic Circuitry, Computers, Telemetry and much, much more. Get the same home study training system used by many giant corporations for their own employees. Everything explained in easy-to-understand lessons with plenty of pictures and drawings. drawings

SEND FOR FREE FACTS No obligation • No salesman will call
 Mail Coupon Today!

Center for Degree SINCE 1991 ICS Electronics Co. Yes! Rush me free facts to 2-Year Associate Degree in at home in spare time.	telling how I can get my
Name	Age
Address	
City/State/Zip	

NEW INDOOR ACTIVE ANTENNA

Covers 300 KHz - 30 MHz. For SWL, BCL, VLF DXers.

Rivals long wires

shipping)



MFJ-1020 NEW INDOOR ACTIVE ANTENNA sits on your desk ready to listen to the world. Rivals, can often exceed, reception of outside long wire. Unique **Tuned** Active Antenna minimizes intermod, provides RF selectivity, reduces noise outside tuned band. Also use as preselector for external antenna. Covers 300 KHz to 30 MHz in 5 bands. Adjustable telescoping antenna. Controls: Tune, Band Selector, Gain, On-Off/Bypass. LED. FET, bipolar circuitry. Phono jack for external ant. 6x2x6 in. 9-12 VDC or 9 V battery for portable use, 110 VAC with optional AC adapter, MFJ-1312, \$9.95.

Order from MFJ and try it. If not delighted, return it within 30 days for refund (less shipping).

One year unconditional guarantee.
Order today. Call TOLL FREE 800-647-1800.
Charge VISA, MC. Or mail check, money order. Write for free catalog.

CALL TOLL FREE ... 800-647-1800 601-323-5869 in MS, outside continental USA ENTERPRISES, INCORPORATED 921 Louisville Road, Starkville, MS 39759

CIRCLE NO. 32 ON FREE INFORMATION CARD

EXPERIMENTER'S CORNER

Experimenting With a Low-Cost Fiber-Optic Link

By Forrest M. Mims

NTIL now high prices have prevented many hobbyists from experimenting with fiber-optic data links. General Electric has come to the rescue, however, with a fiber-optic designer's kit that sells for only \$9.95. The kit includes a near-infrared emitter and a phototransistor detector, each of which is installed in a threaded plastic receptacle. Low-cost AMP Optimate™ fiber-optic connectors can be quickly mated to the receptacles.

The General Electric kit also includes a one-meter length of DuPont Crofon™ 1040 fiber-optic cable terminated with Optimate connectors at each end and a complete set of specification sheets and application notes. You can order the kit directly from General Electric (Semiconductor Products Dept., Optoelectronics, West Genesee St., Auburn, NY 13021).

The key feature of General Electric's designer's kit is the cleverly designed threaded plastic package into which the active emitting and detecting components are installed.

Figure 1 shows the package and how it interfaces with a threaded Optimate plastic connector. Figure 2 is an internal view of a package that contains an infrared emitting diode. Note the use of a reflector and lens to collect radiation emitted by the diode and direct it toward the aperture in the package, where a terminated fiber will be connected.

The Emitter. The emitter furnished with the General Electric dekit designated signer's is GFOE1A1. This device is a siliconcompensated, liquid-phase, epitaxial, gallium-arsenside diode that emits near-infrared radiation peaking at about 940 nanometers. At room temperature and 30 to 50 mA forward current, the diode has a power conversion efficiency of about 4%. The conversion efficiency increases to 5 to 6% at 200 mA (pulse drive).

The diode is mounted behind a diffuse, molded-epoxy lens that provides a 1.2-mm diameter source having nearly uniform intensity across its surface. The large source size assures good optical coupling between the LED and the wide variety of different fibers to which Optimate connectors can be terminated.

At 50 mA forward current, a typical GFOE1A1 will couple more than 100 μ W into a 1-mm diameter fiber. This is approximately 10% of

the total power (i.e. a - 20-dB loss) radiated by the chip and is comparable to the light injection efficiency of other low to moderately priced fiber-optic links.

The silicon dopant added to the GFOE1A1 increases both power conversion efficiency and wavelength at the expense of the diode's response time (the sum of delay and rise times or storage and fall times). Conventional GaAs emitters, for example, have response times measured in tens of nanoseconds or even less. A GaAs:Si emitter like the GFOE1A1, however, has a response time of nearly a microsecond. This places an upper limit of about 400 kHz on the modulation bandwidth of the GFOE1A1, which, of course, is more than adequate for many kinds of telecommunications and data-transmission applications.

The Detector. One of two different detectors can be provided with the General Electric designer's kit. One is an npn phototransistor (GFOD1A1), and the other is a photodarlington transistor (GFOD1B1). Both are installed in packages identical to those used for the GFOE1A1 emitter. Since the base of a phototransistor is not often used in optoelectronic circuits, neither device is provided with an external base lead.

The spectral response of both




Fig. 1. Construction of GE active fiber-optic components.




Fig. 2. Internal view of GE side-looking emitter.




Fig. 3. Basic TTL compatible LED driver.

... EXPERIMENTER'S CORNER

phototransistors peaks at about 850 nanometers. At the 940-nanometer wavelength emitted by the GFOE1A1 emitter, both phototransistors exhibit about 80% response efficiency.

When illuminated by radiation from a GFOE1A1 emitter transmitted to the phototransistor via a 1-m length of Crofon 1040 fiber, the GFOD1A1 exhibits a minimum responsivity of 70 μ A per μ W. The GFOD1B1 provides 1000 μ A under the same conditions. The turn-on and turn-off times of the GFOD1A1 are each 3 μ s when the load resistance is 0 ohm. The turn-on and turn-off times for the GFOD1B1 are, respectively, 10 and 25 μ s when the load resistance is 0 ohms.

Digital Logic Application Circuits. Short fiber-optic links are ideally suited for transmitting digital data through noisy environments. The circuits that follow illustrate straightforward ways to send and receive signals through such a fiber-optic link.

TTL Emitter Driver Circuits. Figure 3 shows a basic TTL LED driver made from a single NAND gate. When the enable input is *low*, the LED is turned off irrespective of the logic level at the TTL input. When the enable input is *high*, the LED is forward-biased when the logic level input is high. When the input is low, the LED is turned off.

Series resistor R1 limits current through the LED to a safe value.

(SEE TEXT)

V_{CC}/(5V)

V_{CC}/

(SEE TEXT)

(SEE TEXT)

(SEE TEXT)

(SEE TEXT)

(SEE TEXT)

(SEE TEXT)

(N)

(SEE TEXT)

(SEE TEXT)

(N)

(SEE TEXT)

Fig. 4. TTL compatible fiber-optic LED driver with gain stage.

The output from a standard TTL 7400 gate can sink up to 16 mA. To drive the LED at this level means R1 must be 312.5 ohms. (From Ohm's law, R1 equals 5 volts divided by 16 mA.) The closest standard resistance value, 330 ohms, will provide a LED current of 15 mA.

Incidentally, the maximum current output from a LS TTL gate is only 5 mA. Therefore, you should use standard TTL in the circuit shown in Fig. 3.

In applications where higher infrared emission levels are required, more drive current can be provided by adding a transistor driver stage as shown in Fig. 4. Note that the transistor inverts the signal from the gate. Also note that since the transistor and not the gate drives the LED, a LS TTL gate can be used.

Resistor R2 should be selected to limit the current (I) through the LED to the desired level. The combined voltage drop of QI and the LED is about 2 V. Therefore, the series resistance is $(V_{cc2}-2)/I$. If V_{cc2} is 5 V and the desired current level is 50 mA, then R2 should have a resis-

tance of 60 ohms. Higher current levels can be achieved by increasing $V_{\rm cc2}$ or reducing R2's resistance. It is essential, of course, that Q1, R2, and the LED emitter be rated for the selected current level.

Detector Circuits. Figure 5 shows two basic phototransistor detector circuits. In Fig. 5A, the phototransistor is normally off and the voltage across R_L is high. When the phototransistor is turned on by an incoming light pulse, the output is brought low.

While a basic phototransistor circuit is very sensitive, its response time is slowed by the RC time constant of the internal capacitance of the phototransistor and R_L. The delay induced by the load resistor is virtually eliminated by adding a common-base stage as shown in Fig. 5B. The low-resistance path provided by Q2 greatly speeds up the charge-discharge time of Q1's internal capacitance, thereby substantially improving its response time.

Figure 6 compares the response of the two basic phototransistor circuits in Fig. 5. Waveform A is the




Fig. 5. Two phototransistor circuits.




Fig. 6. Received signal waveforms for basic phototransistor detector circuits.

f you own a Timex Sinclair, a ZX81, or any other Sinclair computer, you've probably discovered that the big microcomputer magazines cover only the bigger computers. Where can you find helpful articles on the Sinclair? In *Sync!*

Sync is the one magazine that's written exclusively about Clive Sinclair's marvelous inventions, the Sinclair computers. And it's the one magazine to read if you want to get

more from your Sinclair.

You'll find program listings for games, helpful programming techniques, hardware upgrades, math and science programs, news of new products for the Sinclair-in short, everything you need to use and enjoy your Sinclair to the fullest.

In just two recent issues, for exam-

ple, we covered:

☐ Putting a Reverse Character in a

☐ How to Double Your Memory

- ☐ Least Squares Data Analysis With the ZX80/81
- ☐ Space Warp: A Graphics Space
- ☐ How to Reduce "Blank Screen Time"

- ☐ Storing Three-Letter Words in an Array
- ☐ Software Review: ZX Galaxians
- ☐ An Introduction to Expression Eval-
- ☐ Short Programs Just for Fun
- ☐ The ZX81 Parser and User-Defined Commands
- ☐ Understanding Floating Point Arith-
- ☐ Handling Strings from Another Dimension
- ☐ Book Review: Understanding Your ZX81 ROM
- ☐ How to Add a Keyboard to Your Sinclair
- ☐ Translating Other Basics: DEF on the ZX81
- ☐ Six Outer Space Games—With Program Listings
- ☐ Hardware Review: Sinclair ZX Spectrum High Resolution Color/Sound

If you own a Sinclair microcomputer, Sync is the only computer magazine you really need. Subscribe now to Sync, and you can save up to 33%! Just complete and return the postage-paid reply card or the coupon at right.

SAVE UP TO 33% ON SYNC!

CN 1986 · Morristown, NJ 07960

ES! Please send me Sync for:

- One year (6 issues) for \$12.97-I save 19%.
- ☐ Two years (12 issues) for \$22.97— I save 28%
- ☐ Three years (18 issues) for \$31.97—I save 33%.


Savings based on full 1-year subscription price

	01 410.	
Mr. Mrs. Ms		
	(please print full name)	8H05
Address_		Apt
City		SERVATED.
State	Zip	1701

CHECK ONE:

□ Payment enclosed. □ Bill me later. Offer valid in U.S. and possessions only. Please allow 60 to 90 days for delivery of first issue.

NEW SUBSCRIBERS ONLY



FOR SINCLAIR TIMEX SINCLAIR WNERS



MicroComputers, VTR, Hi-Fi, Lasers, Spectrometers are often damaged or disrupted due to Power Pollution.

High Tech components may interact!

Our patented ISOLATORS eliminate equipment interaction, curb damaging Power Line Spikes, Tame Lightning bursts & clean up interference.

Isolated 3-prong sockets; integral Spike/ Lightning Suppressor. 125 V, 15 A, 1875 W Total, 1 KW per socket.

- ISO-3 SUPER-ISOLATOR. 3 DUAL Isolated Sockets; Suppressor; Commercial Protection \$104.95
- ISO-17MAGNUM ISOLATOR. 4 QUAD Isolated Skts; Suppressor; Laboratory Grade Protection \$181.95

 Master-Charge, Visa, American Express

TOLL FREE ORDER DESK 1-800-225-4876 (except AK, HI, MA, PR & Canada) SATISFACTION GUARANTEED!

Electronic Specialists, Inc. 171 South Main Street. Natick. MA 01760 Technical & Non-800: 1-617-655-1532

CIRCLE NO. 51 ON FREE INFORMATION CARD



... EXPERIMENTER'S CORNER

signal delivered to the TTL compatible LED driver shown in Fig. 4. The signal is inverted by the LED driver transistor. Waveform B is the output of a basic phototransistor load-resistor circuit (Fig. 5). Waveform C is the output of a phototransistor circuit to which a common base stage has been added.

Note the slow response of the phototransistor circuit in trace B. The rise time of the common base circuit in trace C is approximately ten times faster. Also note the phase reversal of the output from the two phototransistor circuits.

TTL Compatible Fiber-Optic Receiver. The outputs from the phototransistor circuits in Fig. 5 are not TTL compatible. To provide a fully transparent TTL fiber-optic link (one that accepts and outputs TTL level logic signals), amplification and pulse restoration is required.

Figure 7 shows a fiber-optic receiver that provides a TTL compatible output signal. An optical signal received by *Q1* is delivered directly to the inverting input of a 741 operational amplifier. Potentiometer *R2*


permits the gain of the 741 to be adjusted. The amplified signal from the 741 is coupled through *CI* into a Schmitt trigger formed by a 555 timer.

Figure 8 is a set of oscilloscope waveforms that confirms the transparent nature of this receiver. Waveform A is the TTL signal delivered to a TTL compatible LED transmitter (Fig. 4). Waveform B is the signal at the output of the 741. Waveform C is the TTL level signal at the output of the Schmitt trigger.

The 555 output is a phase-reversed image of the TTL input at the transmitter. The phase reversal can be eliminated simply by following the 555 with a TTL inverter.

The circuit in Fig. 7 requires an initial gain adjustment via R2. It may also be necessary to alter the transmitted signal level. Too much infrared at the phototransistor may result in failure of the phototransistor to follow the transmitted signal.

Though the phototransistor load resistor arrangement is very slow (trace B in Fig. 6), this circuit has a surprisingly fast response of about 60 kilobits per second. This performance is made possible by the Schmitt trigger stage. The oscilloscope traces in Fig. 8 were produced



GE components, Dupont cable, and AMP connectors.




Fig. 7. Fiber-optic receiver with TTL output.

... EXPERIMENTER'S CORNER

when the circuit was receiving a pulse train of 50 kilobits per second.

General-Purpose Fiber-Optic Receiver. The circuit in Fig. 9 is a more versatile version of the preceding circuit. The Schmitt trigger stage has been replaced by a 555 connected as a monostable multivibrator. Optical pulses received by the phototransistor are amplified by the 741 and passed directly to the trigger input of the 555.

A negative-going pulse triggers the 555 into delivering a positive output pulse having a duration of 1.1R3C2 seconds. With the values given in Fig. 9, the pulse duration is about 2.5 μ s. This corresponds to an upper bandwidth of about 160 kHz. (Bandwidth is found by dividing 0.4 by the pulse duration.)

The circuit in Fig. 9 will provide a response greater than 100 kilobits per second. As with the circuit in Fig. 8, it is necessary to adjust the transmitted signal level and R2 for optimum results.

Going Further. Though I used GFOE1A1 emitters and GFOD1A1 detectors in the test versions of the circuits described above, many other emitters and detectors can be used. Also, many kinds of fiber-optic cable can be used. In fact, over short distances, fiber is not required at all so long as infrared from the emitter can reach the detector.

The GFOE1A1 emitter and GFOD1A1 detector can also be used to transmit analog signals through a fiber-optic cable. Many suitable transmitter and receiver circuits have appeared in past installments of this column. Several of these circuits have recently been published in Chapter 2 of The Forrest Mims Circuit Scrapbook (McGraw-Hill, 1983). Additional circuits appear in Engineer's Notebook II (Radio Shack, 1982).

Finally, the GFOE1A1 emitter can also function as a detector. This means half-duplex, bidirectional transmission over a single fiber-optic cable can be achieved by placing a GFOE1A1 at each end of the link.




Fig. 8. Received signal waveforms for circuit in Fig. 7.





Fig. 9. Fiber-optic receiver with pulse restorer output stage.





PROJECT OF THE MONTH

A Photonic Door and Window Intrusion Alarm

By Forrest M. Mims

THE circuit in Fig. 1 is the photonic equivalent of a conventional intruder alarm that uses magnet switches to detect open doors and windows. The circuit consists of two 555 timers, the first of which is connected as a free-running oscillator that drives the LED in a slotted optoisolator (or optocoupler) at a frequency given by 1.44/(R1+R2)C1. Resistor R3 limits current through the LED to a safe value.

The second 555 is connected as a monostable multivibrator that functions as a missing pulse detector. When the slot in the optoisolator is blocked, pulses from the LED do *not* reach the phototransistor in the optoisolator and the output from the one-shot is *low*.

When the slot is opened, the phototransistor receives pulses from the LED. With the first pulse, the one-shot begins its timing cycle. Its output goes high until the timing cycle is completed. The piezoelectric alerter is activated during this time.

The time constant of the one-shot is *R5C2*. If the time constant is adjusted so the timing cycle is *longer* than the interval between incoming pulses from the LED, the output from the one-shot will stay high and the alerter will emit a continuous alarm tone.

If, on the other hand, the timing cy-

cle is *briefer* than the interval between pulses, the one-shot will complete its timing cycle before the next pulse from the LED arrives. This will cause the alerter to emit a pulsating warning tone.

The component values in Fig. 1 have been selected to provide the pulsating output tone because of its attention-getting impact. An added benefit is that in this mode the circuit consumes less current when the alarm is sounding.

Although I used a General Electric H20A1 slotted optoisolator, any LED-phototransistor optoisolator will work. Some of these devices, such as G.E.'s H13B1, have mounting holes. If you cannot locate one of these devices, you can make your own with a phototransistor and an infrared LED. Install the two components facing one another on a small phenolic board. Leave a gap of about 0.25" between them.

To operate this circuit as an intruder alarm, the optoisolator should be installed on the frame of the door or window to be protected. Attach an opaque projection flag such as a small aluminum L-bracket to the door or window so that it rests in the slot of the optoisolator when the door or window is closed. When the door or window is opened, the alarm will sound.

The circuit can be powered by a supply providing from 3 to 15 V. My prototype version, powered by a 9-V transistor radio battery, consumed about 8.5 mA in standby.

Going Further. An obvious simplification of the basic circuit in Fig. 1 is to re-

place the pair of 555 timers with a 556 dual timer. The circuit in Fig.2 is the result. Though it is functionally identical to the circuit in Fig. 1, I have included it to preclude the possibility of pin errors should you wish to try it.

Other variations are also possible. For example, the piezoelectric alerter can be replaced by a relay (Radio Shack 275-004 or similar) which, in turn, can switch on a siren or other powerful alarm signal. For silent alarms, substitute for the alerter a 270-ohm resistor in series with a red LED. The LED will flash at a rate of a few hertz when the alarm is triggered.

Still another variation is to replace the slotted optoisolator with a reflection-sensing transducer. The sensor, consisting of a LED and phototransistor facing in the same direction, can detect the presence of an object a few millimeters away. If the object is sufficiently reflective (add white tape if it is not), the alarm will sound. When the object is moved away from the sensor, the alarm will cease sounding. This operating mode can be reversed by connecting the alarm between pin 3 of the 555 and V_{cc}. This will cause the sensor to sound the alarm when a door, window or valuable object has been moved away from its detection zone.

Finally, be sure to assemble and install your alarm circuit with care, for the quality of your work will determine the reliability of the alarm. Be sure to not have exposed wires leading to the optoisolator to avoid pickup and replace the battery when necessary to prevent improper operation.




Fig. 1. Schematic of a simple photonic door and window intrusion alarm. Components shown provide a pulsating output tone.




Fig. 2. In a variation of the circuit in Fig. 1, the two 555 timers are replaced by a 556 dual timer as shown here.

OPERATION

If you need information on outdated or rare equipment—a schematic, parts list, etc.—another reader might be able to assist. Simply send a postcard to Operation Assist. Computers & Electronics, 1 Park Ave., New York, NY 10016. For those who can help readers, please respond directly to them. They'll appreciate it. (Only those items regarding equipment not available from normal sources are published.)

Hallicrafters Model SX-28 skyrider. Need schematic and parts list. Bruce Myers, 9915 Oleander Ave., Vienna, VA 22180.

Archer project board catalog #277-109. Need board, schematic and parts list. Cal-Tex CT 7001 IC. Need data and schematic for 6 digital/alarm/calendar clock or complete kit. Joseph DeMaio, 84-31 110 St., Richmond Hill, NY 11418.

Collins R-388/URR receiver, Need manual and schematic, Larry Gotts, Box 44, Pleasant Mount, PA 18453

Hallicrafters Model S20R receiver. Need schematic and alignment data. Louis A. Johnson, 2453 Coronet Way, Apt. A1, Atlanta, GA 30318.

Precision Apparatus Co., Model 915 tube tester, RCA Model TMV-122-B oscilloscope, RCA WV-500A voltohmyst and Electronic Designs voltmeter (circa 1940.) Need tube rolls, owner's manuals, operating manuals and schematics. Robert A. Ridings, 2370 SW, 23 Terrace, Miami, FL 33145.

B&K Model 650 tube tester. Need tube chart. Daniel Putallaz, 39 E. Broadway, Apt. 307, Long Beach, NY 11561.

Raytronic Model CB-54A cathode ray tube tester, Hickok Model 610A sweep generator, Friden Model 1160 calculator and Victor Model 14 321 calculator. Need manuals or any information available. Jim Hudson, 1826 Elmwood Lane, Bettendorf, IA 52722.

Fisher Model 800 output transformer. Need part #T806-127. Also need operating manual for JVC Model V73 S.E.A. controller. Robert O. Adams, 4755-A N.W. 2nd St., Delray Beach, FL 33445.

Dumont Model 224 3" oscilloscope. Need schematic. Harold Hersh, 40 Monument St., Freehold, NJ 07728.

Challenger Model CHA75 amplifier. Need output transformer. Fred McClintic, Rt. 1, Hunnewell, MO 63443.

RCA Model WV-97A VTVM. Need schematic. Robin Krisher, RD #1, Box 66, Shinglehouse, PA 16748.

Superior Instruments Co., Model 77 VTVM. Need schematic and service manual. E. Verhulst, 3837 Lexington Dr., St. Charles, MO 63301.

Teletype Model 33 keyboard/page printer. Need electronic and mechanical operating instructions and source of supply for parts. Tim Dove, 601 Riverside Drive, West Richland, WA 99352

Teac Model A-2050 tape deck. Need head covers and service manual. Tracy Lavere, 12850 Sundance Ave., San Diego, CA 92129.

Sanders Associates Model 722-1, series #ED0170 CRT terminal. Need schematics and documentation Kendall Stambaugh, PhD., 5009 Guide Meridian Road, Bellingham, WA 98226.

Sears Model #4132 TV. Need service manual and schematic. Kim R. Phillips, 107 Brian St., Mingo Junction, OH

Singer Model HE-8101 9" TV. Need schematic, parts list and DC power cord. **Echo Communications** 2 tube 25-40 MHz linear amplifier. Need schematic, parts list and operation manual. Lee A. Freel, 4725 Lane Ave., Jacksonville, FL 32210.


RCA Victor Model K80 radio. Need complete dial assembly or picture of dial and schematic. Bill Spaulding, 10607 32nd Dr. S.E., Everett, WA 98204.

Mostek Model 3870 and 3872 microprocessors. Need programming manual. Junioa Gentler, 118-50 229th St., Queens NY 11411

Roberts Model 450A tape deck. Need playback head. Jimmy Hubbard, 11104 Coppermine Rd., Woodsboro,

Kenwood Model KX1030 cassette deck. Need wood side panels. B. Fox, Box 286, Highland Park, IL 60035.





Your one stop source for the widest variety of factory fresh electronic components

THE 1982 LC. MASTER WHILE QUANTITIES LAST

Extensive Product Offering

Semiconductors, Integrated Circuits computer Boards, Microprocessor and Support Circuits/Transistors, Diodes,

Capacitors, Resistors/Optoelectronics Potentiometers, Relays, Multimeters, Switches, Knobs, Connectors, Sockets, P.C Boards, Enclosures, Data and Reference

Books, Soldering Aids, AND MUCH MORE

Superior Service

Greater choice. Easier, faster ordering and more reliable deliveries. Active's all NEW comprehensive Fall/Winter catalog is now available \rightarrow FREE OF CHARGE. Circle No. 50 on free information cand or write to:P.Ø. Box 8000, Westbaro, MASS 01581U. S.A.

> Call Toll Free 800-34<u>3-0874</u> MASS. customers call (617) 366-0500





Part #	ice per Disk
8" DISKS	STATE
SSSD IBM Compatible (128 B/S, 26 Sectors) 3062	 \$2.10
SSSD Shugart Compatible, 32 Hard Sector 3015	 2.10
SSDD IBM Compatible (128 B/S, 26 Sectors)3090	 2.75
DSDD Soft Sector (Unformatted)3102	 3.35
DSDD Soft Sector (128 B/S, 26 Sectors)3115	 3.40
DSDD Soft Sector (256 B/S, 26 Sectors) 3103	 3.40
DSDD Soft Sector (512 B/S, 15 Sectors)3114	 3.40
DSDD Soft Sector (1024 B/S, 8 Sectors) 3104	 3.40
5¼" MINI DISKS	
SSDD Soft Sector w/Hub Ring3481	2.35
SSDD 10 Hard Sector w/Hub Ring3483	 2.35
SSDD 16 Hard Sector w/Hub Ring3485	 2.35
DSDD Soft Sector w/Hub Ring3491	 3.10
DSDD 10 Hard Sector w/Hub Ring3493	 3.10
DSDD 16 Hard Sector w/Hub Ring3495	 3.10
SSDD Soft Sector w/Hub Ring (96TPI) 3504	 3.00
DSDD Soft Sector w/Hub Ring (96TPI) 3501	 4.00

Quantities less than 100 units available at 10% surcharge, prepaid or C.O.D. Minimum order \$50.00.

8" DISKS (Single and Double Density)	
Single Sided	100 Quantity
MODEL NO.	Price per Disk
FDI-128M-1100 FDI-128M-1200 FHI-32M-1200	
FDI-128M-1200	\$5.56
)
Double Sided	
FD2-X-DM-1100)
FD2-X-DM-1200	\\$4.37
FD2-X-DM-1100 FD2-X-DM-1200 FH2-32-DM-1200)
51/4" MINI DISKS ISINGLE and Double Di	
Single Sided	
MD1-M)
MH1-10M	\$2.74
MD1-M MH1-10M MH1-16M	
Double Sided	The second of the
MD2-DM)
MH2-10DM	\$3.87
MD2-DM MH2-10DM MH2-16DM	
Ouadensity	
	\$3.56
	\$4.37
MIDE DDIM (301PI)	

MAGTEK MEDIA DATA SUPPLIES LTD.

> 5916 Eighteenth Avenue Brooklyn, N.Y. 11204

ORDER TOLL FREE: 1-800-221-0869 MasterCard and Visa Accepted.

In New York (212) 232-7166 CIRCLE NO. 37 ON FREE INFORMATION CARD

Hundreds of products offered from test equipment to computers and accessories.

Name	
Co. Name	
Street	
City, State, Zip	
MANU TO	
MAIL TO:	
	JSE, INC.
MAIL 10: Electronics Warehoi Catalog Subscription	
ELECTRONICS WAREHOU	
ELECTRONICS WAREHOU CATALOG SUBSCRIPTION	

CIRCLE NO. 52 ON FREE INFORMATION CARD

ECTRONIC TECHNICIAN!

1000



No costly School. No commuting to class. The Original No costly School. No commuting to class. Ine Original Home-Study course that prepares you for the FCC Radio-telephone license exam in your spare time! Passing the exam is your "ticket" to thousands of exciting opportunities in Communications, Broadcasting, Mobile two-way systems, Microwave stations, Radar installations, Aerospace and more-

NO NEED TO QUIT YOUR JOB OR GO TO SCHOOL You learn how to pass the FCC License exam at home at your own pace with this easy-to-understand, proven course. Within a few short weeks you could be on your way to being one of the highest paid workers in the electronics field. It's that easy! U.S. Federal law requires you to have an FCC License if you want to operate and maintain virtually any communications want to operate and maintain virtually any communications system—you don't need a College degree to qualify, but you DO need an FCC License. With this Home-Study course, you'll be ready to pass the FCC Government licensing exam in a remarkably short time. Send for FREE facts now. No obligation. No salesmen will call. MAIL COUPON TODAY!

COMMAND PRODUCTIONS
FCC LICENSE TRAINING, Dept. P
P.O. Box 2223, San Francisco, CA 94126
Rush FREE facts on how I can prepare for my EC

License at home in my spare time. NAME ADDRESS

STATE CIRCLE NO. 16 ON FREE INFORMATION CARD

Computers&Electronics

ADVERTISERS INDEX

	ADVERTISERS INDEX
RS no. 50 3 6 4,35 5 55	ADVERTISER PAGE no. Active Electronics 119 All Electronics Corp. 131 Anders Precision Instruments 102 Apple Computer 14,15,56,57 AP Products 84 Artec Electronics 102
7	Bottom Line, The
16 29. 12 8 11	C & D Electronics
14	Digi-Key Corp
51 52 25	Edmund Scientific Co 117 Electronic Specialists 117 Electronic Warehouse 120 Epsom America 4,5
26 18 33	Firestik 116 Focus 108 Foley-Belsaw Co 108 Fuji Photo Film USA, Inc Cover 2
19 46	Gladstone Electronics
24,28 54	Heath Co. 17,41-46 Hewlett-Packard 1
41 13	IBM Corporation
21 22 23	Jameco Electronics
20	Leading Edge Cover 4
31 32 37	McGraw-Hill Book Club 8-11 McIntosh Laboratory, Inc. 21 MFJ Enterprises 112 Magteck Media Data Supplies Ltd 119 Menotech 73
17	Netronics, R & D Ltd. 121,131 New Horizons 93 NRI Schools 26-29 NTS National Technical Schools 80-83
40,47	Protecto Enterprises
34 15	Quest Electronics 130 Quick Brown Fox 53
48 56	Radio Shack 31,125 Regency Electronics 103 Romox, Inc 68,69
45 36 49	Scientific Systems
53	SSM Soft Sector Marketing, Inc 112
39 42	Tab Books 105 TAMS, Inc. 120 Tektronix 37 Timex Computer 71

CALCULATOR SAVINGS

HEWLETT PACKARD

HP-15C Programmable 104 95
HP-16C Hexadecimal 117 95
82161A Cassette Drive \$419.95
HP-41CV Full Memory 207.95
82163A Video Interface 249.95
Port-X-Tender to 10 pts 169.95
82104A Card Reader 54,95
82104A Card Reader 54,95
82104A Stard Funder 289.95
82104A Printer 389.95
82104A Printer 3

Call for Low Prices on all Accessories and Software TI-35 ... TI-55-II .. TI-58C .. TI-59 ... PC-100C Peripheral Expansion Box..... 192.95 Call for low prices on all TI-99/4A products \$100 rebate from TI on TI-99/4A purchase LCD Progr. 59.95 Olivetti Praxis 35 Triple-pitch Electronic Typewriter \$429.95 Praxis 35 Iriple-pitch Electronic Typewriter ... *429.95
PC-1211 Computer, free cassette interface ... *99.95
PC-1500 Advanced Handheld Computer ... 179.95
PC-1500 Advanced Handheld Computer ... 179.95
CE-151 4K Memory Expansion for PC-1500 ... 59.95
CE-155 8K Memory Expansion for PC-1500 ... 99.95
CE-158 BS-232C & Parallel Interface for PC-1500 ... 179.95
CE-159 8K Memory Expans with Battery Back-up 139.95 FX-702P Handheld Computer, 1680 Steps
599.95
FA-2 Cassette Interface for FX-702P
42.95
FP-10 Printer for FX-702P
79.95
FX-602P Alphanumeric Programmable, 512 Steps
68.95
MT-45 Keyboard with Bass and Rhythms
159.95
MT-50 Advanced Memory Keyboard
249.95
MT-70 Advanced Flestronic Organ with Memory
729.95
CT-10100P Polyphonic Synthesizer
549.95

S904 Two-speed, Two-hour Recorder S901 Two-speed, Two-hour, Tape Counter S801 Two-speed, Compact, Memory Hewind X-01 Ultra-thin All Electronic XR Advanced Tiny Recorder/AM/FM Olympus Pearlcorder Microcassettes We accept cashier's checks, money orders, VISA, and M take 5 weeks to clear. Add shipping, 1% of your order (5 of Missp Rvr add \$1.50. CA res add 6%. Subject to avail 800-421-5188 Outside CA. AK, HI Information line (213) 633-3262



Tam's Inc, Dept. CE-2 14932 Garfield Ave. Paramount, CA 90723 (213) 633-3262

\$49.95 . 99.95 149.95 199.95 10 for 29.95

CIRCLE NO. 42 ON FREE INFORMATION CARD

CONVERTERS DESCRAMBLERS

Largest Selection of Equipment Available

\$ Buy Warehouse Direct & Save \$



36 channel converter \$4595

36 channel wired remote converter only **\$88**95



Send \$2 for complete catalog of converters and unscramblers

Quantity Discounts • Visa • Master Charge Add 5% shipping-Mich. residents add 4% sales tax

C&D Electronics, Inc. P.O. Box 21, Jenison, MI 49428 (616) 669-2440

ANNOUNCING TWO NEW TERMINALS

Smart • Fast • Graphics • Matching Modem and \$295 Printer

Netronics announces a state of the art breakthrough in terminals, now at prices you can afford, you can go on-line with data-bank and computer phone-line services. It's all yours: "electronic newspapers," educational services, Dow-Jones stock reports, games, recipes, personal computing with any level language, program exchanges, electronic bulletin boards . . . and more every day!!!



Netronics offers two new terminals, both feature a full 56 key/128 character typewriter, style keyboard, baud rates to 19.2 kilobaud, a rugged steel cabinet and power supply. The simplest one, FASTERM-64, is a 16 line by 64 or 32 character per line unit, with a serial printer port for making hard copy of all incoming data, and optional provisions for block and special character graphics. The "smart" version, SMARTERM-80, features either 24 line by 80 characters per line in either 24 line by 80 characters per line; it offers on-screen editing with page-atatime printing, 12,000 pixel graphics, line graphics, absolute cursor addressing, underlining, reverse video, one-half intensity and much more ... simply plug them into your computer or our phone modem and be on-line instantly. Use your TV set (RF modulator required) or our delux green-phosphor monitor pictured above. For hard copy just add our matched printer. Price breakthrough!!! Own the FASTERM-64, a complete terminal kit, ready to plug in for just \$199.95 or order the SMARTERM-80 kit for just \$299.95, (both available wired and tested.) Be on-line with the million-dollar computers and data services today ... we even supply the necessary subscription forms.

More good news: All the components in our terminals are available separately (see coupon), so you buy only what you need!!!

COUPON, so you buy only what you need!!!

FASTERM-84. DISPLAY FORMAT: 64 or 32 characters/line by 16 lines ... 96 displayable ASCII characters (upper & lower case) ... 8 baud rates: 150, 300, 800, 1200, 2400, 4800, 9600, 19, 200, (switch sel). ... LINE OUTPUT: RS232/C or 20 ma current loop. ... VIDEO OUTPUT: 1V PIP (EIA RS-170). ... CURSOR MODES: home & clear screen, erase to end of line, erase cursor line, cursor up & down, auto carriage return/line leed at end of line & auto scrolling. The company of the comp

TELEPHONE MODEM 103 O/A ... FULL DUPLEX, FCC APPROVED ... DATA RATE: 300 baud ... NITERFACE: RS232/C and TTY ... CONTROLS: talk/data switch (no need to connect and disconnect phone), originate/answer switch on rear panel ... NO POWER SUPPLY RE.



Continental U.S.A. Credit Card Buyers Outside Connecticut

CALL TOLL FREE 800-243-7428

To Order From Connecticut Or For Tech. Assist. Call (203) 354-9375

NETRONICS R&D LTD. Dept.CE

333 Litchfield Road, New Milford, CT 06776

Please send the items checked below

☐ COMPLETE FASTERM:64 TERMINAL (includes FASTVID:64 video board ASCII-3 keyboard, steel cabinet and power supply) kit \$199.95 plus \$3 P& wired & tested \$249.95 plus \$3 P&l graphics option: add \$19.95 to each of above
☐ COMPLETE SMARTERM-80 TERMINAL (includes SMARTVID-80 video board, ASCII-3 keyboard, steel cabinet and power supply) kit \$299.95 plus \$3 P&I wired and tested \$369.95 plus \$3 P&I .
FASTVID-64 VIDEO BOARD (requires + 5 & -12V DC) kit \$99.95 plus \$3 P&I graphics option add \$19.95 wired & tested \$129.95 plus \$3 P&I graphics option add \$19.95
☐ SMARTVID-80 VIDEO BOARD (requires +5 & +/-12V DC) kit \$199.95 plus \$3 P&I wired & tested \$249.95 plus \$3 P&I
☐ ASCII-3 KEYBOARD (requires +5 & -12VDC) kit \$69.95 plus \$3 P&I wired and tested \$89.95 plus \$3 P&I
\$19.95 plus \$2 P&I ZENITH VIDEO MONITOR (high resolution green phosphor) wired & tested \$149.95 plus \$6 P&I
TELEPHONÉ MODEM MODEL 103 O/A wired & tested \$189.95 plus \$3 P&I
DOT MATRIX PRINTER Comet I wired & tested \$299.95 plus \$10 P&I R MODULATOR MOD RF-1 kit only \$8.95 plus \$1 P&I 3FT-25 LEAD MODEM/TERMINAL OR PRINTER/TERMINAL CONNECTOR CABLE \$14.95 ea plus \$2 P&I
For Canadian orders, double the postage. Conn. res. add sales tax

UVISA	■ MasterCard	(Bank No.	ck/Money Order
Signature Print Name Address			
City	State _	A STATE OF THE STA	Zip

FOR ONLY \$129.95 Learn Computing From The Ground Up

Build a Computer kit that grows with you, and can expand to 64k RAM, Microsoft BASIC, Text Editor/Assembler, Word Processor, Floppy Disks and more.

EXPLORER/85

Here's the low cost way to learn the fundamentals of computing, the all-important basics you'll need more and more as you advance in computer skills. For just \$129.95 you get the advanced-design Explorer/85 motherboard, with all the features you need to learn how to write and use programs. And it can grow into a system that is a match for any personal computer on the market. Look at these features: 8095 Central Processing Unit, the microprocessor "heart" of the Explorer/85. (Join the millions who will buy and use the 8006/0085 this year alone!). Four 8-bit plus one 6-bit input/output ports from which you can input and output your programs, as well as control exterior switches, relays. lights, etc. a cassette interface that lets you store and reload programs you've learned to write. deluxe 2.000 byte operating system/monitor makes it easy to learn computing in several important ways. * It allows simpler. faster writing and entering of programs. * It permits access by you systemationation makes it easy to learn computing in several important ways. • It allows simpler, faster writing and entering of programs. • It permits access by you to all parts of the systems or you can check on the status of any point in the program • It allows tracing each program step by step. with provision for displaying all the contents of the CPU (registers. flags, etc.) • ... and it does much more!

You get all this in the starting level (Level A) of the Explorer/685 for only \$129.95. Incredible! To use, just plug in your 8VDC power supply and terminal or keyboard/display — if you don't have them, see our special offers below.

Level A computer kit (Terminal Version). \$129.95 plus \$3 P&I.*

Level A kit (Hex Keypad/Display Version). \$129.95 plus \$3 P&I.*

plus \$3 P8.1*
LEVPEL B — This "building block" converts the mother-board into a two-slot \$100 bus (industry standard) computer. Now you can plug in any of the hundreds of \$100 cards available.

Level B kit ... \$49.95 plus \$2 P8.1.*

S100 bus connectors (two required) ... \$4.85 each.

LEVEL C — Add still more computing power; this "building block" mounts directly on the motherboard and expands the S100 bus to six slots. the S100 bus to six slots.

Level C kit . . . \$39.95 plus \$2

\$1.7 S100 bus connectors (five equired) . . . \$4.85 each.

LEVEL D — When you reach the point in learning that requires more memory, we offer two choices: either add 4k of a memory directly on the motherboard, or add 16k o 64k of memory by means of a single \$100 card, our famous

"[AWS". \$299.95 plus \$2 P&1*. ☐ 64k S100

"[AWS". \$298.1* ☐ 64k S100

"[AWS". \$199.95 plus \$2 P&1*. ☐ 46k S100

"[AWS". \$249.95 plus \$2 P&1*. ☐ 64k S100

"[AWS". \$249.95 plus \$2 P&1*. ☐ 64k S100

LEVEL E — An important "building block," it activates the 8k ROM/EPROM space on the motherboard. Now just plug in our 8k Microsoft BASIC or your own custom

programs.

Level E kil . \$5.85 plus \$50 P&I\. Microsoft BASIC. — It's the language that allows you to talk English to your computer! It is available three ways.

□ 8k cassette version of Microsoft BASIC. (requires Level B and 12k of RAM minimum; we suggest a 16k \$100 ']AWS.— see above) . \$64.95 postpaid.

□ 8k ROM version of Microsoft BASIC. (requires Level B & Level E and 4k RAM; just plug into your Level E sockets.

We suggest either the 4k Level D RAM expansion or a 16k \$100 PAWS.) . \$96.95 plus \$2 P&I\. Sockets.

28k of RAM, flow Microsoft BASIC. requires Level B. \$24k of RAM, flow Microsoft BASIC. requires Level B. \$25k of RAM. Good BASIC is supported by the controller. 8" flooppy disk driver) . \$325 postpaid.

TEXT EDITOR/ASSEMBLER — The editor/a TEXT EDITOR/ASSEMBLER — The editor/assembler is a software tool (a program) designed to simplify the task of the editor programs and the editor programs of programs and shours of programs and shours of programs and the editor programs of programs on cassettes. The assembler performs the editor lask of translating symbolic code into the computer-readable object code. The editor/assembler program is available either in cassette or a ROM version.

□ Editor/Assembler (Cassette version: requires Level "B" and 8k (min.) of RAM — we suggest 16k "JAWS" — see above). S99.98 jubs 22 Pal."

□ Editor/Assembler (ROM version supplied on an S100 card: requires Level B and 4k RAM (man.) — we suggest either Level D or 16k "JAWS".

card, requires Level B and 4k RAM (min 1 — we suggest either Level Do 16k "[ANV." \$99.85 µ bus \$2 P.R.!

8" FLOPPY DISK — A remarkable "huilding block" Add our 8" hoppy disk when you need faster operation, more convenient program storage, perhaps a business application, and access to the literally thousands of programs and program languages available today. You simply plug them into your Exploger/85 disk system—it accepts all IBM-formatted CPI/M-Programs.

10 The Floppy Disk Drive. 349885 plus \$12 PR.!

11 □ CPI/M 2.2 Disk Drive. 349885 plus \$12 PR.!

12 □ CPI/M 2.2 Disk Drive. 349885 plus \$2 PR.!

13 □ CPI/M 2.2 Disk Operating System: includes Text Editor/Assembler, dynamic debugger, and other features that give your Explorer/85 access to thousands of existing CPI/M-based programs. \$15.00 postpaid.

NEED A POWER SUPPLY? Consider our AP-1. It can supply all the prover you need for a fully expanded Explorer/86 (note-disk drives have their own power supply); cabinet (see below).

11 AP-1 Power Supply kit (8V № 5 amps) in deluxe steel cabinet. \$2.93.95 plus \$2.94.1 |

12 NEED A TERMINAL2 We offer you choices: the least ex.

NEED A TERMINAL? We offer you choices: the least expensive one is our Hex Keypad/Display kit that displays the information on a calculator-type screen. The other choice is our ASCII



a CRT monitor or a TV set (if you have an RF modulator ☐ Hex Keypad/Display kit \$69.95 plus \$2 P&I.

ASCII Keyboard. 326 character set upper and lower case. 75 ohn output, 8 baud rates. 150 to 16 20 character set upper and lower case. 75 ohn output, 8 baud rates. 150 to 16 20 character belief able). RS232/C or 20 MA output. 32 or 64 character by 16 Detuce Steel Cabinet and Power Supply.

□ RF Modulator kit (allows you to use your TV set as a monitor). \$8.95 postpaid. □ 12" Video Monitor (10MHz bandwidth) ... \$139.95 plus \$5 P&L* □ Deluxe Steel Cabinet for the Explorer/85. .. \$49.95 plus \$7 P&L* □ Fan for cabinet ... \$15.00



ORDER A SPECIAL-PRICE EXPLORER/85 PAK — THERE'S ONE FOR EVERY NEED.

□ Beginner Pak (Save \$26.00) — You get Level A (Terminal Version) with Monitor Source Listing (\$25 value) AP-1.5-samp, power supply, Intel 898; Light Manual ... (Rec. \$159.65) SPECIAL \$169.85 plus \$4 Peq. Manual ... (Rec. \$159.65) SPECIAL \$169.85 plus \$4 Peq. Manual ... (Rec. \$159.65) SPECIAL \$169.85 plus \$4 Peq. Manual ... (Rec. \$159.65) SPECIAL \$169.85 plus \$4 Peq. Manual Level A Hex Monitor Source Listing, and AP-1.5-samp, power supply ... (Reg. \$279.95) SPECIAL \$219.89 plus \$6 Pel.¹ □ Special Microsoft BASIC Pak (Save \$103.00) — You get Levels A (Terminal Version), B. D (44 RAM), E. &t Microsoft in ROM, Intel 8065 User Manual .Level A Monitor Source Listing, and AP-1.5-samp, power supply ... (Reg. \$439.70) SPECIAL \$329.85 plus \$7 Pel.¹ ... day and \$70.00 per supply ... (Reg. \$439.70) SPECIAL \$329.85 plus \$7 Pel.¹ ... day Add a Rom Version Text Editor/Assembler (Requires

☐ Add a Rom-Version Text Editor/Assembler (Requires levels B and D or \$100 Memory)...\$99.95 plus \$2 P&I*.

levels B and D or SI/00 Memory). \$99,95 plus \$2 PAL*
Starter 8" Disk System – Includes Level A. B floppy disk
controller, one CDC B" disk-drive, two-drive cable, two
SI/00 connectors, just add your own power supplies,
cabinets and hardware — [Reg. S108-00.0] SPECIAL
5999.88 plus \$13 PAL* — [Reg. S108-00.0] SPECIAL
5999.88 plus \$13 PAL* — [Reg. S108-05.85 plus \$13 PAL*]

— Add to any of above the strength of the

Ledger, Accounts Receivable, Accounts Payable, Payroll Package . . . (Reg. \$1325) SPECIAL \$699.95 postpaid.

*P&I stands for "postage & insurance." For Canadian or-ders, double this amount.

Continental Credit Card Buyers Outside Connecticut:

TO ORDER Call Toll Free: 800-243-7428

To Order From Connecticut, or For Technical Assistance. Call (203) 354-9375

CP/M is a reg	reg.	trademark	of	Digital	Research			
-	Name and Address of the Owner, where				AND REAL PROPERTY.	COL	STREET, SQUARE, THE	A CONTRACTOR OF THE PARTY OF TH

- 0	
* (Clip a	nd mail entire ad) ★ CE
	ITEMS CHECKED ABOVE an. Residents add sales tax): \$
☐ Personal Check	☐ Cashier's Check/Money Order
□ VISA □ MAS	TER CARD (Bank No.
Acct. No.	Exp. Date
Signature	
Print Name	
Address	
City	

NETRONICS Research & Development Ltd. 333 Litchfield Road, New Milford, CT 06776








TV GAME SWITCH Switches TV to video game or computer operation. Used on Atari.

TGS-1...\$2.95 ea.



JVC KNOB Knob for JVC-40 \$.99 ea.

RADIO CONTROL CIRCUITS



A complete 6-channel digital encoder and RF transmitter; low power, at frequency of 27MHz or 49MHz, a field strength of 10,000vV meter at 3 meters. 9V operation on chip RF oscillator/transmitter, on chip 4.6 regulator. Up to 80MHz carrier frequency operation.

LM1871N	RC Encoder/Transmitter Chip\$1.95
72MHz. It prov	F receiver/decoder, used at either 27MHz, 49MHz or ides 4 independent channels when used with LM1871 g.) operates from four 1.5V cells, Crystal controlled.
LM1872N	RC Receiver/Decoder Chip \$2.49
SRX1504	49.435MHz Crystal (LM1872N) \$3.95
SRX1505	49.890MHz Crystal (LM1871N)\$3.95

ameco Digital Thermometer Kit



Dual sensors — switch controls for indoor/outdoo

	BOOKS
1	NATIONAL SEMICONDUCTOR — INTERSIL — INTEL
30001	National CMOS Data Book (1981) \$6.95 (640 pages) 74C, CD4000, and A/D Converters
30002	National Interface Data Book (1980)
30003	National Linear Data Book (1982)
30004	National Series 80 — Board Level Computer (1980) \$4.95 (224 pages)
30005	National TTL Logic Data Book (1981)
3000	6 Above (3) 30001,3,5 as set \$24.95
30008	National Memory Data Book (1980)
30009	Intersil Data Book (1983)
30010	National Audio/Radio Handbook (1980)
30011	National Linear Application Handbook (1980) \$15.99 (736 pages) Application Notes, Linear Briefs, etc.
30012	National PAL Data Book (1982)
30013	Zilog Data Book (1983)
010400	Intel Component Data Book (1982)
205610	Intel Peripheral Design Handbook (1981)

pe	inplieral device	components
Univers	al —	Computer Keyboard Enclosures "DTE" Blank Desk-Top Enclosures
1		are designed for easy modifica- tion. High strength epoxy molded end pieces in mocha brown finish.
1	_ /	send pieces in mocha drown linish. Sliding rear/bottom panel for service/ component access: Top/bott. panels .080" thick alum, alodine type 1200 finish (gold tint color) for best paint adhesion after modification. Vented top & bottom panels for cooling efficiency.
	Q.R.	color) for best paint adhesion after modification. Vented top & bottom panels for cooling efficiency. Rigid construction provides unlimited applications.
3.40 - 8.	50/	Assembly instructions included.
DTE-8	Panel Widt	th 7.5" \$24.95
DTE-11	Panel Widt	th 10.13" \$27.95
DTE-14	Panel Widi	
DTE-20	Panel Widt	th 19.25" \$34.95



Mostek DC/DC Converter

+5 VOLTS TO -9 VOLTS
Input: +5V. Output: -9V (regulated) @ 30m
Printed circuit mounting. Specification @ 30m
PC10 DC10\$2.95 ea. or 2/\$4.95



Battery Checker

Easy-to-use hand-held battery checker tests AA, AAA, C, D, and 216 batteries. A multi-colored meter shows if battery is good, weak or needs replacing. Size: 61/4 "L x 21/4" W x 1-7/8"H

BC-1 \$6.95 ea.

POWER SUPPLIES — KEYBOARDS



Tatl NO. UPS-1. \$29.95 each POWER SUPPLY +5VDC @ 7.5 AMP, 12VDC @ 1.5 AMP SutTCHING 10put: 115VAC, 50-60H; @ 3 amp/230VAC, 50H; @ 1.6 amp, Fan volt. /power supply select switches (115/230VAC), Output: 5VDC @ 7.6 amp, 12VDC @ 1.6 amp, 8 H. blk, pow. cord. 11½ 'W x Parl No. FS94VD

POWER SUPPLY 4-Channel Switching Power Supply Microprocessor, mini-computer, terminal, medical equipment and process control applications. In-put. 90-130VAC 47-440Hz. Dutput. + 5VBC @ 5A, -5VBC @ 1A, -12VBC @ 1A, -12VBC

DOWER SUPPLY Adjustable Switching 4-24VDC to 5 Amps

Adj. 4-24VDC; SVDC @ 5A, 6VDC @ 4 8A, 9VDC @ 4 1A, 12VDC @ 3.3A, 18VDC @ 1.9A, 24VDC
@ .5A, Overvoltage Protection. Input: 115VAC 50/60Hz. Output variations within 20mV. 8.25°L x
4.25°W x 2.25°H. W. 3.25 lbs. JE224 All JE224A Assembled & Tested

MICRO SWITCH 69-KEY KEYBOARD
Data Entry Keyboard, Encoded Output: 8-bit Parallel EBC DIC. Switching: Hall Effect, 24-pin Edge
Card Connection. Complete v.Pin Connection. Can easily be modified to ASCII code.
Part No. KB69SD12-2 (Fits into DTE-20 Enclosure). \$19.95 each 16%"L x 514"W x 1%"H

MICRO SWITCH 85-KEY KEYBOARD
Word Processing Keyboard, 26 Pin Edge Card Connection. Supply Voltage + SVDC. Main Keyboard, is oWRETY, Additional Key Pads for Cursor and word processing functions.
Part No. 85SD18-1
\$29.95 each 23"Lx53/4"Wx1-3/8"H MICRO SWITCH 88-KEY KEYBOARD (PARALLEL)

Data Entry Keyboard used in a Diablo 1640 Terminal. Supply Voltage: +5V. 12V. Swit Effect — 10-pin Edge Card Connection. Schematic included. Usas 8048 Encoder Chip Part No. 88SD22 (Fits Into DTE-20 Enclosure) . \$69\$69.95 each

HI-TEK 58-KEY KEYBOARD SPST switching, mechanical, moneilithic housing, charcoal grey keycaps. Keyboard is not mounted on circuit board (each key is individually accessible). Used to replace touch-membrane found on Sinclair, Attai, and TRS-80 computers.

Part No. K-58
...\$19.95

CONTROL

Data Entry Keyboards RS232 Interface

FT2 Shielded Base

SPST Switching

Momentary Contact Keyswitches

30" Interface Cable Attractive Case

84-Key Keyboard



814"L x 534"W x 11/16"F

CA153A \$69.95 95-Key Keyboard

CA154A\$79.95 Color: keycaps; black, blue, red - cover; black w/beige base, 211/2 "x9"x31/2", 61bs.

BUG BOXTM — 30 individual compartments • Stores 60 8-pin or 30 14- or 16-pin DIPs • Heavy duty injection molded plastic • Clear plastic cover sides & locks • Cover marked wnumbers 1-30 • Compartment size: 1" x 3.75" x .5" deep • Box size: 4.9" x .3.3" x .6" • Weight: 1.75 or 3.3" x .6" • Weight: 1.75 or 3

Please sper	BUG BOXTN	1	Red, (W)
White, (Y) Y Part No./Co	ellow lor Code	QTY	PRICE
BGX-001-()	1	\$ 2.29
BGX-010-()	10	19.99
	ANTI-STATIC		
BGX-001-()AS	1	\$ 3.29

BUG CAGETM — 12 locations store Bug Boxes. Big Blog Boxes or Big Tripy in Modular and in-terlocking - Heavy duty injection molded plastic * Each cage has 6 slip-on locations * 2 cages prop. 3 cages specially slip-on locations * 2 cages prop. 3 cage size. 5-187 x 5 x 3/78 * 4 colors available — please specify color coder. (B) Blue, (R) Red, (W) White, (I') Yellow

Part No./Color Code BGC-001-() 2 Cages (6 loc. ea.) ...\$11.95/pkg. BUG TRAYTM — Stores in Bug Cage * Modded plastic * Three styles: Open (1 compartment 3.05 c. x . 46 x . 8.7) x etraical (5 compartment 5.5 x . 46 x . 6.7) x etraical (5 compartment 5.5 x . 46 x . 6.7) x etraical (5 compartment 5.5 x . 46 x . 6.7) x etraical (6 compartment 5.5 x . 46 x . 6.7) x etraical (8 compartment 4 x . 3.95 x . 6.7) x etail (8 compartment 4 x . 3.95 x . 6.7) x etail (8 compartment 5.5 x . 46 x . 6.7) x etail (8 compartment 5.5 x . 46 x . 6.7) x etail (8 compartment 5.5 x . 46 x . 6.7) x etail (8 compartment 5.5 x . 46 x . 6.7) x etail (8 compartment 5.5 x . 46 x . 6.7) x etail (8 compartment 5.5 x . 46 x . 6.7) x etail (8 compartment 5.5 x . 6.7) x etail (8 compartment 5.7) x etail (8 compartment 5.7

BUG BOX™ STORAGE SYSTEMS

CA150C ...



104-Key Keyboard

CA148\$99.95

80-Key Keyboard

...\$89.95

LSI BIG BUG BOXTM — Designed to store large IC's, Resistors, Capacitors and Diodes • Divide ed into three compartments measuring 1" x 4,15".

5" deep • Three vertical and three horizonal dividers included • Heavy duty injection molder plastic • Box size: 4,9" x 3,3" x,5" • Weight: 1,75 oz.

LSI BIG BUG BOXTM

	COLOR CODE	QTY	PRICE
BLX-001-()	1	\$ 3.29
BLX-010-()	10	28.79
	ANTI-STATIC		
BLX-001-()AS	1	\$ 4.29
BLX-010-()AS	10	37.89

BACK PACKTM — Self-adhesive labels for the back of ICs • Shows exact internal logic in relation to IC pins • S22 labels in each package infoculding several blank labels) • Each package for 8, 14, 16, 42, 28 and 40-pin ICs • Combo package includes 1,088 labels for TTL and CMOS ICS • Microprocessor package contains 744 labels

Part No.	Description	Pric
BPT-012	TTL	. \$7.9
BPC-012	CMOS	8.9
BPM-012	Combo	.14.9
BPU-012	Microprocessor	9.9

JUMPER AND CABLE ASSEMBLIES

Custom Cables! | DAMP | STANDARD DIP JUMPERS 5.39 6.19 6.89 9.49 10.29 10.95 seted disconnect applications.

| National Company STANDARD DB25 SERIES CABLES 3.19 3.49 1.89 2.19 2.59 2.95 3.29 3.59 2.69 3.19 3.59 4.49 4.95 5.39 Now you can order DB25 P or S connectors with cable necessary to fit your application. Choose four standard flat cable in 4-foot lengths. Call too STANDARD CABLES

\$10.00 Minimum Order — U.S. Funds Only California Residents Add 61% % Sales Tax Postage — Add 5% plus \$1.50 Insurance Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets — 30¢ each Send \$1.00 Postage for your FREE 1983 JAMECO CATALOG Prices Subject to Change Show 1983

4 feet 1-DB25P/1-DB25S 4 feet 2-DB25S

DB25P-4 4 feet

DB25S-4 4 feet

DB25P-4-P 4 feet

DB25P-4-S DB25S-4-S



Poster 16½" × 21½" 1355 SHOREWAY ROAD, BELMONT, CA 94002 2/83 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043

EXPAND YOUR MEMORY

*Model 1 = From 4K to 16K Requires (1) One Kit
Model 3 = From 4K to 48K Requires (3) Three Kits
Color = From 4K to 16K Requires (3) Three Kits

TRS-16K4 *250ns for Model I

TRS-80 Color 32K or 64K Conversion Kit Kit comes complete with 8 each 4164-2 (200ns) 64K dynamic RAMs and conversion documentation. Converts TRS-80 color computers with E-revision boards and 1.1 ROMs to 32K of memory. Mirror modifications of 32K memory will allow the use of all 64K of the dynamic RAM.

TRS-64K2 (200ns)

5 1/4 " Mini-Floppy Disk Drive
FOR TRS-80 MODEL I (Industry Standard)
Features single or double density. Recording
Features single or double density. Recording
1-2VDC (-2 0.5V) 1-50 Mini-Fred Mini

Class power of the control of the co



Siemens 8" Floppy Disk Drive



• Single-Sided • 77 Tracks • 400/800K Bytes

Capacity • Industry Standard

The FDD100-8 8" Floppy Disk Drive (Industry Standard) features single or double density. Recording mode: FM single, MFM double double density. The FDD100-8 is designed to york with the single-sided soft sectored IBM Diskette I, or eq. disk cartridge. Hard-sectored option available. Power: 1195/2014/G, 95-069ttz, 24VDC g; 12 amps max., 147-000-6 g; 12 amps max., 147-000-

Part No.	ns 12 lbs. Incl. 96-pg. manual.	Price
FDD100-8 FDD100-8	Buy 1 for	\$259.95 each

2708,2716,2732 & 2764 EPROM Programme JE664 EPROM PROGRAMMER 8K TO 64K EPROMS — 24 AND 28 PIN PACKAGES Self-Contained — Requires No Additional Systems for Operation



* Programs, validates, and checks for properly presed EPROMs - Emolates PROMs or EPROMs - 85222C Computer interface for editing program leadings - Loads told in RAM by keyboard - Changes data in RAM by keyboard - Loads RAM from an EPROMs - Compares EPROMs for content differences - Copies EPROMs - Power interface in the Copies EPROMs - Power SM - 11 SM - 20 M - 2

JE664-A EPROM Programmer . . des JM16A Module)

Assemble 6 resette (includes of his own would)

JE665 — RS22C INTERFACE OPTION — The JE665 RS232C Interface
Option implements computer access to the JE664 RAM. Sample software written in
BASIC provided to TRS-80° Model | Level It Computer: Bud rate: 9600. Word
Lgth: 8 bits - odd parity. Stop bits: 2. Option may be adapted to other computers.

JE664-ARS ERROM Prog. w/JE665 Option
Assembled and Tested (Includes JM 16A Module)

EPROM JUMPER MODULE (Personality Module) is a plug-in Module hat pre-sets JE664 for proper programming pulses to the EPROM & Configures EPROM Socket connections for that particular PPROM.

No.	EPROM	EPROM MANUFACTURER	PRICE
JM08A	2708	AMD, Motorola, National, Intel, TI	\$14.95
JM16A	2716.TMS2516	Intel, Motorola, National, NEC, TI	\$14.95
JM16B	TMS2716	Motorola, TI (+5,-12, +12)	\$14.95
JM32A	TMS2532	Motorola, TI	
JM32B	2732	AMD, Fujitsu, NEC, Hitachi, Intel	\$14.95
JM64A	MCM68764.		
	MCM68L764	Motorola	\$14.95
JM64B	2764	Intel	\$14.95
JM64C	TMS2564	TI	

UV-EPROM Eraser



1 Chip — 37 Minutes

Erases 2708, 2716, 2732, 2764, 2516, 2532, 2564. Erases up to 8 chips within 51 minutes (1 chip in 37 minutes). Maintains constant exposure distance of one inch. Special conductive foam liner eliminates static build-up. Built-in safety lock to prevent UV exposure. Compact — only 9,00° x 3,0° x 2,60°. Complete with holding truy for 8 chips.

UVS-11EL Replacement Bulb ... DE-4 UV-EPROM Eraser \$79.95



\$7.95

8.49

13.95

1-DB25P

1-DB25S

Sprite-style Fan

• 36cfm free air delivery
• 3.125" sq. x 1.665" depth
• 10 yrs. cont. duty at 20 °C Frame
• 115V 50/60Hz

PWS2107U Cleaned & 9.95 ea. *PWS2107F New \$14.95 ea.



Muffin-style Fan

• 105cfm free air delivery • 4.68" sq. x 1.50" depth. • 10 yrs. cont. duty at 20 °C • Impedance protected, ambients to • 115V 50/60Hz 14W Wt. 17 oz.

FREE INFORMATION:

Learning more about a product that's advertised or mentioned in an article in this month's issue is as simple as one, two, three. And absolutely free.

Print or type your name and address on the attached card. Use only one card per person.

Circle the number(s) on the card that corresponds to the number(s) at the bottom of the advertisement or article for which you want more information.

(Key numbers for advertised products also appear in the Advertisers' Index.)

Simply mail the card, and the literature will be mailed to you free of charge from the manufacturer.

FREE INFORMATION:

This address is for our product Free Information Service only. Editorial inquiries should be directed to COMPUTERS & ELECTRONICS. One Park Avenue, New York, N.Y. 10016.

CITY	
1. Do you own a microcomputer printer? A	
2. What brand? A	
A Epson B. Radio Shack C. Okidata F. OTHER 4 Please send me one year of Computers & Electronics for \$12.97 and bill me. (Full Subscription Price \$15.97) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 18 18 12 12 2 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 38 48 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 56 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 78 78 78 78 78	
D. Heath E. Centronics F. OTHER 4	
Company Name	
1 2 3 4 5 6 7 8 9 9 10 11 12 13 14 15 16 17 18 18 12 12 12 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 33 41 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 56 57 58 56 57 58 51 52 53 54 55 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 58 56 57 5	
41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 56 61 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 78 78 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 91 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 115 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 138 138 138 138 138 138 138 138 138	20
81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 95 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 118 112 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 138 138 138 138 138 138 138 138 138	
101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 113 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 133 134 135 136 137 138 133 134 135 136 137 138 133 134 135 136 137 138 133 134 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 137 138 135 136 13	80
USE ONLY ONE CARD PER PERSON CE 28	120
STATE ZIP	140
COMPANY NAME (If applicable) ADDRESS CITY	32
STATE	
(Zip Code must be included to insure delivery.) (Void after April 30, 1983) 1. Do you own a microcomputer printer? A.	
1. Do you own a microcomputer printer? A. YES B. NO 2. What brand? A. Epson B. Radio Shack C. Okidata D. Heath E. Centronics F. OTHER 4 Please send me one year of Computers & Electronics for \$12.97 and bill me. (Full Subscription Price \$15.97) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 18 19 12 12 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 38 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 66 57 58 56 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 75 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 99 79 89 30 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 115 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 135 USE ONLY ONE CARD PER PERSON CE 2 COMPANY NAME (If applicable) ADDRESS CITY STATE ZIP (Zip Code must be included to insure delivery.) (Void after April 30, 1983)	
A.	
2. What brand? A.	
A.	
A.	
4 Please send me one year of Computers & Electronics for \$12.97 and bill me. (Full Subscription Price \$15.97) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 12 12 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 38 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 58 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 78 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 98 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 115 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 138 USE ONLY ONE CARD PER PERSON CE 2 COMPANY NAME (If applicable) ADDRESS CITY STATE ZIP (Zip Code must be included to insure delivery.) (Void after April 30, 1983)	
1	
1	
21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 38 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 58 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 78 78 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 98 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 118 112 112 112 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 138 138 138 138 138 138 138 138 138	
41	
81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 130 131 132 133 134 135 136 137 138 139 130 131 132 133 134 135 136 137 138 139 130 131 132 133 134 135 136 137 138 139 130 131 132 133 134 135 136 137 138 139 139 139 139 139 139 139 139 139 139	
101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 115 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 135	100
USE ONLY ONE CARD PER PERSON CE 2 NAME COMPANY NAME (If applicable) ADDRESS CITY STATE ZIP (Zip Code must be included to insure delivery.) (Void after April 30, 1983) 1. Do you own a microcomputer printer?	
COMPANY NAME (If applicable) ADDRESS CITY STATE ZIP (Zip Code must be included to insure delivery.) (Void after April 30, 1983) 1. Do you own a microcomputer printer?	140
COMPANY NAME (If applicable) ADDRESS CITY STATE ZIP (Zip Code must be included to insure delivery.) (Void after April 30, 1983) 1. Do you own a microcomputer printer?	331
(Zip Code must be included to insure delivery.) (Void after April 30, 1983) 1. Do you own a microcomputer printer?	
(Zip Code must be included to insure delivery.) (Void after April 30, 1983) 1. Do you own a microcomputer printer?	
1. Do you own a microcomputer printer?	
그 이 그는 경우 그는 것이 그는 그들이 되었다면 하는 것이 되었다면 되었다면 하는데 하는데 되었다면 하는데 되었다면 하는데 하는데 하는데 하는데 되었다면 하는데	
2. What brand? A. □ Epson B. □ Radio Shack C. □ Okidata	
D. Heath E. Centronics F. OTHER	
4 \square Please send me one year of Computers & Electronics for \$12.97 and bill me. (Full Subscription Price \$15.97)	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 15	
21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	
61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79	40

USE ONLY ONE CARD PER PERSON

CE 2833



No postage necessary if mailed in the United States

BUSINESS REPLY CARD

FIRST CLASS

PERMIT #27346

PHILADELPHIA, PA.

POSTAGE WILL BE PAID BY

Computers & Electronics

P.O. BOX 13877 PHILADELPHIA, PA. 19101



No postage necessary if mailed in the United States

BUSINESS REPLY CARD

FIRST CLASS

PERMIT #27346

PHILADELPHIA, PA

POSTAGE WILL BE PAID BY

Computers & Electronics

P.O. BOX 13877 PHILADELPHIA, PA. 19101



No postage necessary if mailed in the United States

BUSINESS REPLY CARD

FIRST CLASS

DEDMIT #27246

PHILADELPHIA, PA.

POSTAGE WILL BE PAID BY

Computers & Electronics

P.O. BOX 13877 PHILADELPHIA, PA. 19101

ATTENTION ATARI° FREAKS!

Here's the book you've been looking for!



THE CREATIVE ATARI

Whether you're an Atari beginner or a seasoned expert, you really shouldn't be without this extraordinarily useful guide to practical Atari "how to" and lore. You get tutorials on Atari graphics, a discussion of Atari memory concepts, programming tips, programs and much more that will help you make better use of your Atari. It's written so that the average, non-expert user who knows a little about BASIC and simple programming can easily develop into a skilled Atari user. The contents of this absorbing book have appeared as articles, columns and tutorials in Creative Computing, but have been thoroughly updated and revised to insure maximum learning ease.

The Creative Atari, edited by David Small, Sandy Small and George Blank. 8½" x 11", softcover, 250 pages, illustrated. \$15.95.

Atari is a registered trademark of Apple Computer, Inc.

HERE'S HOW TO ORDER

CASH: Send your name, address and \$17.95 (\$15.95* plus \$2 postage and handling) to:

creative computing

Dept. NA4C

39 E. Hanover Ave., Morris Plains, NJ 07950

Please specify "The Creative Atari" and code number 18B.

CHARGE: Your American Express, Visa or MasterCard account. Include your name, address, card #, expiration date and signature.

PHONE TOLL FREE: For faster service, phone 800-631-8112. (In NJ only, call 201-540-0445.)

*NJ residents add 5% sales tax. Price outside U.S.A., Canada and Mexico \$18.95.

There's No Place Like the Parts Place

Big Selection! High Quality! In Stock!

21-Range, 30,000 Ohms/Volt Micronta® Multitester



Built-in "Beep Continuity Indicator

Fused and Overload **Protected**

Sound Switch Module



Whistle for on, again for off!

Control a relay, motor, LED, even a radio or TV. 6 to 9VDC. 277-1011 . . 1.99

NEW

199


Whistle Activated!



Application Notes Included

Design/Letter Templates





NEW

В

For Diagrams, Blueprints

A General Purpose. 53 shapes, sizes. 276-181

B Perfect Circles. 1/32" to 2". 276-182 C Lettering Guide. 1/8" to 1/4". 276-183

DPDT 5VDC Relay

Big 5" Color-Coded Scale

Our best analog multitester. Measures to 1000 volts DC in seven ranges, to 1000 volts AC in five ranges, DC current to 10 amps in five ranges, re-

sistance to 10 megs in four ranges and dB in five

ranges. With leads. Requires 9V and "C" batter-



ies. 22-210

38% Off

55

Fits 16-pin DIP socket, or mount on PC board. Contacts: 1 amp at 125VAC. Coil: 100 mA, 50 ohms. 275-215

Sound Synthesizer

SN94281. Add a few parts and

create sounds galore. 125 mW

amp drives speaker. 7.5-10VDC. 16-pin. **276-1767** ... **Sale 1.55**

Versatile Solar Cell **Toy Hobby Motor**



Harness the sun for "free" energy to drive projects, charge batteries, much more! 2.5 x 5 cm. Generates 0.42 volt at 160 mA. 276-124 .

Push-In Neon

Lamps

One red, one green. Built-in dropping resistors for 120VAC

mounting holes. Sol-

use. Require 7/16

Pkg. of 2

NEW

Reliable power source at a low price—great for projects, toys, more! 3.0 to 15VDC. 273-221

40k Joystick Pot

Dual Linear **Taper Controls**



40k. Max. displacement, 30° 1" shaft. Body, 17/16" sq. Solder lugs. 271-1706 4.95 100k Pot. 271-1705

Deluxe Plastic Panel Lettering **Project Enclosure**

270-201



Reg. 7.95 595

Dress up and protect that prized project. Stylish two-tone color, easy-to-drill end panels. 21/4 × Sale 5.95 5×51/4". 270-218



2.59

der lugs. 272-709

Piezo Buzzer

For projects that call for sound Super-loud 4.8 kHz signal, 1.5 to 20VDC. Great for battery-powered circuits—draws just mA at 9V. With leads. 273-060

Varactor UHF-TV Tuner



Brand New, Not Surplus!

UES-A56F. Perfect for your video projects. 0 to 28VDC control voltage. 75 ohms.

IF Amp, FM & Video ICs





D MC1330 Videc Detector. For nany sof state TV circuits. Replaces 3rd IF, detector, video/ AFC buffers. 10-24VDC. 8-pin. 276-1757 . . . 2.49 MC1350 Universal IF Amp With AGC. For TV, radio. DC to over 60 MHz. Gain at 45 MHz: 50 dB typ. 12VDC. 8-pin. 276-1758 2.

FM Stereo Decoder



LM1800. Tunes with one pot—no coils needed. 30 dB (min.) separation. 16-pin. 276-1719

DIP Switches



Low As



For digital and low current uses. @ 8-Position. 16-pin DIP. 275-1301 1.99 H 4-Position. 8-pin DIP. 275-1304 1.49

Operational Amplifiers

Frequency Compensated

Use for Control. Computing and Instrumentation! One Trillion Ohms Input Sensitivity!



NFET Op Amps

Туре	DIP	Cat. No.	Each
TL091 (Single)	8-pin	276-1745	1.79
TL092 (Dual)	8-pin	276-1746	2.29
TL094 (Quad)	14-pin	276-1747	4.49

CMOS Op Amps. 1 picoamp input.

Туре	DIP	Cat. No.	Each
ICL7611 (Single)	8-pin	276-2330	2.49
ICL7621 (Dual)	8-pin	276-2331	3.79
ICL7641 (Quad)	14-pin	276-2332	4.99

A DIVISION OF TANDY CORPORATION • OVER 8500 LOCATIONS WORLDWIDE

4164 64K DYNAMIC \$625

ALL MERCHANDISE 100% GUARANTEED!

TMM2016 2KX8 STATIC \$415

CALL US FOR VOLUME QUOTES

STATIC RAMS 2101 256 x 4 (450ns) 256 x 4 (450ns) (cmos) 1.95 3.95 (450ns) (450ns) (LP) .89 2102-1 1024 x 1 2102L-4 2102L-2 (250ns) (LP) 1024 x 1 1.69 2111 2112 256 x 4 256 x 4 (450ns) (450ns) 299 (450ns) (450ns) (LP) 2114 1024 x 4 8/14.95 2114L-4 2114L-3 1024 x 4 8/15.25 1024 x 4 (300ns) (LP) (200ns) (LP) 8/15.45 8/15.95 2114L-2 2147 (55ns) (450ns) 4096 x 1 4.95 TMS4044-4 4096 x 1 3.49 TMS4044-3 4096 x 1 (300ns) 3.99 4096 x 1 1024 x 8 TMS4044-2 (200ns) 4.49 MK4118 9.95 4.15 (250ns) TMM2016-200 2048 x 8 TMM2016-150 2048 x 8 (200ns) (150ns) 4.95 (100ns) (200ns) (cmos) TMM2016-100 2048 x 8 HM6116-4 4.95 HM6116-3 (150ns) (cmos) (120ns) (cmos) 5.95 8.95 2048 x 8 HM6116-2 HM6116LP-4 2048 x 8 2048 x 8 (200ns) (cmos)(LP) (150ns) (cmos)(LP) 6.95 8.95 2048 x 8 2048 x 8 HM6116LP-3 HM6116LP-2 2048 x 8 (120ns) (cmos)(LP) 4096 x 8 (300ns) (Qstat) 10.95 34.95 Z-6132

LP = Low Power Ostat = Quasi-Static

D	YNAN	IIC RAM	S
TMS4027	4096 x 1	(250ns)	1.99
UPD411	4096 x 1	(300ns)	3.00
MM5280	4096 x 1	(300ns)	3.00
MK4108	8192 x 1	(200ns)	1.95
MM5298	8192 x 1	(250ns)	1.85
4116-300	16384 x 1	(300ns)	8/11.75
4116-250	16384 x 1	(250ns)	8/11.95
4116-200	16384 x 1	(200ns)	8/13.95
4116-150	16384 x 1	(150ns)	8/15.95
4116-120	16384 x 1	(120ns)	8/29.95
2118	16384 x 1	(150ns) (5v)	4.95
4164-200	65536 x 1	(200ns) (5v)	6.25
4164-150	65536 x 1	(150ns) (5v)	7.25
	5V = sing	le 5 volt supply	

	EPROMS	
1702	256 x 8 (1us)	4.50
2708	1024 x 8 (450ns)	3.95
2758	1024 x 8 (450ns)(5v)	5.95
2716	2048 x 8 (450ns)(5v)	3.95
2716-1	2048 x 8 (350ns)(5v)	6.25
TMS2516	2048 x 8 (450ns)(5v)	5.50
TMS2716	2048 x 8 (450ns)	7.95
TMS2532	4096 x 8 (450ns)(5v)	7.95
2732	4096 x 8 (450ns)(5v)	4.95
2732-250	4096 x 8 (250ns)(5v)	12.95
2732-200	4096 x 8 (200ns)(5v)	16.95
2764	8192 x 8 (450ns)(5v)	16.95
2764-250	8192 x 8 (250ns)(5v)	18.95
2764-200	8192 x 8 (200ns)(5v)	24.95
TMS2564	8192 x 8 (450ns)(5v)	24.95
MC68764	8192 x 8 (450ns)(5v)(24 pin)	39.95
	5v = Single 5 Volt Supply	

EPROM ERASERS

CONTRACTOR OF STREET	A CONTRACTOR OF THE PARTY OF TH			A STATE OF THE PARTY OF THE PAR
	Timer	Capacity Chip	Intensity (uW/Cm²)	
PE-14		6	5,200	83.00
PE-14T	X	6	5,200	119.00
PE-24T	X	9	6,700	175.00
PL-265T	X	20	6,700	255.00
PR-125T	X	16	15,000	349.00
PR-320	X	32	15.000	595.00

ANTEED	!	
DISC CONTROLL 1771 1791 1793 1795 1797 6843 8272 UPD/765 1691 2143	16.95 29.95 38.95 54.95 54.95 34.95 39.95 39.95 18.95	
INTERFA 8726 8728 8795 8796 8797 8798 DM8131 DP8304 DS8835 DS8836 MISC.	1.69 2.49 .99 .99 .99 .99 2.95 2.29 1.99	
3242 3341 MC3470 MC3480 11C90 95H90 2513-001 UP 2513-002 LOW SOUND CH 76477 76489 MC3340	7.95 4.95 4.95 9.00 13.95 7.95 9.95 9.95 4IPS 3.95 8.95 12.95 1.49	
CRT CONTROLL 6845 68845 HD46505SP 6847 MC1372 68047 8275 7220 CRT5027 CRT5037 TMS9918A DP8350	ERS 14.95 35.95 15.95 12.25 6.95 24.95 29.95 99.95 39.95 49.95 39.95 49.95	
BIT-RAT GENERATO MC14411 BR1941 4702 COM5016 COM8116 MM5307 UARTS	ORS 11.95 11.95 12.95 16.95 10.95 10.95	
AY3-1014 AY5-1013 AY3-1015 PT1472 TR1602 2350 2651 TMS6011 IM6402 IM6403 INS8250 KEYBOAF	6.95 3.95 6.95 9.95 3.95 9.95 8.95 5.95 7.95 8.95 14.95	
CHIPS AY5-2376 AY5-3600	11.95 11.95	

DAT	A
ACQUISI	TION
ADC0800	15.55
ADC0804	3.49
ADC0809	4.49
ADC0817	9.95
DAC0800	4.95
DAC0806	1.95
DAC0808	2.95
DAC1020	8.25
DAC1022	5.95
MC1408L6	1.95
MC1408L8	2.95

			-OR VC
Z-80			8000
2.5 Mh	Z	8035	5
Z80-CPU	3.95	8039	6
Z80-CTC	5.95	INS-	
Z80-DART	15.25	INS- 8080	8073 24 3
Z80-DMA	17.50	8085	5
Z80-PIO Z80-SIO/0	5.75	8085	
Z80-SIO/0	18.50 18.50	8086	29
Z80-SIO/2	18.50	8087	CA
Z80-SIO/9	16.95	8088 8089	39 89
40.041		8155	7
4.0 Mh		8156	8
Z80A-CPU	6.00	8185	29
Z80A-CTC Z80A-DART	8.65 18.75	8185	
Z80A-DMA	27.50	8741	39
Z80A-PIO	6.00	8748 8755	29 32
Z80A-SIO/0	22.50	0133	32
Z80A-SIO/1	22.50		
Z80A-SIO/2 Z80A-SIO/9	22.50 19.95		8200
		8202	29
6.0 Mh		8203	39
Z80B-CPU	17.95	8205	3
Z80B-CTC Z80B-PIO	15.50	8212 8214	1
280B-PIO	15.50	8216	3
ZILOG		8224	2
Z6132	34.95	8226	1
Z8671	39.95	8228	3
		8237 8238	19
Carlo Constanting		8243	4
CRYSTA	10	8250	10
32.768 khz	The state of the s	8251	4
1.0 mhz	1.95 4.95	8253	6
1.8432			
	4.95	8253	
2.0	4.95 3.95	8255	4
2.097152 2.4576	4.95 3.95 3.95		-5 5
2.097152 2.4576 3.2768	4.95 3.95 3.95 3.95 3.95	8255 8255	-5 5 7
2.097152 2.4576 3.2768 3.579535	4.95 3.95 3.95 3.95 3.95 3.95	8255 8255 8257 8257 8259	-5 5 7-5 8
2.097152 2.4576 3.2768 3.579535 4.0 5.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95	8255 8255 8257 8257 8259 8259	-5 5 7-5 8 -5 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271	-5 5 7-5 8 -5 6 -5 7
2.097152 2.4576 3.2768 3.579535 4.0 5.0688 5.185	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272	-5 5 7 -5 8 6 -5 7 39
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271	-5 5 7-5 8 -5 6 -5 7
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8257 8257 8257 8259 8259 8271 8272 8275 8279 8279	-5 5 5 7 7 -5 8 8 -5 7 39 39 29 8 -5 10
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8279 8282	-5 5 5 7 7 -5 8 6 6 5 7 39 35 29 8 8 6 -5 10 6 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8257 8257 8257 8259 8271 8272 8275 8279 8279 8279 8282	-5 5 7 7 -5 8 6 -5 7 39 39 29 8 8 -5 10 6 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8257 8257 8257 8259 8259 8271 8272 8275 8279 8279 8282 8283	-5 5 5 6 6 -5 7 39 29 29 -5 10 6 6 5 5
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8257 8257 8257 8259 8271 8272 8275 8279 8279 8279 8282	-5 5 7 7 -5 8 6 -5 7 39 39 29 8 8 -5 10 6 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8257 8257 8257 8259 8259 8271 8272 8275 8279 8282 8283 8283 8284 8284	-5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8279 8282 8283 8284 8284 8286 8287	-5 5 -5 6 -5 7 -5 39 39 29 8 -5 10 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 17.430 18.0 18.432	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8282 8284 8286 8287 8284	-5 5 5 5 6 6 5 6 6 6 6 25
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 17.430 18.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8279 8282 8283 8284 8286 8287 8288 8289	-5 5 -5 8 -5 8 -5 7 39 29 8 -5 10 6 6 6 6 6 6 9 25 49
2.097152 2.4576 3.2768 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 17.430 18.0 18.432	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8279 8282 8283 8284 8286 8287 8288 8289	-5 5 -5 6 -5 7 -5 39 29 8 -5 10 6 6 5 6 49
2.097152 2.4576 3.2768 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 17.430 18.0 18.432	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8277 8279 8282 8283 8284 8286 8287 8288 8289	-5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 17.430 18.0 18.0 20.0 22.1184 32.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8282 8284 8286 8287 8288 8289	-5 5 5 6 6 -5 7 7 7 7 3 9 3 9 9 9 9 9 9 9 9 9 9 9 9 9
2.097152 2.4576 3.2768 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 16.0 17.430 18.0 18.432 20.0 22.1184 32.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8277 8279 8282 8283 8284 8286 8287 8288 8289	-5 5 5 6 6 6 6 6 6 6 6 9 9 9 9 9 9 9 9 9
2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0688 5.185 5.7143 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 17.430 18.0 18.0 20.0 22.1184 32.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8279 8279 8282 8283 8284 8286 8287 8288 8289	-5 5 5 6 6 -5 7 7 7 7 3 9 3 9 9 9 9 9 9 9 9 9 9 9 9 9
2.097152 2.4576 3.2768 3.2768 3.579535 4.0 5.0 6.0 6.144 6.5536 8.0 10.738635 14.31818 15.0 16.0 17.430 18.432 20.0 22.1184 32.0	4.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3	8255 8255 8257 8257 8259 8259 8271 8272 8275 8279 8282 8283 8284 8286 8287 8288 8289 FGE MC44 LM56 XR22 8038	-5 5 5 6 6 6 6 6 6 6 6 9 9 9 9 9 9 9 9 9

FUNC GENER
MC4024 LM566 XR2206 8038
INTE
IN I E
ings to
ICL7103 ICL7106 ICL7107
ICL7103 ICL7106
ICL7103 ICL7106 ICL7107 ICL7660 ICL8038
ICL7103 ICL7106 ICL7107 ICL7660 ICL8038 ICM7207A
ICL7103 ICL7106 ICL7107 ICL7660 ICL8038

A Market				
800	0		68	00
	5.95		68000	59.95
	6.95		6800	4.95
060	17.95		6802	7.95
073	24.95		6808	13.90
	3.95		6809E	19.95
	5.95		6809	12.95
1-2	11.95		6810	2.95
	29.95		6820	4.95
	CALL		6821	3.25
	39.95		6828	14.95
	89.95		6840	12.95
	7.95		6843	34.95
	8.95		6844	25.95
	29.95		6845	14.95
2	39.95		6847	12.25
	39.95		6850	3.45
	29.95		6852	5.75
	32.00		6860	9.95
	And wet		6862	11.95
			6875	6.95
820	0		6880	2.25
	29.95	图 分析	6883	24.95
	39.95		68047	24.95
	3.50		68488	19.95
	1.80		6800 =	1MHZ
	3.85		68B00	10.95
	1.75		68B02	22.25
	2.25	Deal Service	68B09E	29.95
	1.80		68B09	29.95
	3.49		68B10	7.95
	19 95		68B21	12.95

68B45

4 49

4.45 10.95

4.49

6.95

7.95

4.49 5.25

7.95

8.95 6.90

7.50 39.95

39.95 29 95 8.95

10.00

6.50 6.50

5.50 6.50 6.50 25.00 49.95

<u> </u>	
650 1 M	
6502	5.9
6504	6.9
6505	8.9
6507	9.9
6520	4.3
6522	8.7
6532	11.2
6545	22.50
6551	11.85
2 M	HZ
6502A	9.9
6522A	11.70
6532A	12.40
6545A	28.50
6551A	12.9
3 M	HZ
6502B	14.95

35.95

UNCT		EXA	\R
		XR 2206	3.75
124	3.95	XR 2207	3.85
6	1.49	XR 2208	3.90
06	3.75	XR 2211	5.25
	3.95	XR 2240	3.25
	4993		

1	9000	SERIES
Н	9316	1.00
ı	9334	2.50
ı	9368	3.95
	9401	9.95
ı	9601	.75
Н	9602	1.50
L	96502	1.95



JDR MICRODEVICES, INC.

CLOCK

CIRCUITS

4.95

3.95 4.95 8.95

MM5314

MM5369

MM5375 MM58167 MM58174

1224 S. Bascom Avenue San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

© 1982 JDR MICRODEVICES, INC.

VISIT	OUR	
RETAIL	STOR	E

NEW HOURS -M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

9.50

9.95

12.95

2.95

3.95

5.59

15.95

TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6½% Sales Tax. Other California residents add 6½ Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

74LS00							
74LS00	.24	74LS86	.39	74LS169	1.75	74LS323	2.75
74LS01	.25	74LS90	.55	74LS170	1.49	74LS324	1.75
74LS02	.25	74LS91	.89	74LS173	.69	74LS352	1.29
74LS03	.25	74LS92	.55	74LS174	.55	74LS353	1.29
74LS04	.24	74LS93	.55	74LS175	.55	74LS363	1.35
74LS05	.25	74LS95	.75	74LS181	2.15	74LS364	1.95
74LS08	.28	74LS96	.89	74LS189	8.95	74LS365	.49
74LS09	.29	74LS107	.39	74LS190	.89	74LS366	.49
74LS10	.25	74LS109	.39	74LS191	.89	74LS367	.45
74LS11	.35	74LS112	.39	74LS192	.79	74LS368	.45
74LS12	.35	74LS113	.39	74LS193	.79	74LS373	.99
74LS13	.45	74LS114	.39	74LS194	.69	74LS374	.99
74LS14	.59	74LS122	.45	74LS195	.69	74LS377	1.39
74LS15	.35	74LS123	.79	74LS196	.79	74LS378	1.18
74LS20	.25	74LS124	2.90	74LS197	.79	74LS379	1.35
74LS21	.29	74LS125	.49	74LS221	.89	74LS385	1.90
74LS22	.25	74LS126	.49	74LS240	.95	74LS386	.45
74LS26	.29	74LS132	.59	74LS241	.99	74LS390	1.19
74LS27	.29	74LS133	.59	74LS242	.99	74LS393	1.19
74LS28	.35	74LS136	.39	74LS243	.99	74LS395	1.19
74LS30	.25	74LS137	.99	74LS244	.99	74LS399	1.49
74LS32	.29	74LS138	.55	74LS245	1.49	74LS424	2.95
74LS33	.55	74LS139	.55	74LS247	.75	74LS447	.37
74LS37	.35	74LS145	1.20	74LS248	.99	74LS490	1.95
74LS38	.35	74LS147	2.49	74LS249	.99	74LS624	3.99
74LS40	.25	74LS148	1.35	74LS251	.59	74LS668	1.69
74LS42	.49	74LS151	.55	74LS253	.59	74LS669	1.89
74LS47	.75	74LS153	.55	74LS257	.59	74LS670	1.49
74LS48	.75	74LS154	1.90	74LS258	.59	74LS674	9.65
74LS49	.75	74LS155	.69	74LS259	2.75	74LS682	3.20
74LS51	.25	74LS156	.69	74LS260	.59	74LS683	3.20
74LS54	.29	74LS157	.65	74LS266	.55	74LS684	3.20
74LS55	.29	74LS158	.59	74LS273	1.49	74LS685	3.20
74LS63	1.25	74LS160	.69	74LS275	3.35	74LS688	2.40
74LS73	.39	74LS161	.65	74LS279	.49	74LS689	3.20
74LS74	.35	74LS162	.69	74LS280	1.98	74LS783	24.95
74LS75	.39	74LS163	.65	74LS283	.69	81LS95	1.49
74LS76	.39	74LS164	.69	74LS290	.89	81LS96	1.49
74LS78	.49	74LS165	.95	74LS293	.89	81LS97	1.49
74LS83	.60	74LS166	1.95	74LS295	.99	81LS98	1.49
74LS85	.69	74LS168	1.75	74LS298	.89	25LS2521 25LS2569	2.80 4.25
THE RESIDENCE OF THE PARTY OF T					NAME OF TAXABLE PARTY.		

VISA

September 1		
IC SO	CKE	TS
	1-99	100
8 pin ST	.13	.11
14 pin ST	.15	.12
16 pin ST	.17	.13
18 pin ST	.20	.18
20 pin ST	.29	.10
22 pin ST	.30	.27
24 pin ST	.30	.27
28 pin ST	.40	.32
40 pin ST	.49	.39
ST - SOL		AII
8 pin WW	.59	.49
14 pin WW	.69	.52
16 pin WW	.69	.58
18 pin WW	.99	.90
20 pin WW	1.09	.98
22 pin WW	1.39	1.28
24 pin WW	1.49	1.35
28 pin WW	1.69	1.49
40 pin WW	1.99	1.80
14/14/ - 14/11	251110	
WW = WII		
16 pin ZIF	6.75	call
24 pin ZIF	9.95	call
ZIF TE		
(Zero Inser	tion Fo	orce)

CONNECTORS

DIP SWITCHES

2.95 3.50

5.25 1.25 3.95 4.95

.85 .90 .90 .95

RS232 MALE RS232 FEMALE RS232 FEMALE RIGHT ANGLE RS232 HOOD

S-100 ST S-100 WW

4 POSITION 5 POSITION 6 POSITION 7 POSITION 8 POSITION

MasterCard

ORDER TOLL FREE

800-538-5000

800-662-6279 (CALIFORNIA RESIDENTS)

LINEAR

	14	IUU		
7400	.19	74132	.45	
7401 7402	.19	74136	.50	
7402	.19	74141 74142	.65 2.95	
7404	.19	74143	2.95	
7405	.25	74145	.60	
7406	.29	74147	.60 1.75	
7407 7408	.29	74148	1.20	
7409	.24	74150 74151	1.35 .55	
7410	.19	74152	.65	
7411	.25 .30	74153	.55	
7412 7413	.30	74154	1.25	
7414	.49	74155 74156	.75 .65	
7416	.25	74157	.55	
7417	.25	74159	1.65	
7420 7421	.19	74160 74161	.85 .69	
7422		74162	.85	
7423	.29	74163	.69	
7425 7426	.29	74164 74165	.85	
7427	.29	74166	.85 1.00	
7428	.45	74167	2.95	
7430	.19	74170	1.65	
7432 7433	.29	74172	5.95	
7437	.45	74173 74174	.75 .89	
7438	.29	74175	.89	
7440	.19	74176	.89	
7442 7443	.49	74177	.75	
7444	.65 .69	74178 74179	1.15 1.75	
7445	.69	74180	.75	
7446	.69	74181	2.25	
7447 7448	.69	74182 74184	.75 2.00	
7450	.19	74185	2.00	
7451	.23	74186	18.50	
7453	.23	74190	1.15	
7454 7460	.23	74191 74192	1.15	
7470	.35	74193	.79 .79	
7472	.29	74194	.85	
7473	.34	74195	.85	
7474 7475	.33	74196 74197	.79 .75	
7476	.35	74198	1.35	
7480	.59	74199	1.35	
7481	1.10	74221	1.35 1.35 1.25	
7482 7483	.95 .50	74246 74247	1.35	
7485	.59	74248	1.85	
7486	.35	74249	1.95	
7489 7490	2.15	74251	.75 2.25	
7490	.35 .40	74259 74265	1.35	
7492	.50	74273	1.95	
7493	.35	74273 74276	1.25	
7494 7495	.65 .55	74279 74283	.75 2.00	
7495	.70	74283	3.75	
7497	2.75	74285	3.75	
74100	1.75	74290	.95	
74107 74109	.30	74293	.75	
74109	.45	74298 74351	.85 2.25	
74111	.55	74365	.65	
74116	1.55	74366	.65	
74120	1.20	74367	.65	
74121 74122	.45	74368 74376	.65 2.20	
74123 74125	.49	74390	1.75	
74125	.45	74393	1.35	
74126 74128	.45 .55	74425 74426	3.15	
14120	.33	74426	.85 2.55	
	Later Bridge	MARKET TO SERVICE	THE PARTY NAMED IN	

PN2222

PN2907 2N2222

2N2907 2N3055

3055T

2N3906

IN4148 (IN914) IN4004

7400

			CIAI	US	
.45	833.93	4000	.29	4528	1.19
.50		4001	.25	4531	.95
.65		4002	.25	4532	1.95
2.95		4006	.89	4538	1.95
2.95		4007	.29	4539	1.95
.60		4008	.95	4543	1.19
1.75		4009	.39	4555	.95
1.20		4010	.45	4556	.95
1.35		4011	.25	4581	1.95
.55		4012	.25	4582	1.95
.65		4013	.38	4584	.75
.55		4014	.79	4585	.75
1,25		4015	.39	4702	12.95
.75		4016	.39	74C00	.35
.65		4017	.69	74C02	.35
.55		4018	.79	74C04	.35
1.65		4019	.39	74C08	.35
.85		4020	.75	74C10	.35
.69		4021	.79	74C14	.59
.85		4022	.79	74C20	.35
.69		4023	.29	74C30	.55
.85		4024	.65	74C32	.35
.85		4025	.29	74C42	1.29
1.00		4026	1.65	74042	
2.95		4027	.45	74C48 74C73	1.99
1.65		4028	.69	74C74	.65 .65
5.95		4029	.79	74C74	.00
.75		4030	.79		.80
.89		4034	1.95	74C83	1.95
.89		4035	.85	74C85 74C86	1.95
.89		4040	.00		.39 4.50
.75		4041	.75 .75	74C89	
115		4042	.69	74C90 74C93	1.19
1.15 1.75		4042		74C95	1.75
.75		4044	.85 .79	74C95	.99
2.25				74C107	.89
.75		4046 4047	.85 .95	740150	5.75
2.00		4049	.35	74C151 74C154	2.25 3.25
2.00		4050	.35	74C154	1.75
18.50		4051	.79	74C160	1.75
1 15		4053	.79		1.19
1.15 1.15		4060	.89	74C161	1.19
.79		4066	.39	74C162 74C163	1.19 1.19 1.39
.79		4068	.39	74C164	1.19
.85		4069	.29	74C165	1.39
.85		4070	35	740173	2.00
.79		4071	.35	74C173 74C174	.79 1.19 1.19
.75		4072	.29	74C175	1.10
1.35		4073	.29	74C192	1.49
1.35		4075	.29	74C193	1.49
1.35 1.35 1.35		4076	.79	74C195	1 30
1.35		4078	.29	74C200	1.39 5.75
1.25		4081	.29	74C221	1.75
1.85		4082	.29	74C373	2.45
1.95		4085	.95	740374	2.45
.75		4086	.95	74C374 74C901	.39
2.25		4093	.49	74C902	.85
1.35		4098	2.49	74C903	.85
1.95		4099	1.95	74C905	10.95
1.25		14409	12.95	74C906	95
.75		14410	12.95	74C907	1.00
2.00		14411	11.95	74C908	2.00
3.75		14412	12.95	74C909	2.75
3.75		14419	7.95	74C910	9.95
.95		4502	.95	74C911	8.95
.75		4503	.65	74C912	8.95
.85		4508	1.95	74C914	1.95
2.25		4510	.85	74C915	1.19
.65		4511	.85	740918	1.19 2.75
.65		4512	.85	74C920	17.95
.65		4514	1.25	74C921	15.95
.65		4515	1.79	74C922	4.49
2.20		4516	1.55	74C923	4.95
1.75		4518	.89	74C925	5.95
1.35		4519	.39	74C926	7.95
3.15		4520	.79	74C927	7.95
.85		4522	1.25	74C928	7.95
2.55		4526	1.25	740929	19.95
		4527	1.95	74C930	19.95
			Name and Address of the Owner, where the Owner, which is the Ow		
	A 100 A 100 A				
GE	DE	CIII	ATO	DC	
GE		GUL	AIU	no	

CMOS

Prices Slashed!

74500										
74500	.32	745163	1.95							
74502	.35	745168	3.95							
74503	.35	745169	3.95							
74504	.35	745174	.95							
74805	.35	745175	.95							
74508	.35	745181	3.95							
74509	.40	745182	2.95							
74510	.35	74S188	1.95							
74511	.35	745189	6.95							
74S15	.35	745194	1.49							
74520	.35	74S195	1.49							
74522	.35	74S196	1.49							
74530	.35	74S197	1.49							
74532	.40	74S201	6.95							
74537	.88	74S225	7.95							
74538	.85	74S240	2.20							
74540	.35	74S241	2.20							
74551	.35	745244	2.20							
74564	.40	74S251	.95							
74865	.40	74S253	.95							
74574	.50	74S257	.95							
74\$85	1.99	74S258	.95							
74\$86	.50	74S260	.79							
745112	.50	745274	19.95							
745113	.50	74S275	19.95							
745114	.55	745280	1.95							
74S124 74S132	2.75	745287	1.90							
745132	1.24	745288	1.90							
745133	.45	745289	6.89							
745134	.50	74S301	6.95							
745135	.89	745373	2.45							
745136	.85	745374	2.45							
745139	.85	745381	7.95							
745140	.95	74S387 74S412	1.95							
745151	.95	745412	2.98							
745153	.95	745471	4.95 4.95							
74S157	.95	745472								
74S156	1.95	745474	4.95							
745161	1.95	745482	15.25 2.95							
143102	1.55	745570								
		745571	2.95							

LM301	.34	LM381	1.60	LM1310	1.49
LM301H	.79	LM382	1.60	MC1330	1.69
LM307	.45	LM383	1.95	MC1349	1.89
LM308	.69	LM384	1.95	MC1350	1.19
LM308H	.1.15	LM386	.89	MC1358	1.69
LM309H	1.95	LM387	1.40	LM1414	1.59
LM309K	1.25	LM389	1.35	LM1458	.59
LM310	1.75	LM390	1.95	LM1488	.69
LM311	.64	LM392	.69	LM1489	.69
LM311H	.89	LM394H	4.60	LM1496	.85
LM312H	1.75	LM399H	5.00	LM1558H	3.10
LM317K	3.95	NE531	2.95	LM1800	2.37
LM317T	1.19	NE536	6.00	LM1812	8.25
LM318	1.49	NE555	.34	LM1815	5.20
LM318H	1.59	NE556	.65	LM1818	2.90
LM319H	1.25	NE558	1.50	LM1820	3.50
LM319	1.25	NE561	19.95	LM1830	3.50
LM320	(see 7900)	NE562	6.00	LM1871	5.49
LM322	1.65	NE564	2.95	LM1872	5.49
LM323K	4.95	LM565	.99	LM1877	3.25
LM324	.59	LM566	1.49	LM1889	1.95
LM329	.65	LM567	.89	LM1896	1.75
LM331	3.95	NE570	3.95	LM2877	2.05
LM334	1.19	NE571	2.95	LM2878	2.25
LM335	1.40	NE592	2.75	LM2900	.85
LM336	1.75	LM703	.89	LM2901	1.00
LM337K	3.95	LM709	.59	LM3900	.59
LM337T	1.95	LM710	.75	LM3905	1.25
LM338K	6.95	LM711	.79	LM3909	.98
LM339	.99	LM723	.49	LM3911	2.25
LM340	(see 7800)	LM723H	.55	LM3914	3.95
LM348	.99	LM733	.98	LM3915	3.95
LM350K	4.95	LM741N-8	.35	LM3916	3.95
LM350T	4.60	LM741N-14	.35	MC4024	3.95
LM358	.69	LM741H	.40	MC4044	4.50
LM359	1.79	LM747	.69	RC4136	1.25
LM376	3.75	LM748	.59	RC4151	3.95
LM377	1.95	LM1014	1.19	LM4250	1.75
LM378	2.50	LM1303	1.95	LM4500	3.25
LM379	4.50	LM1304	1.19	LM13080	1.29
LM380	.89	LM1305	1.49	LM13600	1.49
LM380N		LM1307	.85	LM13700	1.49
THE PLANTED HER LINES	ROBERT CHILDREN STORY	THE RESIDENCE OF STREET	MANUFACTURE PROPERTY.		

T = TO-220

H = TO-5 CAN

			SELVENT OF SELECT		THE PERSONNEL
	VOLTA	GE RE	EGULA	TORS	
7805T 7808T 7812T 7815T	.89 .89 .89	78L05 78L12 78L15	.69 .69 .69	7905K 7912K 7915K 7924K	1.49 1.49 1.49 1.49
7824T 7805K 7812K	.89 1.39 1.39	78H05K 78H12K 7905T	9.95 9.95 .99	79L05 79L12	.79 .79
7815K 7824K	1.39 1.39 1.39	7908T 7912T 7915T	.99 .99 .99	79L15 LM323K UA78S40	.79 4.95 1.95
	T = TO-220	7924T	.99 K = TO-3		L = TO-92

TRANSISTORS DIODES

TO-92

TO-92 TO-18

TO-18 TO-3

TO-220 TO-92 TO-92

10/1.00

.25 .25 .79 .69

10/1.00

25/1.00 10/1.00

100/8.99

100/10.99 50/10.99

50/10.99 10/6.99

10/5.99 100/8.99 100/8.99

1000/35.00

NPN SWITCH

PNP SWITCH NPN SWITCH

PNP SWITCH NPN POWER

NPN POWER NPN SWITCH

RECTIFIER SWITCHING

LED DISPLAYS

MAN 72	.3"	CA	.99
MAN 74	.3"	CC	.99
FND-357 (359)	.375"	CC	.75
FND-500 (503)	.5"	CC	.99
FND-507 (510)	.5"	CA	.99

LED LAMPS

	1-99	100-up
Jumbo Red	.10	.09
Jumbo Green	.18	.15
Jumbo Yellow	.18	.15

K = TO-3

DIGI-KEY 800-346-5144

QUALITY — Name brand products from nationally recognized manufacturers.

SERVICE — Computerized order processing and inventory control.

SAVINGS — Volume Discounts • DEM Quantity Pricing • Toll Free 800 Number Clarks • Discount indice at his Price Difference issue atom (CITY)

Linear • Discounts • DEM Control of the Difference issue atom (CITY)

Linear • Demonstration of the Discount indice at his Price Difference issue atom (CITY)

Linear • Demonstration of the Discount indice at his Price Difference issue atom (CITY)

Linear • Demonstration of the Discount indice at his Price Difference is the Discount indice at his Price Diff VISA aster charc DIGI-KEY - DIGI-KEY - DIGI-KEY DIGI-KEY - DIGI-KEY - DIGI-KEY INTEGRATED CIRCUITS
OCHOS Linear Linear GI KEY — DIGI KEY — DIGI KEY — DIG GI KEY — DIGI KEY — DIGI KEY — DIG INTEGRATED CIRCUITS NEW! KIT Cat. No. P6200-Kit ONLY \$3595 CAT. NO. 2.19 (67 ft.) (1.40 ft 310 DISC CAPACITORS Prices include convenient divided plastic box with bin guide for easy storage CAT. NO DH-KIT ONLY \$2495 \$7995 DIP SOCKETS 3.3 6.8 10 15 22 33 IGI-KEY now I 26.70 26.70 28.85 32.32 37.23 45.00 55.05 69.54 91.97 182.37 236.25 240.30 240.30 259.65 290.81 335.02 405.00 495.45 622.83 827.77 1541.27 2126.25 240.30 282.94 332.94 332.94 406.24 406.24 474.98 614.13 790.53 1053.33 1641.27 2126.25 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240.30 240. Redial

1 10

1 1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1

1 1.1


1 1.1

1 1.1 Value UF 22 33 347 1000 220 4700 6800 10000 10000 10000 22 33 33 47 100 2200 3300 6800 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 100 12.63.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 (17.00 NPO TYPE TIN PLATED SOLDER TAIL 10 1.15 1.45 1.60 1.90 2.10 2.25 2.50 2.90 4.20 68 100 150 220 1 .13 .15 .17 .20 .23 .25 .28 .32 .46 Cap.
10 pf
15 pf
15 pf
18 pf
22 pf
27 pf
33 pf
47 pf
33 pf
47 pf
88 pf
82 pf
18 pp
1 74S65N 74S74N 74S86N 26 70 31.44 35.94 45.14 52.78 68.24 87.84 117.04 182.37 236.25 321 378 432 542 634 819 10.54 14.05 21.90 28.35 10 3.20 4.20 4.70 5.40 5.90 6.60 7.20 7.50 9.90 1 .34 .44 .50 .57 .63 .70 .76 .79 3.21 3.21 3.88 4.43 5.30 6.65 8.49 11.43 15.18 21.90 28.35 26.70 26.70 26.70 32.32 36.88 44.14 55.38 70.75 95.25 126.44 182.37 236.25 4.636 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 6.666 13 1.08 14 1.15 14 1.15 16 1.36 21 1.78 24 2.06 35 2.97 38 3.19 50 4.21 87 7.46 1.17 10.01 1.57 13.43 8.94 9.52 9.90 11.31 14.80 17.10 24.69 26.58 35.08 62.10 83.48 111.85 WIRE WRAP DIP SOCKETS 240.30 266.6 300.8 348.3 415.2 517.7 679.5 903.2 3.21 3.56 4.02 4.65 5.54 6.91 9.06 12.05 16.18 21.90 28.35 26.70 29.63 33.43 38.70 46.14 57.53 75.50 100.37 134.83 182.37 236.25 Contacts acpositities
 Contacts acpositities
 Contacts acpositions
 through .021* rectangular
 or round dual-in-line leads
 Wire wrap posts held to true positi
 viding a true position of .020* on
 clent automatic wire wrapping
 YOUR CHOICE: TIN OR GOLD*
 YOUR CHOICE: TIN OR GOLD*
 TEXAS INSTRUMENTS QUALITY 13 1.08 1.3 1.08 1.4 1.15 1.5 1.22 1.7 1.38 2.1 1.73 2.3 1.90 40 3.42 5.52 4.45 5.52 4.54 1.7 10.02 1.17 10.02 1641.27 2126.25 236.25 30.33 33.95 40.35 48.12 59.69 77.48 105.38 182.37 236.25 272.93 305.55 363.15 433.02 537.15 697.28 948.38 1641.23 2126.25 3.64 4.08 4.85 5.78 7.17 9.30 12.65 21.90 28.35 .43 .48 .57 .68 .84 1.09 1.48 2.54 3.31 M340K M340K M340K M340T M340T 500 .73 500 .81 500 .81 500 .81 500 .81 500 .81 500 .1.03 500 1.03 500 1.37 500 1.37 500 1.37 500 1.37 500 1.37 18 3.60 4.90 5.60 6.70 7.50 8.20 8.90 10.30 13.90 58.78 83.47 118.03 100 34.00 48.00 55.00 65.00 74.00 81.00 88.00 102.0 138.0 10 pf 15 pf 18 pf 22 pf 27 pf 33 pf 47 pf 56 pf 68 pf 82 pf 240.3 240.3 240.3 240.3 240.3 240.3 250.3 303.9 349.8 429.8 13 1.11 13 1.11 14 1.19 19 1.60 21 1.78 23 1.90 24 2.05 40 3.42 52 4.5 52 4.5 64 5.42 92 7.84 1.66 14.17 9.20 9.20 9.90 13.30 14.80 15.77 17.10 28.45 37.08 45.13 3.40 3.40 3.40 3.40 3.40 3.82 4.99 5.40 6.84 9.15 19.40 28.35 28.33 28.33 28.33 28.33 28.33 28.33 31.80 41.55 45.00 57.00 26.19 .13 .13 .13 .13 .14 .14 .16 .22 .23 .24 .36 .52 .83 .92 1.31 1.08 1.08 1.08 1.08 1.15 1.18 1.35 1.83 1.90 2.05 3.08 4.45 7.06 7.84 11.16 8.94 8.94 8.94 9.52 9.78 11.20 15.17 17.03 25.62 37.08 58.78 65.32 92.93 NEW! KIT 4160N 4161N 4162N 4163N 4164N CAT. NO. E-KIT ONLY \$5495 74C00N 74C02N 74C04N 74C08N 74C10N 74C14N 74C20N 74C30N 74C32N 74C32N 74C42N Pak Of 100 Pak 01 1,000 148.7, 158.7, 170.5 186.5, 200.3 218.2 228.0 2275.8 275.8 301.0 400.6 663.0 663.0 663.0 663.0 1120.7 1248.0 1510.4 1833.3 1248.0 1510.4 16.53 17.63 18.95 20.73 22.27 24.25 28.65 30.85 33.45 36.97 71.99 73.70 95.85 95.85 124.55 124.55 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 124.53 125.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 126.53 12 9.32 9.32 9.52 10.35 4116 200 nsec 16,384x1 D Ram .13 .13 .14 .15 .16 .18 .24 .27 .38 .50 .78 .92 .99 1.12 1.12 1.15 1.25 1.34 1.50 2.02 2.24 3.18 4.24 6.61 7.84 8.43 14.17 Price Per Pak Of 8 32 128 512 Solder Tob 12.43 16.79 18.60 26.45 35.27 55.02 65.32 70.19 118.03 15.12 57.12 215.00 806.40 15.12 57.12 215.00 806.40 1.89 1.785 1.68 1.575 Working Voltage DC 74C85N 74C86N 74C89N 74C90N 74C93N Cap. 16.85 17.70 18.15 17.70 18.55 17.25 19.00 16.85 17.25 22.60 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 16.85 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 17.25 151.66 159.191.81 159.191.81 159.191.81 159.191.81 159.21 170.76 183.11 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 151.66 NSC Data Books 1.66 14.17 1.14 1.19 1.14 1.19 1.15 1.25 1.7 1.38 1.7 1.41 22 1.83 27 2.27 34 2.88 41 3.50 57 4.83 96 8.22 1.25 10.70 1.78 15.25 S352N S353N S365N S366N S367N 74C95N 74C107N 74C150N 74C151N 74C154N 9.90 9.90 10.35 11.50 11.70 15.19 18.90 24.00 29.14 40.22 Pric \$ 9.00 12.00 6.00 6.00 Per November 2 | N 982 Linear Databook 981 CMOS Databook 1980 Interface Databook NSC Databook Set LS368N LS373N LS374N LS386N LS395N 2.95 3.40 3.60 3.55 3.90 4.20 4.50 4.80 4.95 5.20 5.80 5.70 6.80 7.80 7.40 28.0 32.5 34.3 33.9 40.4 43.3 46.0 48.2 49.3 56.1 55.5 61.7 65.6 76.8 72.1 68.47 89.13 127.04 13.68 13.68 13.68 13.68 13.68 13.68 13.68 13.68 13.68 15.43 22.28 24.60 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 24.40 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 26.60 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 123.00 12 NEW! KIT Micro M-KIT ONLY \$3495 Cap. (UFD) .001 .0012 .0015 .0018 .0022 Pak of 1,000 75.04 75.04 75.04 75.04 75.04 75.04 75.04 75.04 75.05 75.04 75.07 75.04 75.08 80.44 80.44 80.44 80.44 80.44 74C904N 74C905N 74C906N 74C907N 74C908N Part No. Wire Wrap
C4-10
C4-15
C4-18
C4-20
C4-22
C4-25
C4-28
C4-30
C4-31
C4-35
C4-36
C4-44
C4-50 we 1 1 19
4.35 42.20
5.50 49.50
5.50 53.30
5.90 57.10
6.20 59.10
6.60 64.30
6.70 65.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6.90 67.70
6 C3-10 C3-15 C3-18 C3-20 C3-22 C3-25 C3-28 C3-30 C3-31 C3-35 C3-44 C3-50 28.40 33.40 35.90 38.70 40.90 45.70 47.40 48.60 51.70 59.10 64.20 72.56 77.59 Panasonic TSW Series
Large Aluminum Electrolytic Capacitors 2.95 3.40 3.70 3.95 4.20 4.70 4.85 4.95 5.25 6.10 6.55 7.40 7.90 MOLEX I.C. SOCKET PINS Prices 10 \$12.96 15.87 20.51 25.80 26.36.72 13.26 16.22 26.30 26.80 34.58 44.43 11.00 14.87 20.01 25.65 32.93 42.17 Cap. (μF)
3300
4700
6800
10000
15000
2200
3300
4700
6800
10000
15000 \$116.66 142.85 184.66 232.90 330.55 119.44 145.95 119.47 183.20 241.20 241.20 241.20 241.20 241.20 241.20 241.20 339.90 180.10 296.40 379.56 121.11 185.99 256.00 333.61 \$1.68 2.06 2.67 3.35 4.77 1.72 2.11 2.65 3.48 4.49 5.78 1.93 3.33 4.28 5.48 1.75 2.60 3.70 4.85 5.87 Part No. Solder Eye C2-10 C2-12 C2-15 C2-18 C2-22 C2-25 C2-28 Part No. Solder Tail C1-10 C1-12 C1-15 C1-18 C1-22 C1-25 C1-28 Ways Order F 2.55 2.90 3.03 3.27 3.69 4.25 4.47 23.80 27.50 28.28 30.52 34.44 40.40 41.72 86.18 93.38 96.64 99.57 101.48 P651 P651; P651; P651; P651; P651; P651; P652; P652; 1000 2200 3300 4700 6800 1000 2200 3300 4700 6800 4.11 4.35 4.77 5.07 5.58 6.18 6.51 \$18.50 \$33.95 .19 1.58 12.28 .21 1.80 12.85 .23 2.01 14.30 .26 2.26 16.09 .28 2.38 16.98 .32 2.72 19.40 .34 2.96 21.12 .39 3.35 23.88 .41 3.58 25.57 115.66 128.70 144.75 152.78 174.60 Interface DIGI-KEY 190. 214. 230. 15.53 26.15 41.98 139.75 253.30 377.80 470 1000 2200 220 330 470 2.02 3.40 5.46 2.55 3.52 4.49 2.58 4.13 5.84 Volume P6525 P6526 P6527 176.6 243.6 310.1 178. 286.6 404.6 \$149.95 19.63 27.07 34.54 3050P-Kit ONLY \$3595 250 DIGI-KEY Stocks Most A.P. Products *2995

suffix.ND following the part number. After writing your order, total all of the discountable items and apply the appropriate discount. I othis subtrail, and the non-discountable items. Then order to the habilatir. Arrange. We pay all all shipping and instance to addresses in the U.S.A. Canada and Mexico when payment accompanies order.

WHIN ORDIRING BY PHONE, CALL: 1.200-346-5144 (Min., Ak., Hi., cell 218-681-6514) by mail lead your crist. BIGLERY, Highway 32 South, Thief River falls, MN 56701 replaced or refunded if returned within 90 days from receipt with a copy of your mayor by.

DIGI-KEY 800-346-5144



suffix ND following the part number. After writing your order. Intoll oil of the days it enhanced by the suffix ND following the part number. After writing your order. Intoll oil of the discountable items and apply the appropriate discount. To this subtrait, and the non-discountable items. The noad the nonling chaige. We pay oil shipping and insurance to addresses in the U.S.A. Canado and Mexico when check or money order occompanies order. WHEN ORDERING 87 PHONE, CALL: 1-800-346-3144 (Min., Ak., Hi., call 21-861-4641) 89 mail sand your order. BOILCHET, Mightwey 32 South, Third River Falls, MN 56701 You may pay by check, money order. Moster Charge. VISA or C.O. D. DIGT-KEY GUARANTEE: Any parts or products purchased from Digs Key that prove to be defective will be replaced or refunded if returned within 90 days from rescaled with a const of your invaries.

HANDLING CHARGES VOLUME DISCOUNT
5 0.00-5 9.99 Add \$2.00 5 0.00-5 99.99 NE
5 10.00-525.00 Add \$0.70 5 100.00-5249.99 Less 10
5 25.00-549.99 Add \$0.75 5 500.00-599.99 Less 20
5 5 50.00-599.99 Add \$0.25 5 500.00-599.99 Less 20

FULL LINE ALL PARTS & COMPUTER PRODUCTS

P.O. Box 4430C Santa Clara, CA 95054 Will calls: 2322 Walsh Ave. (408) 988-1640

Same day shipment. First line parts only. Factory tested. Guaranteed money back. Quality IC's and other components at factory prices.

	NTI	EGRATE	D C	IRCUIT	S
741 SOO TTI		MOS/MEMORY 2101-1 2102-1 2102AL-4 2102AN-2L 2104A-4 2107B-4 2111-1 2112-2 2114 2114 300ns 2114L 450ns 4116 200ns 4116 200ns	RAM	6551	11 95
74LS00N	25	2101-1	1.95	6800	5 70
74LS02N	.25	2102-1	.85	6802	11.95
74LS04N	.25	2102AL-4	1.25	6820	4.95
74LS05N	.25	2102AN-2L	1.65	6850	3.50
74LS08N	.35	2104A-4	4.95	8080A	3.95
74LS10N	.20	21078-4	3.75	8085A	8.50
74L513N	90	21112-2	2.99	Z80A	6.00
74LS14N	25	2114	2.33	780A C10	18.50
74LS22N	.25	2114L 300ns	2.00	8212	1 85
74LS28N	.35	2114L 450ns	1.95	8214	3 75
74LS30N	.25	4116 200ns	2.25	8216	1.80
74LS33N	.55	8/4116 200ns	12.40	8224	2.50
74LS38N	.35	MM5280	3.00	8228	4.95
74LS/4N	50	MMD321	9.95 E 04	8251	4.75
74LS75N	60	P51011	8 95	8253	8.95
74LS93N	.65	4200A	11.50	8257	9 75
74LS95N	.85	9368	3.50	8259	6.90
74LS107N	.40	410D	10.00	1802CE plas.	13.95
74LS112N	.45	416	2.50	1802E plas.	17.95
74LS113N	.40	IMM2U16	5.95	1861P	5.95
74L5132N	49	HM61161 D3	8.05	MSM5832	8.95
74LS151N	.75	4164 200ns	7 25	Z80B	18.95
74LS155N	.79	4116 200ns 8/4116 200ns 8/4116 200ns MM5280 MM5321 MM5330 P5101L 4200A 9368 410D 416 TMM2016 HM6116-4 HM6116 LP3 4164 200ns MK 4816 MK 4816 MK 6502	24.50	Z80 P10	6.50
74LS157N	.75	MICROPROCE	SSOR	Z80A P10	5.95
74LS162N	.95	6502	5.95	Z80 CTC Z80A CTC	0.93
74LS163N	.95	6502A	7.25	DDOM	0.0.
74LS174N	1.00	6502B	14.95	1702A	4.5
74LS19UN	1 19	6504	6.95	2532	7.9
74LS258N	:69	6530	9.50	2708	3.7
74LS162N 74LS163N 74LS174N 74LS190N 74LS221N 74LS258N 74LS367N	.69	6502 6502A 6502B 6504 6522 6530 6532	11.25	PROM 1702A 2532 2708 2716TI 2716 5 Volt	8.5
		0002		2716 5 Volt	4.9
Lincar	CBA	DS and 74	nn		6.9
rinear	C MI	Jo and 14	UU	6136	6.9

Phone orders only (900) 529 9106

	Phon	le ora	ers	s on	IY (BUU)	230-0	115	סנ
N82S23 N82S123 N82S126 N82S129 N82S131 N82S137 DM8577	2.95 3.95 5.75 4.75 4.95 8.75 2.90	Solder Tin PIN 1UP 8 .13 14 .14 16 .16 18 .20	Low PIN 22 24 28 36	Profile 1UP .30 .30 .40 .58	DISPLAY LEDS MAN72/74 DL704 DL707/DL707R DL727/728 DL747/750 FND359	CA CA	300	.75 1.25 1.00 1.90 1.49 70
2716-1 UART/FIFO AY5-1013	8.95 3.95	20 .29 WIRE WR PIN 14 .55	AP LE PIN 24	.49 VEL 3	FND500/507 FND503/510 FND800/807 10 digit display	CC/CA CC/CA CC/CA	.500 .500 .800	.99 .90 2.20 1.25
AY5-1014A/1 3341 INTERFACE 8095 8096 8097	612 6.95 6.95 .65 .65	16 57 18 67 2 level 14 p CRYSTALS	28 40 pin w/w	1.00	7520 Clairex phi TIL311 Hex MAN4610 MAN4710 MAN6640	CA CA CC CA	.40 .40 .56	.39 9.50 .99 .95 .99
8098 8T09 8T10 8T13 8T20	1.25 1.75 1.40 4.95	2 MHz 4 MHz 5 MHz 10 MHz 18 MHz		3.95 3.95 3.95 3.95 3.95 3.90	MAN6710 MAN6740 OK WIRE WRAP Complete line of	TOOLS in		
8T23 8T24 8T25 8T26	1.75 1.75 3.20 1.69	20 MHz 32 MHz 32768 Hz 1.8432 MI 3.5795 MI		3.90 3.90 4.00 4.50 1.20	KEYBOARDS 56 key ASCII ke Fully assembled Enclosure Pla Metal Enclose	stic		74.95 84.50 19.95 69.95
8T28 8T97 8T98 RESISTORS		2.0100 M 2.097152 2.4576 M 3.2768 M	Hz MHz Hz Hz	1.95 3.95 3.95 3.95 3.95	UHF Preamp Ki Switching Powe	t \$34.95.		

8-4116 200ns Dynamic RAM 8/\$12.40

Modem Kit \$60.00

complete lines in stock

Send for catalog.

State of the art, orig., answer. No tuning necessary. 103 compatible 300 baud. Inexpensive acoustic coupler plans included. Bd. Only \$17.00. Article in June '81 Radio Electronics.

39.95 29.95 31.95

Z80 Microcomputer Kit \$69.00

16 bit I/O, 2 MHz clock, 2K RAM, ROM Bread-board space. Excellent for control. Bare Board \$28.50. Full Kit \$79.00. Monitor \$20.00. Power Supply Kit \$35.00. Tiny Basic \$30.00

Video Modulator Kit Convert TV set into a high quality monitor w/o affecting usage. Comp. kit w/full instruc.

Type-N-Talk by Votra:

Multi-volt Computer Power Supply 8v 5 amp, \pm 18v .5 amp, 5v 1.5 amp, -5v .5 amp, 12v .5 amp, -12v option. \pm 5v, \pm 12v are regulated. Basic Kit \$35.95. Kit with chassis and all hardware \$51.95. Add \$4.00 shipping.

60 Hz Crystal Time Base Kit \$4.40

INTRODUCING A BRAND NEW MICROCOMPUTER **Venture**

W!

VENTURE is a single board computer that is an adventure for the hobbyist. It is a learning training computer as well as just plain fun for anyone who wants to get into a state-of-the-art computer at rea-

sonable cost.

VENTURE comes in kit VENTURE comes in kit form or fully assembled and tested. You can get it in its minimum configuration for as little as \$195.00 or take it all the way to floppy disks and voice. It can be expanded as a kit or fully assembled, at your own race and choice.

pace and choice.

VENTURE is a 16" by 20" main board with separate ASCII and HEX keyboards. It runs fast, almost 4 MHz and has the capability of putting 1.5 megabytes of RAM and ROM on the board along with a variety of inexpensive ontions.

On Board Options
16 channel A to D; 5 slot 60 pin bus, 2 serial ports, parallel ports; 4 video options incl. color. 52K RAM. Votrax voice synthesizer, sound gener-ator, EPROM; Full Basic, disassembler, editor, as-sembler; metal cabinet, additional power supply, ASCII keyboard real time clock calendar.

Expansion Options

Expansion Options
Floppy Disc. EPROM Programmer. light pen, universal user programmable music, sound board high resolution color/grayscale pixel mapped video board, General Purpose Instrument Bus, 8088 co-processor board.
Minimum VENTURE System \$195.00
Kit includes CPU and control with 4K of RAM, 1K of scratchpad, 2K monitor, 1861 video graphics, cassette interface and separate HEX keyboard with LED displays for address and output. Power supply is included along with 2 game cassettes. The main board is 16" x 20" and includes space for all of the previously discussed on-board options. Full on-board expansion can be completed for under \$1000.00. Call for further details, option prices etc.

RCA Cosmac 1802 Super Elf Computer Kit \$106.95

The Super Elf is a tremendous value as it combines video, digital displays, LED displays, and music, all on a single board for \$106.95. The Super Elf expansion capability is virtually unlimited and you can do it inexpensively one step at a time. Expansion includes cassette interface, additional memory, color video, Basic, ASCII keyboard, printer, floppy, S-100 bus, RS232 etc.

ASCII Keylodru, printer, hoppy, 5-100 bus, RS232, etc. The Super Elf comes complete with power sup-ply and detailed 127 page instruction manual which includes over 40 pages of software, in-

cluding a series of lessons to help get you started and a music program and graphics target game. Many schools and universities are using the Super Elf as a course of study. OEM's use it for training and R&D. A monthly newsletter, Questdata is devoted exclusively to software for the Super Elf and there are many software hooks available at low cost. software books available at low cost

Free 14 Page Brochure
Send or call for a free brochure on all details
and pricing of the Super Elf and its expansion.
"Eat & Run" cassette \$14.95

Rockwell AIM 65 Computer

6502 based single board with full ASCII keyboard and 20 column thermal printer, 20 char, alphanumeric display ROM monitor;, fully expandable. \$439.00. 4K version \$454.00. 4K Assembler \$35.00, 8K Basic \$65.00 FORTH \$65.00

Prices subject

to change

Elf II Adapter Kit \$24.95

PROM Eraser

assembled. 25 PROM capacity \$37.50 (with timer \$69.50). 6 PROM capacity OSHA/ UL version \$78.50 (with timer \$108.50).

FREE: Send for your copy of our 1982 QUEST CATALOG. Include 88¢ stamp.

CIRCLE NO. 34 ON FREE INFORMATION CARD

We accept VISA, MC. C.O.D., CHECK or M.O

FIRST QUALITY COMPONENTS - NOT MAIL ORDER "SECONDS"

INSERTION 1 FORCE SOCKETS -

cam actuated true zero insertion -tin plated solder tail pins -capable of being plugged into dip sockets, including wire wrap

Stock	No			
No.	Pins	1-24	25	50
11055	24	\$ 4.35	\$ 3.90	\$ 3.60
11056	28	4.50	4.05	3.75
11057	40	5.95	5.35	4.95
11058	64	10.50	9.45	8.70

82508 - 700 pcs. (1 each below assort'd.) \$22.50 RESISTOR ASSORTMENT Stock No. 82501 10 ea. of 10-12-15-18-22-27-33-39-47-56 OHM

\$10.00 min. VISA and MasterCard accepted. \$1.00 insurance optional.

Stock No. 83502 10 ea. of 68-82-100-120-150-180-220-270-330-390 OHM Stock No. 82503 10 ea. of 470-560-680-820-1K-1.2K-1.5K-1.8K-2.2K-2.7 OHN Stock No. 82504 10 ea. of 3.3K-3.9K-4.7K-5.6K-6.8K-8.2K-10K-12K-15K-18K OHM Stock No. 82505 10 ea. of 22K-27K-33K-39K-47K-56K-68K-82K-100K-120K OHM

Stock No. 82506 10 ea. of 150K-180K-220K-270K-330K-390K-470K-560K-680K- 820K-OHM Stock No. 82507 10 ea. of IM-1.2M-1.5M-1 6M-OHM

WILD ROVER

TERMS: \$5.00 min. order U.S. Funds. Calif. residents add 6% tax.

Shipping: Add 5%; orders under \$25.00—10%.

Stock No. 1-9 10 25 12098 \$ 1.28 \$ 1.12 \$.95

.8M-2.2M-2.7M-3.3M-3.9M-4.7M-5										
H,	60/40	ROSI	N COI	RE SOI						
	Stock		Length	Weight						
	No.	Dia.	(feet)	(OZ.)						
	50075	062	9	1.5						
,	50076	062	25	4						
	50077	062	50	8						







Stock	No Pins	1-24	25	100	
11301	8	\$.45\$.40\$.36	
11302	14	.66	.59	.54	
11303	16	.72	.64	.58	
11304	18	.82	.73	.66	
11305	20	1.11	.99	.90	
11306	22	1.26	1.12	1.02	
11307	24	1.41	1.25	1.14	
11308	28	1.71	1.52	1.38	
11309	40	2.31	2.05	1.86	
The second					

MODUTEC

-

D

8

Price \$.25

TILOW PROFILE SOCKETS

Fin plated phosphor pronze con act pins John Mills

Miniclamp AC Volt-Ammeter

SET of \$99.00 13730 C-25A \$30.00 allows singling one conductor out of many without disarrangement.

13730 13731 13732 ACCESSORY LINE SPLITTER

allows fast readings of AC power consumption of plug in equipment without separation of leads.

Stock No. 13727 \$9.95

with gas	s tight sea	IJUV	V-	
Stock No.	Control of the Contro		25	100
11201	8	\$.15	\$.13	\$.12
11202	14	.18	.15	.14
11203	16	.21	.18	.16
11204	18	.24	.21	.19
11205	20	.27	.24	.21
11206	22	.30	.26	.23
11207	24	.33	.30	.25
11208	28	.38	.34	.29
11209	40	.53	.45	.40
Comment of				

Min. order \$10.00 - add

5% Shpg and \$1.00 Ins

0-25A \$39.50 0-50A 39.50 0-100A 39.50 \$39.50

ELPAC POWER SUPPLIES - DC/DC CONVERTERS

ELPAC POWER SUPPLIES - SOLV SERIES FULLY REGULATED

ELPAC Part No.



ower Supply For \$109.00 13801-1 Data Sheet for 13801 \$ 25

OK MACHINE AND TOOL

| SHITEC | ELPAC | Input | Output | Output | Output | Dimensions |
Stock No | Voltage | Output | Output | Output | Output |
SOO MW Type | (VCC) | (VCC) | (MA) | In Inches |
13825 | C83801 | 3,07.0 | 121.06 | 0.25 | 485.513.05 |
13826 | C83811 | 3,07.0 | 121.06 | 0.25 | 485.513.05 |
13827 | C83802 | 3,07.0 | 151.07 | 0.20 | 485.513.05 |
13828 | C83812 | 3,07.0 | 151.07 | 0.20 | 485.513.05 |
13829 | C83804 | 3,07.0 | 281.07 | 0.10 | 485.513.05 |
13830 | C83814 | 3,07.0 | 281.07 | 0.10 | 485.513.05 | CL3801 4 0-7 0 CL3811 4 0-7 0 CL3802 4 0-7 0 CL3812 4 0-7 0 CL3804 4 0-7 0 CL3814 4 0-7 0 12±0.6 12±0.6 15±0.7 15±0.7 28±1.4 28±1.4 13825-1 DATA SHEET FOR DC DC CONVERTERS


(HxWxD)

Special of the Month!

IC-KOOLERS* from UNITRACK* dissipate over 2 watts of heat from IC's, producing longer life and better performance. Just push IC-Kooler on heat is collected from top and bottom of IC and dissipated. Won't shake lossel Stock No.Pin No. in IC 22225 14 22226 16 22227 18 22228 20



PIN FORMING TOOL



ONE TOOL DOES 8 Thru 40 PINS! Stock No. 11059 \$12.95

One-piece, spring steel con-struction.WillextractallLSI,MSI and SSL devices with 8 to 24

\$2.10

Stock No.

IC EXTRACTOR



POCKET SIZED BATTERY TESTER

VOLT-I-CATOR

automotive diagnostic meter plugs into lighter socket and indicates bat-tery condition and charging rates. Stock No. 13736 \$15.95

for all types of small batteries from 1.35v to 4.5v

Stock No. 13733 \$13.95

AC VOLTAGE TESTER

plugs into any 110v service receptable to check time voltage over 50-150 VAC

Stock No. 13735 \$14.95

VOM-MULTITESTER
versatile Volt-Ohm-Milliammeter in
small package
95 Stock No. 13729 \$13.95

engage conductive according to the conductive and include grounding lugs. Stock No. \$37.74

IC INSERTION.

EXTRACTION KIT

SINTEC Stock No

Drawer Q Milford CO. NJ 08848-9990

\$1.82 per pack

SOCKET WRAP ID





TOLL 800-526-5960 FREE in NJ (201) 996-4093

Send for Free Catalog - over 1100 parts.

CIRCLE NO. 36 ON FREE INFORMATION CARD

QUALITY parts at DISCOUNT PRICES





RECORD CHANGER



\$17.50 each

B.S.R. MODEL C136R/C/3 PLAYS 33/45/78 RECORDS MINI SIZE: 8 1/4" X 12"

INCLUDES DUST COVER AND PLASTIC CASE (NOT PICTURED)
WITH FRONT CUT OUT TO FIT
STEREO UNIT (NOT INCLUDED).

JOYSTICK PRECISION DEVICE...



VARACTOR DIODE 16 PF

MV2205 3 FOR \$1.00 BB-103 4 FOR \$1.00 100 FOR \$22.50

BRIDGE RECTIFIER

GENERAL INSTRUMENT # KBPO4 1 1/2 AMP 400 P.I.V. 2 FOR \$1.30

-15 VDC METER



SOUARE METER MEASURES 0-15 VDC. \$4.50 EACH

CASE



ADJUSTABLE HEIGHT FROM 1.63" TO 2.93"; WIDTH 6.85"; DEPTH 8". BUILT-IN STAND OFFS FOR P.C. BOARDS..FRONT AND BACK PANELS NOT INCLUDED.. \$5.25 PER CASE

PHOTO-FLASH 35 MFD 330 VOLT 5/8" DIA.

9 45¢ EACH... 10 FOR \$4.00 170 MFD 330 VOLT

1 1/8" X 7/8" 2 FOR \$1.50/10 FOR \$7.00

600 MFD 360 VOLT 3 1/2" HIGH X 1" DIA. \$1.00 EA. 10 FOR \$9.00



750 MFD 330 VOLT 2" HIGH X 1 1/4" DIA. \$1.25 EACH 10 FOR \$11.00

COMPUTER GRADE CAPACITOR

1700 mfd. 150 VDC \$2.00 3,600 mfd. 40VDC \$1.00 1 3/8" DIA. X 3" HI

6,400 mfd. 60VDC \$2.50 3/8" DIA X 4 1/4" 12,000 mfd. 40 VDC \$3.00

2" DIA X 4 1/4" HIGH 18,000 mfd. 75 VDC \$4.00 2 1/2" DIA X 4 1/2" HIGH 22,000 mfd. 15 VDC 22,000 mtd. 15 VDC
22,000 mtd. 40 VDC
21 DIA. X 6" HIGH \$3.00
24,000 mtd. 30 VDC
1 3/4" DIA X 4" HI \$3.50
31,000 mtd. 15 VDC
1 3/4" DIA X 4" HI \$2.50

1 3/4" DIA X 4" HI \$2.50 72,000 mfd. 15 VDC 2" DIA. X 4" HIGH \$3.50 COMPUTER GRADE CAPACITOR SPECIAL 180,000 mfd. at 6V 2½" DIA X 4½" HIGH \$1.50

CLAMPS TO FIT CAPACITORS 50c ea



4 VDC at 70 MA \$2.50 VDC at 125 MA \$2.50 DC at 100 MA \$2.00 DC at 225 MA \$3.00 9 VDC at 100 MA 9 VDC at 225 MA 22 VDC at 60 MA

TRANSFORMERS

primaries

5.6 VOLTS at 750 MA 6 VOLTS at 150 mA 16.5 V. at 3 AMPS 18 VOLTS at 350 MA \$6.50 18 VOLTS at 1 AMP 18 V.C.T. at 2 AMP 24 VOLTS at 250 ma 24 VCT at 1 AMP 42 V.C.T. at 1.2 AMP 65 V.C.T. at 2 AMP \$4.50 \$5.50

L.E. D.'s

STANDARD JUMBO
DIFFUSED
RED 10 FOR \$1.50
GREEN 10 FOR \$2.00
YELLOW 10 FOR \$2.00
FLASHER LED
S VOLT OPERATION
RED JUMBO SIZE
\$1.00 EACH \$1,00 EACH
BI POLAR LED
2 FOR \$1.70
SUB MINI LED
RED

.079"X .098" 10 FOR 20 mA at 1.75 v \$1.00 200 FOR \$18.00

LED HOLDERS

TWO PIECE HOLDER FOR JUMBO LED

10 FOR 65¢ 200 FOR \$10.00

CRYSTALS
CASE STYLE HC33/U

2 MHZ: COLORBURST 3579.545 KC \$1.00 EACH

FREE! SEND FOR OUR NEW 1983 40 PAGE CATALOG FREE!

MINIATURE **6VDC RELAY**

SUPER SMALL SPDT SUPER SMALL SPDT
RELAY; GOLD COBALT
CONTACTS. RATED
1 AMP AT 30 VDC; HIGHLY
SENSITIVE, TTL DIRECT DRIVE
POSSIBLE, OPERATES FROM 4.3
TO 6 V, COIL RES, 220 OHM.
1 3/16" X 13/32" X 7/16"
AROMAT # RSD-6V

\$1.50 EACH 10 FOR \$13.50

EDGE CONNECTOR



22/44 GOLD SOLDER EYELET \$2.50 EACH

BLACK LIGHT (ULTRAVIOLET) G.E. # F6T5BL \$2.50 each

4PDT RELAY

14 pin style
3 amp contacts
24 volt d.c. or
120 volt a.c. coil \$1.70 EACH

LARGE QUANTITIES AVAILABLE
SOCKETS FOR RELAY 50¢ each

6 VDC RELAY

MINIATURE D.P.D.T. 3 AMP CONTACTS FUJUITSU # FBR321D006 \$1.75 EA 10 / 16.00

CONTACT: S.P.N.C.
10 AMP @ 120 VAC
ENERGIZE COIL TO
OPEN CONTACT...
COIL: 13 VDC 650 OHMS

ASSEMBLY INCLUDES VOLUME, BALANCE AND TONE CONTROLS, CERAMIC PHONE INPUT, LINE INPUT AND 8 0+M OUTPUT FOR SPEAKER OR HEADPHONES. OPERATES ON 12 VAC @ 500MA. OUR ABOVE 12 VOLT TRANSFORMER IS IDEAL FOR THIS APPLICATION \$4.50 EACH our Is



4 WATT STEREO AMP

2 CHANNEL LIGHT ORGAN



EASILY HOOKS INTO STEREO SPEAKERS
AND ALLOWS 110 VAC LICHTS TO DANCE
WITH MUSIC. TWO SEPARATE 110 VAC
UNTPUTS FOR HIGH AND LOW FREQUENCY
AUDIO SIGNALS. USE TWO ORGANS FOR
STEREO... \$6.50 PER UNIT

COLOR LIGHT STRING AVAILABLE \$1.75 EA

FOOT CONTROL WITH SIDE SWITCH

MEASURES 4 3/4" X 9 3/4" WITH 100 K LINEAR POT AND MOMENTARY S.P.D.T. SWITCH.

\$6.50 EACH AM/FM/MPX

CHASSIS

THIS AM / FM / STEREO CHASSIS IS COMPLETE AND



500K linear taper 3/4" TRAVEL 75¢ EACH

SLIDE POTS

DUAL 100 K AUDIO TAPER SLIDEPOT

3 1/2" LONG 2 1/2" TRAVEL. \$1.50 EACH

KEYBOARD

KEY SWITCH

S.P.S.T. 4 AMPS @ 125 VAC KEY REMOVES BOTH

LIGHTED

PUSH BUTTON

POSITIONS \$3.50 EA

RED LIGHTED 120 VAC 10 AMP. S.P.S.T. "POWER" PRINTED ON

FACE. MOUNTS IN 7/8" SQUARE HOLE.. \$1.50 EA 10/ \$13.50



ENCODED

TERMINATES TO FLEXIBLE CABLE WITH CONTACTS ON .100 CENTERS. EDGE CONNECTOR INCLUDED...

\$4.50 PER KEYBOARD, CASE, AND CONNECTOR.....

riii g CHASSIS IS COMPLETE AND READY TO PLUE IN EXCEPT FOR THE SPEAKERS... HAS CONNECTIONS FOR UP TO 4 SPEAKERS, A TURNITABLE, RECORDING OUTPUT AND HEADPHONES. IDEAL FOR MOUNTING INTO YOUR CUSTOM CABINET... \$12.50 EACH

=0

EQUIPMENT SLIDES CHASSIS-TRAK MODEL

3 SECTION. LENGTH 22" CLOSED. HOLDS TO 85 LBS, EXTENDS 23"

G.E. # V82ZA12 50 VOLTS, NOMII 50 VOLTS, NOMINAL D.C. VOLTAGE. 5/8" DIAMETER. 2 FOR \$1.50

METAL OXIDE VARISTOR

\$5.00 PER PAIR SOME HARDWARE INCLUDED

OLL FREE ORDERS ONLY 1-800-826-5432 (ORDER ONLY) ALASKA, HAWAII, CALIF OR INFORMATION (213) 380-8000

=

Quantities Limited
Min Order \$10.00
Add \$2.50
Shipping USA
Calif Res Add 61/2%
Prompt Shipping


905 S Vermont Ave

P.O. BOX 20406 Los Angeles, Calif. 90006

CIRCLE NO. 3 ON FREE INFORMATION CARD

WE TAKE

You'll learn all about computers: how to build, program, service, even play TV games-without knowing the first thing about it!



The New ELF II "Beginners" Package

Your own expandable micro-computer kit, 5 diagnostic analyzers plus circuit, programming, diagnostic manuals, even games you can play on TV. All only \$139.95.

Even if you don't know bits from bytes, now it's easy and inexpensive to build your own micro-computer, learn how it works, program it, service it-even play games with it on your TV! It's here in the New ELF II "Beginners" Package, only from Netronics. Only \$139.95. Here's the package: 1, your own micro-computer, the famous ELF II (featuring the RCA 1802 CMOS microprocessor) in kit form with step-by-step instructions on how to build it. Diagnostic Analysers including 2. your own Logic Probe, 3. Pulse Catcher, 4. 8 bit Test Registor, 5. Logic Analyzer, 6. Gate Arrays, 7. Non-Technical Manuals on how to use analyzers, how to get into the guts of the computer, what makes it tick, how to service it. 8. Sample Programs that teach you machine language programming plus how to correct or "debug" any programming mistakes. 9. TV games you can play. If your TV set has no video input, an optional converter (RF Modulator), is available. Then, once you've got this "Beginners" Package under your belt, keep on expanding your ELF II with additions like the Typewriter Key Board, added RAM, Full Basic Interpreter, Electric Mouth Talking Board, Color/Music, A/D-D/A Boards for Robot Controls and much, much more. We'll take you by the hand with the New ELF II "Beginners" Package. Only \$139.95.

with the New ELF II "Beginners Package. Only \$139.9 Mail or phone in your order today and begin.
Specifications: ELF II "Beginners" Package
The computer features an RCA CMOS 1802 8 bit microprocessor addressable to
64K bytes. Who Mail micropt. 18 Registers. ALU. 256 byte RAM expandable to
64K bytes. Professional-Hex keyboard. fully decoded so there's no need to waste
memory with keyboard scanning circuits, built-in power regulators. 5 slot plugin
expansion BUS (less connectors), stable crystal clock for timing purposes and a
double-sided, plated through PC Board plus RCA 1861 video IC to display any
segment of memory on a video monitor or TV screen along with the logic and support
circuitry you need to learn every one of the RCA 1802 scapabilities. The diagnostic
analyzers aid in understanding and trouble shooting your ELF II, as well as other
computer and microprocessor products.

Continental U.S.A. Credit Card Buyers Outside Connecticut

CALL TOLL FREE 800-243-7428 To Order From Connecticut or For Technical Assistance, Etc.,

Call (203) 354-9375

NETRONICS R&D LTD. Dept. CE-2 333 Litchfield Road, New Milford, CT 06776

Please send the items checked below:

ELF II "Beginners"	Kit					 			\$13	9.9)5
RF Modulator									\$	8.9)5

Plus \$3.00 for postage, handling and insurance

Connecticut Residents add sales tax

Total Enclosed \$

☐ Personal Check ☐ Cashier's Check/Money Order □ Visa □ Master Charge (Bank No. _

Acct. No. Signature Exp. Date

Print Name

Address City

State_ _Zip _

Computer Mart

RATE: Ads are 2" by 3". 1 insertion: \$625.00. 6 insertions: \$600.00 ea. 12 insertions, \$575.00 ea. Closing date: 1st of the 2nd mo. preceding cover date. Send order and remittance to Computer Mart, Computers & Electronics, 1 Park Ave., N.Y., N.Y. 10016. Direct inquiries to (212) 725-4216.



NEW! PLUG-IN MEMORY-X-TENDER

Expand your HP-41C/CV to 10.6k (1600 registers) with the AME DESIGN Memory-X-Tender. Requires no modification to the calculator. Card Reader remains in place. One switch selects Bank A or B. Each bank can hold one X-FUNCTION and two X-MEMORY Modules. Additional slot for HP-IL Module. Built-in Lithium battery to maintain

SPECIAL INTRODUCTORY PRICE!!

AME DESIGN

Box 373 13450 Maxella, G185 Marina del Rey, CA 90291 (213) 306-1249

Please add \$2.00 for shipping, include 6% sales tax

© 1982 AME DESIGN

CIRCLE NO. 100 ON FREE INFORMATION CARD



CONDITIONAL SALE

We must receive at least 100 orders to qualify for a special purchase price. If less than 100 orders are received, all payments will be returned within 30

How To Order: Make checks and money orders n the amount of \$87.50 payable to E. Arthur Brown Co. MN residents add \$4.38 for sales tax. VISA & Mastercard: Give card name, number, expiration date, and sign your order. Finally, print or type your name, address, and zip code on a blank sheet of paper and mail it along with your method of payment to the address below.

E. Arthur Brown Company

Dept. TC:2 702 Oak Knoll Drive Alexandria, MN 56308

A ZX-81 breakthrough!



The CAI/ESF mass storage device

 Load or store 27K bytes in less than 30 seconds.

- · Your existing cassette-stored programs transfer easily.
- Menu-driven, access by keyboard command
- · Second drive easily added for greater flexibility
- For T/S 1000, ZX-81 and ZX-80 \$119.95*
- * Requires CAI/O Board for interface \$69.95

Order by phone or mail. Check, money order, VISA or MasterCard (include number and exp. date). Post. in U.S. \$5

CAI Instruments

PO Box 2032, Midland, MI 48640 © Copyright 1982 CAI Instruments, Inc.

517-687-7343

CIRCLE NO. 104 ON FREE INFORMATION CARD

Television Signal Processing Manual **Microwave Television Education Manual** \$16.25

Both TV Manuals only . . . \$26.95

Your Fortune in the **Microcomputer Business**

Vol I: Getting Started . . Vol II: Growth, Survival and

Both Microcomputer Books

\$26.85

Catalog on Video Products and exciting kits only \$2.00. Include 5% shipping. California residents add tax

Abex



P.O. Box 26601-CE San Francisco, CA

CIRCLE NO. 101 ON FREE INFORMATION CARD



1983 Directory

- Where to find: Disk Drives, RAM Extensions, Printers, Modems, Key Boards, Game and Serious Software, Books, Programming Aids, and Other **Exciting Accessories!**
- Articles on: Timex Sinclair 1000, History & Development, New Accessories, How-To-Projects.

 Reviews of: Books & Monthly Publications

No ZX81 or Timex 1000 owner should be without this valuable resource book!

Only \$5.00 ... postpaid

How to order. Make checks and money orders in the amount of \$5.00 payable to E. Arthur Brown Company, MN residents add 5% sales tax VISA & Mastercard: Give card name, number, expiration date, and sign your order. Finally, print or type your name, address, and zip code on a blank sheet of paper and send it, along with your method of payment, to the address below.

E. Arthur Brown Company

Department ZC·2 1702 Oak Knoll Drive Alexandria, MN 56308

-81 Printer

Full 40 columns Prints library of regular

- inverse alpha-numerics and graphics Print in regular and enhanced (double
- type size) to list program from memory, print text or data from program, print screen
- •Includes mini-interface. Can be upgraded to use with high speed storage device, computer networking and other CAI peripherals
- For T/S 1000, ZX-81, ZX-80

Order by phone or mail. Check, money order, VISA or MasterCard (include number and exp. date) Postage \$5

CAI Instruments

PO Box 2032, Midland, MI 48640

517-687-7343

CIRCLE NO. 105 ON FREE INFORMATION CARD

Parallel, TTL Input I/O YPEWRITER/PRINTER

'SELECTRIC"®

Flash Unit Assembly

Same Flash Unit as Described By Forrest Mims of this Mag., Nov, Dec, Jan, '82-'83 Issues. Can be Flashed Every 1-1/3 sec.

Use Order No.



Call or Write for **Free**. 40 Page Catalog of Illustrated Electronic & Computer Equipment!

BNF Enterprises

119r FOSTER St. Peabody MA 01960 (617) 531-5774





Customer Pays All Shipping Charges.

CIRCLE NO. 102 ON FREE INFORMATION CARD

MODULES FOR:

IMEX-Sinclair

64K MEMORY \$119.95 KIT WHY PAY MORE? \$129.95 W&T

MODEM \$119.95 KIT \$149.5 W&T (RS-232 Port & Software Included)

RS-232 PRINTERINTERFACE Only \$59.95 KIT \$69.8 W&T

CONTROL MODULE \$59.56 KIT

8 Relays, 8 Inputs, 8 LED's \$69.95 W&T

Expand your 16K to 32K with our M-16 \$59.95 KIT \$69.95 W&T

90-Day Warranty On All Modules.

10- Day Return Priviledge **ORDER PHONE 803-532-5812**


BYTE-BACK CO. Rt. 3 Box 147 Brodie Rd. Leesville, S.C. 29070 CHECKS




THOUSANDS IN USE WITH PROVEN RELIABILITY.
ALL MODULES IN STOCK. CIRCLE NO. 103 ON FREE INFORMATION CARD

THE TEACHER PC For Your BASIC Viewing The complete teaching package for your use of the IBM Personal Computer. emA • Lessons in BASIC Presents · Lessons in Data Processing • IBM Manuals Guide • "Computer Lingo" exposed • Hardware "HOW TO" • Home Study Guide · Office Reference Manual and Much More MICRO COMPUTER DIVISION 55722 Santa Fe Trail Yucca Valley, CA 92284 (619) 365-9718

CIRCLE NO 106 ON FREE INFORMATION CARD



CIRCLE NO. 107 ON FREE INFORMATION CARD



CIRCLE NO. 108 ON FREE INFORMATION CARD



CIRCLE NO. 109 ON FREE INFORMATION CARD



High reliability Shugart 8" SA1002 hard disk drives.



(803) 877-7471 105 S. Main St. Greer, S.C. 29651

Add-on disk systems for IBM PC, OSBORNE, TRS-8011, XEROX, HEATH, S-100 and STD BUS from \$1500.00

CIRCLE NO. 110 ON FREE INFORMATION CARD



CIRCLE NO. 111 ON FREE INFORMATION CARD












NEW! M-68000 SINGLE BOARD COMPUTER



CIRCLE NO. 115 ON FREE INFORMATION CARD



CIRCLE NO. 116 ON FREE INFORMATION CARD



SHIPPING: ADD \$3.00 FOR UPS (+ 1.50 IF COD) ADD \$4.50 FOR UPS BLUE (+ 1.50 IF COD) CIRCLE NO. 117 ON FREE INFORMATION CARD





Double density, single sided, soft sectored diskettes with reinforced holes in a protective storage case for easy filing.

10 SCOTCH® Diskettes w/ protective case

\$23.50

Protective Storage case only \$2.00 Send your order to: FUTRA COMPANY, P.O. Box 4380, Dept. PE, Torrance, CA 90510

For Mastercard and Visa orders call 1-800-421-5006 or 213-328-8951. Add \$1.50 handling per every 3 cases (or boxes of disks). Calif. residents add 6% (LA county 6.5%) sales tax. Continental USA orders only please

CIRCLE NO. 118 ON FREE INFORMATION CARD

Wasting Money! We Have the World's Most Cost Effective Development System.



- Includes Hexkit 1.0, a powerful 100% machine code editor/ debugger utility program that makes coding for 8-bit Micros a snap.
- Program from Commodore
 VIC-20 keyboard into bullt-in
 4K ROM emulator
 Jumper to target ROM socket
- Test programs in circuit
 Built-in EPROM programmer
- and power supply

 Burns & runs EPROMS for the Commodore VIC-20, too Comprehensive manuals

 Fits EXPANSION PORT

PROMQUEEN CARTRIDGE ONLY \$199



Gloucester Computer Bus Co.

6 Brooks Rd. Gloucester, MA 01930 617-283-7719 VISA AND MASTERCARD ACCEPTED

CIRCLE NO. 119 ON FREE INFORMATION CARD

48K RAM BOARD FOR THE 400 with Lifetime Warranty

- · Highest quality available
- Reduces power consumptionReduces heat

\$175 48K Board (400) 32K Board (400/800) \$ 90

(800) 16K Board \$ 60

FREE SHIPPING ANYWHERE IN U.S.A.

NTEC

PERIPHERALS

CORP 906 E. Highland Ave.

San Bernardino, CA 92404 (714) 881-1533

ATARI, 400, 800 are Trademarks of ATARI, Inc.

CIRCLE NO. 120 ON FREE INFORMATION CARD

SINCLAIR ZX80/1 TIME X 1000

I/O Board with our Real Time Clock/Calendar

Time Month Date Year Day of wk 23:59:59 12 31 99 7 8 Outputs capable of driving relays • 8 TTL
Compatible inputs • Battery back-up for clock
• All software included • Feed through Sinclair
Bus connector to allow normal expansion
• Output lines expandable through Multiplexing
• 5 volt regulator • 90 day warranty,
Future products used with I/O board:
• Touch Tone™ encoder/decoder
• Speech and Sound synthesizer


Description
I/O port with real time clock*
PC board and manual of #310
A to D and D to A converter*
PC board and manual of #320
Wireless control system (BSR*)
Solidstate 25amp sw. modules*
Clock IC and crystal (tested)
Shipping and handling \$24.95 \$47.95 \$19.95

*Built and tested. Calif. residents add 6% tax Mail order, check/money orders Foreign orders in US money Visa/Mastercard

ik audio

P.O. Box 3295, Escondido, CA 92025 - 0580 Info. (619) 741-5132 24 hour order line only **NATL 800-227-1617** Calif. Res. 800-772-3545 Ext. 367

CIRCLE NO. 121 ON FREE INFORMATION/CARD



SPIKE-SPIKERS_{TM}...The Solution!

Minimize equipment damaging spikes and conducted RF noise to or from sensitive equipment. Transient surge protection plus low pass RFI hash filtering. All units 120V 15A.



MINI II \$44.95 Wall Mount 3-stage filter

2 sockets QUAD II \$59.95 Wall mount. Dual 3-stage filter 4 sockets & light

DELUXE \$79.95 Dual 5-stage filtered ckts. 8 switch sockets main switch, fuse, light





Kalglo Electronics Co., Inc. Order Factory Direct

65 84 Ruch Rd., Dept. C E Bethlehem, PA 18017 DEALERS INVITED

215-865-0006

800-523-9685 PA Res. Add 6% • COD add \$3.00 + Shipping

CIRCLE NO. 122 ON FREE INFORMATION CARD

SINCLAIR/TIMEX 1000

ZX81/TIMEX

TouchaMatic™ Overlay \$9.95 plus \$1.50 Postage/Handling

Call or send for FREE Catalog. SIGNALMAN MODEM

- Direct Connect
- 300 Baud
- Easy to use
- Accurate

\$89.95 Plus \$3.00 Postage/Handling.

KOPAK Creations, Inc. Dept. CE1 448 W. 55th St. New York, N.Y. 10019 (212) 757-8698 24 Hours MasterCard/Visa

CIRCLE NO. 123 ON FREE INFORMATION CARD



LEO ELECTRONICS, INC. 8921 S. Sepulveda #208 Los Angeles, CA 90045 (213) 641-3101 (800) 421-2418

WHY PAY MORE? SAVE MONEY! **LOWEST PRICES ON PARTS!**

EPROMS		REGULATORS	
2708	3.00	7805	.75
2716	4.00	7812	.75
2716-1(350ns)	6.50	7815	.75
TMS 2716	6.00	7905	.85
2732	7.50	7912	.85
2532	8.00	7915	.85
	the state of the state of	Settle Spirite in	

RAM	S
4116(200ns)	8/13.00
4116(150ns)	8/16.00
2114(200ns)	8/18.00
4164(200ns)	8/54.00
4164(150ns)	8/56.00

MICROPROCESSORS Z-80A-CPU 3.00 7.00 8080A

TERMS: Check, Visa, Mastercard. Call for C.O.D. U.S. Funds only. California Residents add 6.5% Tax. SHIPPING: Add \$2.00 for Ground \$5.00 for Air. ALL MAJOR MANUFACTURERS ALL PARTS 100% GUARANTEED

CIRCLE NO. 124 ON FREE INFORMATION CARD



CIRCLE NO. 125 ON FREE INFORMATION CARD



CIRCLE NO. 126 ON FREE INFORMATION CARD

Volrax sc-01A SPEECH SYNTHESIZER



\$50. Each 40 in 100's

Order in Ones or Thousands

The SC-01A Speech Synthesizer is a completely selfcontained solid state device. This single chip phonetically synthesizes continuous speech of unlimited vocabulary.

The SC-01A contains 64 different phonemes which are accessed by a 6-bit code. Computer interfaces and text-to-speech algorithms also available for product development. Largest U.S. Distributor Of Votrax Chips

Votrax is a trademark of Federal Screw Works

Call 1-800-645-3479, in N.Y. 1-516-374-6793

MICROMINT INC. 917 Midway Woodmere, N.Y. 11598



quantity pricing



CIRCLE NO. 127 ON FREE INFORMATION CARD

WILL BEAT ANY COMPETITOR'S PRICE PROVIDED IT IS NOT BELOW MY COST. TRY TO BEAT THESE IC PRICES:

D	YNAMIC RAI	M
64K	200 ns	\$5.75
64K	150 ns	6.25
16K	150 ns	1.25
	EPROM	
2764	250 ns	\$10.00
2732	450 ns	4.15
2716	450 ns	3.43
2532	450 ns	4.94
	STATIC RAM	
6116P-3	150 ns	\$4.75
6116LP-3	3 150 ns	5.50
2114	200 ns	1.60
美国建筑	Z80A FAMILY	,
CPU, CT	C, or PIO	\$ 3.50
DART		7.50
DMA or S	SIO/0	13.50

ard/VISA or UPS CASH COD All Prime Parts

MICROPROCESSORS UNLIMITED 24,000 South Peoria Av BEGGS, OK. 74421

(918) 267-4796

bject to change. Call for volume prices. Subject to available

CIRCLE NO. 128 ON FREE INFORMATION CARD

VIC-20

VIC-20 INTERFACING BLUE BOOK

Did you know that your VIC can be used to control a 99¢ toy motor so effectively that it runs like a precision machine? Or that you can build an accurate digital thermometer using

build an accurate digital thermometer using the VIC and four parts costing less than \$57

These and other 18 interfacing projects selected for usefulness, ease of construction and low cost are detailed in the VIC-20 Interfacing Blue Book, a veritable gold mine of practical information on how to build a variety of interfaces for your expense.

Tacing Bible Book, a veritable gold mine or practical information on how to build a variety of interfaces for your computer.

Projects include: Connecting VIC to your stereo; Pickproof digital lock; Capacitance meter; Liquid level sensor; Telephone dialer; Voice output; 8K/16K RAM/ROM expansion; 128K RAM expansion; 8-bit precision D/A; 8-bit A/D converter; MX-80 interface and more.

Written by a college professor in a friendly and informative style, the Blue Book gives you theory of operation, schematics, program listings, parts list, construction hints and sources of materials for each one of the 20 projects.

If you want to get the most out of your VIC.

sources of materials for each.

If you want to get the most out of your VIC
this book is a must. Cost is \$14.95 (less than 75c per project!). Price includes postage.

microsignal Dept. B1 P.O. BOX 22 MILLWOOD NY 10546

VIC-20

ANNOUNCING.

An affordable, commercial-quality Signature Analyzer.

Signature analysis is an exacting micro-processor troubleshooting tool. The #T1000 provides industry-compatible signatures at a third of the price.

The N.W.S. Inc., #T1000 will perform Signature Analysis on most microprocessor-based systems and projects. Stable signatures at up to 8 MHz, more than sufficient for all 8 and most 16 bit microprocessors.

Also available, *Implementing Signature Analysis*, a technical manual providing all the details necessary to implement Signature Analysis on any microprocessor-

Manual provided with each µT1000, or available separately

#11000 \$279.00 Implementing S.A. \$10.00 #T1000

N.W.S. Inc.

P.O. Box 62 Westminster, MD 21157 (301) 875-4054 (301) 848-4828 Dealer inquiries invited

CONTROL THE WORLD!

A/D conversion, high current outputs, switch closure and logic inputs, BASIC language, RS-232 and cassette interfaces, and EPROM programmer are only some of the features of this family of single board computers. The lowest cost unit can control more than 2000 external devices. Programmed learning text, software, and other support available. Industrial, educational, and home uses. Prices start below \$150.

Octagon Systems Corporation 5150 West 80th Avenue Suite B Westminster, CO 80020 (303) 426-9780









'HOW TO WRITE SOFTWARE FOR PROFIT'

Software is emerging as America's next multibillion dollar industry. Therefore, it is not surprising that a new breed of entrepreneur, born of high technology, has appeared on the scene to claim a share of the 'soft gold' which exists in today's lucrative software market. Many among these enterprising individuals are mere children; some of whom have barely reached their teens! HOW TO WRITE SOFT-WARE FOR PROFIT will teach you how to prepare your original software to sell. In areas ranging from video game firmware to scientific and engineering analysis programs, the manual will instruct you how, when and where to market your software for profit. To order, send \$10.00 ppd., check or money order to:

SBJ Publications

3124 S. Parker Road • Suite C292 Aurora, Colorado 80014

CIRCLE NO. 135 ON FREE INFORMATION CARD

TIMEX SINCLAIR 1000 SINCLAIR ZX81 SOFTWARE CALL OR WRITE FOR FREE CATALOG 50FT5YNC, INC. 14 E. 34th St. NY, NY 10016 212-685-2080

CIRCLE NO. 136 ON FREE INFORMATION CARD

★MICROCOMPUTER★

SUPER SALE EPROM'S 50 up 8 up 2716 (5V, 450nS) \$3.95 \$3.55 CALL 2732 (5V, 450nS) 7.49 6.55 CALL 2532 (5V, 450nS) 8.49 7.55 CALL 2764 (5V, 300nS) 19.95 CALL CALL STATIC RAM 6116P-3 (150nS) 6.50 6.30 CALL 2114L-2 (200nS) 2.10 1.70 CALL **DYNAMIC RAM** 4164-2 (200nS) 7.90 7.49 CALL (150nS also available) CALL MISC 16K RAM Expansion Kit for TRS-80 Mod III \$12.95/8 SUNTRONICS CO., INC. 12621 CRENSHAW BOULEVARD HAWTHORNE, CALIFORNIA 90250 STORE HOURS: Mon OUTSIDE CALIFORNIA TOLL FREE (213) 644-1149 1-800-421-5775

TRS-80 COMPUTERS

Model II 64k	\$3288
Model III 16k	\$825
Model III 48k 2 Drives RS232	\$2069
Color Computer 4k Level I	\$308
Color Computer 16k Extended Basic	

EPSON Printers

\$CALL

All printers and accessories in stock.

Discount Prices

on full line of Radio Shack & TCS Custom Computers and Accessories. Call for catalog

Texas Computer Systems

P.O. Box 1327 Arlington, Texas 76004-1327

TOLL FREE 800-433-5184 Texas Residents 817-274-5625

PAYMENT: Money order, cashier's check or certified check. Prices reflect 3% cash discount. Call for VISA and Mastercard prices.

CIRCLE NO. 137 ON FREE INFORMATION CARD

BUSINESS
SOFTWARE

MEDICAL MGMT...
DENTAL MGMT...
INSURANCE AGENT
LEGAL BILLING....

UNIVAIR INTERNATIONAL

PROPERTY MGMT.

AND MUCH MORE!

9024 St. Charles Rock Road ST. LOUIS, MISSOURI U.S.A. 63114

(314) 426-1099

CIRCLE NO. 138 ON FREE INFORMATION CARD

EDGE CARD CONNECTORS S-100 125 X .250 100 X 2 (100 PIN) (50 PIN) PC MOUNT 0TY WIREWRAP PC MOUNT 0TY WIREWRAP \$5.25 1 to 9 Pieces \$6.25 \$3.20 1 to 9 Pieces \$3.85 4.97 10 to 49 Pieces 5.82 3.05 10 to 49 Pieces 3.60 4.66 50 to 99 Pieces 5.45 2.56 50 to 99 Pieces 3.35 4.24 100 to 249 Pieces 4.95 2.40 100 to 249 Pieces 2.80 WESTLAND ELECTRONICS has a complete line of Texas Instruments Edge Card Connectors MEMORY 8/\$12.95 each 8/\$13.95 8/\$15.95 300 ns 250 ns 200 ns 8/\$17.95 \$ 7.25 \$ 4.49 150 ns P3 2K X 8 CMOS RAM 2K X 8 EPROM 4K X 8 EPROM \$ 6.95 \$18.00 HK X 8 \$18 SC-01 VOICE SYNTHESIZER CHIP \$55.00 WESTLAND ELECTRONICS now stocks all standard values of 1% metal film resistors from 10 OHMS to 1 MEG OHMS. 10 OHMS to 1 MEG OHMS. SEND FOR A COMPLETE CATALOG CALL OR WRITE: WESTLAND ELECTRONICS 37387 FORD ROAD WESTLAND, MI. 48185 313-728-0650 in Michigan 1-800-521-0664 outside Michigan

CIRCLE NO. 139 ON FREE INFORMATION CARD

COMPUTER CASSETTE



Data media for all microcomputers. Used nationwide by software manufacturers, hobbyists, schools and businesses. Premium 5-screw shell with leader fits all standard recorders.

SATISFACTION GUARANTEED OR MONEY BACK.

ITEM	1 DOZ.	2 DOZ.	Send for free brochure. Ask for quantity discounts. Calif. resi
C-05	7.50	□ 13.50	dents add sales tax. SHIPPING
C-10	8.00	□ 14.40	HANDLING (UPS) 1 doz. \$2 2 doz. \$3.50; 3 doz. \$4.50; ea
C-20	□ 10.00	□ 18.00	additional doz. \$.50. For parce
Hard Box	2.50	4.00	post instead of UPS add \$1 Outside Continental USA, add \$2

FOR IMMEDIATE SHIPMENT USE YOUR VISA OR MASTERCARD CALL 213/710-1430

YORK 10™Computerware 24573 Kittridge St., P1 Canoga Park. CA 91307

CIRCLE NO. 140 ON FREE INFORMATION CARD

NEW

COMPUTER MART FORMAT 2" x 3"

PICTURE YOUR AD HERE!

NEXT CLOSING DATE: FEB 1

ORDA CATALOG!

Just let us know and we'll mail you a FREE Creative Computing Catalog-16 pages filled with books, buyer's guides, magazines, and more!

To get your FREE catalog. write to: Creative Computing Catalog, Dept.NA9X, 39 East Hanover Ave., Morris Plains, NJ 07950.

nputers & Electronics Marketplace

CLASSIFIED RATES: Per Word, 15 Word Minimum. COMMERCIAL: \$4.00. PERSONAL: \$2.30, EXPAND-AD*: \$6.00. Ads set in all bold type @ 20% premium. Ads set with background screen @ 25% premium. **DISPLAY:** 1" × 2½", \$485.00. 2" × 2½", \$970.00. 3" × 2½", \$1,450.00. **GENERAL INFORMATION:** Frequency rates and prepayment discounts available. Payment must accompany order except credit card—Am. Ex., Diners, MC, VISA (include exp. date)—or accredited ad agency insertions. Copy subject to publisher's approval; must be typewritten or printed. First word set in caps. Advertisers using P.O. Boxes MUST supply permanent address and telephone number. Orders not acknowledged. They will appear in next available issue after receipt. Closing date: 1st of the 2nd month preceding cover date (e.g., Mar. issue closes Jan. 1). Send order & remittance to: Classified Advertising, COMPUTERS & ELECTRONICS Magazine, 1 Park Avenue, New York, NY 10016. Direct inquiries to Rose Lynch, (212) 725-7686

FOR SALE

GOVERNMENT and industrial surplus receivers, transmitters, snooperscopes, electronic parts, Picture Catalog 25 cents. Meshna, Nahant, Mass. 01908.

ELECTRONIC PARTS, semiconductors, kits. FREE FLYER. Large catalog \$1.00 deposit. BIGELOW ELECTRONICS, Bluffton, Ohio 45817

SAVE UP TO 50% on name brand test equipment. Free catalog and price list. Salen Electronics, Box 82, Skokie, IL

BUILD AND SAVE TV FARTH STATION DETECTIVE ELECTRONICS. Video Recorders, Color Cameras, advanced Telephone Projects. BROADCAST Electronics. 50 page color catalog of unusual electronic projects AIR MAILED \$3.00; with 3 hour audio cassette dramatization of our catalog \$5.00. Don Britton Enterprises, PO Drawer G, Waikiki, Hawaii 96815.

POLICE/FIRE SCANNERS, crystals, antennas, CBs, Radar Detectors. HPR, Box 19224, Denver, CO 80219

RECONDITIONED TEST EQUIPMENT \$1.00 for catalog. WALTER'S TEST EQUIPMENT, 2697 Nickel, San Pablo, CA 94806, (415) 724-0587

ELECTRONIC PARTS. Stamp for flyer, \$1.00 deposit for catalog. DAYTAPRO ELECTRONICS, 3029 N. Wilshire, Arlington Hts., IL 60004.

ELECTRONIC CATALOG. Over 4,500 items. Parts, & components. Everything needed by the hobbyist or technician. \$2.00 postage & handling (United States Only), refundable with first \$15.00 order. T & M Electronics, 472 East Main St., Patchogue, NY 11772. (516) 289-2520.

PRINTED CIRCUIT BOARDS, your artwork. Quick delivery. Reasonable. Atlas Circuits, Box 892, Lincolnton, NC 28092 (704) 735-3943

SATELLITE TELEVISION...HOWARD/COLEMAN boards to build your own receiver. For more information write ... ROBERT COLEMAN, Rt. 3, Box 58-APE, Travelers Rest,

SATELLITE TELEVISION INFORMATION \$4 Build or buy your Earth Station. Satellite Television, RD 3, Oxford, NY

SOUND SYNTHESIZER KITS-Surf \$19.95, Wind \$19.95, Wind Chimes \$24.95. Musical Accessories, many more. Catalog free. PAIA Electronics, Box J14359, Oklahoma City,

Telephone Listening Device

Record telephone conversations in your office or home. Connects between any cassette or tape recorder and your telephone or telephone LINE. Starts automatically when phone is answered. Records both sides of phone conversation. Stops recorder when phone is hung up. This device is not an answering service.



Super Powerful Wireless Mic

10 times more powerful than other mics. Transmits up to ½ mile to any FM radio. Easy to assemble kit. 15V battery (not incl.) Call (305) 725-1000 or send \$19.95-\$1.00 shipping per item to USI Corp., P.O.Box CE-2052, Melbourne,FI. 32901. COD's accept. For catalog of transmitters, voice scramblers and other specialty items, enclose \$2.00 to USI Corp.

SAVE 10 85%

SURPLUS and NEW EQUIP'T Blower/Fan



100-CFM 115-VAC \$8.79

(ITEM #16-940) - - Use for intake, exhaust, cool electronic gear. 4" diam. blade, mounts in 6-1/2" diam. opening. 4-1/4" deep. (2-1/2 lbs.)





• (ITEM #1066) - - High que, 1/2-HP. 12 to 36-VDC, 1200 to 3600-RPM. Motorize bikes, make small electric cars, drive pumps, compressors. Shaft 3/4" diam. Overall Igth. 9".

mal Retail Over \$100.00

RF MODULATORS for SATELLITE TELEVISION, MICROCOMPUTERS CCTV. Also monitors, cameras, kits.

FREE VIDEO CATALOG. Phone (402) 987-3771. Dealers Welcomed. ATV RESEARCH, 13-P Broadway, Dakota

FREE FLYER! IC's, resistors, capacitors, jacks, etc., plus SSM music synthesizer/audio IC's, power amp modules, analog delay IC's, computer books, and more. Also plans for analog delay/chorus unit! PGS Electronics, P.O. Box 749-A, Terre Haute, IN 47808.

SATELLITE TV FANTASTIC 80 TV CHANNELS

New antenna construction plans plus big 8×1 book loaded with aiming info, kits, LNAs and receivers at wholesale prices. Far better than cable TVL Fair and the control of t TVI Enjoy crystal clear reception. Send \$9.95 to-day. Add \$2.00 for 1st class (air mail) or call our 24 hr. COD order line (305)862-5068 Now.

Global TV Electronics, P.O. Box 219-E, Maitland, FL 32751

CABLE TV CONVERTERS & EQUIPMENT. Plans and parts. Build or buy. For more information send \$2.00: C & D ELECTRONICS INC., P.O. Box 21, Jenison, MI 49428.

Satellite Earth Station Complete systems from \$1,899.00 Call or write for our latest brochure. TENNESSEE ELECTRONICS

> P.O. Box 181108 Memphis, TN 38118 (901) 795-4504

SATELLITE TV

 SYSTEMS • COMPONENTS • LNA's • ANTENNAS • RECEIVERS •
 WE CAN HELP YOU!

HIGH FRONTIER

2230 E. Indian School Rd., Phoenix, AZ 85016 (602) 954-6008

ANTI



GRAVITY

LEVITATION **ELECTRONIC** No moving parts, magnets, gases or exotic fuels. BUILD FLYING MODELS. Plans, schematics, diagrams, performance charts & more in

PRIMER VOL. 105 pgs 8 x 10 mimeo \$20 ppd. GUARANTEED! VISA/ MC add \$5. FOREIGN ADD \$10. **SAUCER TECHNOLOGY, Box** 132-M, Eureka Springs, Ark. 72632

TELETYPE EQUIPMENT: Copy Military, Press, Weather, Amateur, Commercial Transmissions. Catalog \$1.00. WEATHER-MAP RECORDERS: Copy Satellite Photographs, National-Local Weather Maps. Learn How! \$1.00. Atlantic Sales, 3730 Nautilus Ave., Brooklyn, NY 11224. Phone: (212) 372-0349

MICRO TOPOLOGY EXPOSED! Discover the incredible detail of a microprocessor chip enlarged over 20,000 times into a large full color poster. See how an LSI circuit, the 6502 CPU, is built. Poster only \$4.50 with free 6502 fact sheet. OMICRON DIGITAL SYSTEMS LTD., Box 3055-PE, Falls

ELECTRONICS WALL CHART A VISUAL TOOL

- Design your own projects
- Analyze & Repair Circuits
 AC/DC Theory Power Supplies More
 3 Colors Easy to read 23 x 35
 Shipped in sturdy tube \$9.95 + \$1.00 postage

ELECTRONICS REFERENCE INC. P.O. BOX 312, BKLYN., N.Y. 11214

SAVE!!! (KITS) 2.5 GHZ Downconverter \$29.95, P/S less Transformer \$15.00. Plans \$7.50. Hoptronix, Box 402183, Garland, TX 75040.

SHORTWAVE AND SCANNER LISTENERS

Tune in spies, smugglers, secret satellites, under-cover agents, pirate stations, foreign broadcasts. Choose the proper equipment to hear more, hear far-ther...Discover listening excitement beyond your dreams by reading MONITORING TIMES, respected authority on monitoring. For your FIRES SAMPLE call toll-free TODAY! 1-800-438-8155 or 1-704-837-2216. or write: **GROVE ENTERPRISES**

Dept. A, 140 Dog Branch Road Brasstown, NC 28902

TELEPHONES AND ACCESSORIES. FCC registered. Send 20¢ stamp for catalog. UNIQUE COMMUNICATIONS, 6335 S.R. 97 Galion, Ohio 44833.



BUY DIRECT & SAVE



- AMATEUR MICROWAVE ANTENNA 26 DB Gain Advanced C



LINDSEY JET I WIRELESS THE ULTIMATE CABLE T.V. CONVERTER



58 CHANNEL INFRARED REMOTE CONTROL COMPLETLY PROGRAMMABLE

Send \$1 for Complete Catalog VISA • MASTERCARD • COD

DIRECT VIDEO SALES P.O. BOX 1329 JEFFERSONVILLE, INDIANA 47130 CALL TOLL FREE 1-800-626-5533

MICROWAVE TELEVISION "DOWNCONVERTERS." Exclusive new five stage design. Easily assembled. Catalogue: \$2.00 (refundable). NDS, Box 12652-E, Dallas, 75225.

LOUDSPEAKERS! Electro-Voice raw components ready to ship with competitive prices. FREE catalog. SONIX CO., Box 58-CE, Indian Head, MD 20640, (301) 753-6432

OVER 200 PROJECTS AND KITS. Send stamp for list, MATCO ELECTRONICS, Box 316P, Cadillac, MI 49601.

POLICE CODE UNSCRAMBLERS, lets you hear the coded messages of Police, Fire and Medical channels; magnetic mobile scanner antennas and other scanner accessories, satisfaction guaranteed. DNE Inc., Rt. 7, Box 257-A, Hot Springs, AR 71901. (501) 623-6027.

REPAIR ATARI GAMES AT HOME

Complete repair course on 3 hour video tape (Beta of VHS) plus schematics and technical literature enables you to start earning money right away. All popular repair parts in stock for immediate shipment. \$1.00 for parts/price list and additional information refundable with order. Exclusive National Distributor.

ELECTRONICS WAREHOUSE CORP. 1910 Coney Island Avenue Brooklyn, N.Y. 11230 (212) 375-2700

HOME MICROWAVE RECEIVER-2.0-2.6 GHz with 20" solid Parabolic dish and 40DB gain power supply in wood cabinet, complete system with cables — \$149.00. Send Money order only to: D.F.E., 414 North State College Blvd., Suite C-173, Anaheim, CA 92806. 6 month warranty. DEALER INQUIRIES WELCOME!!!

FREE FLYER 99 cent kits. Parts. Bargains Galore! ALLKIT, 434 West 4th St., West Islip, New York 11795.

TRANSISTORS, IC's, RF Power, LED's and Sanyo recharge able batteries. For best buys plus service call TOLL FREE 800-458-6053. PA call 800-672-7100. MC/VISA honored. Savings. Service. Quality. At: B&D we do it better. B&D EN-TERPRISES, Box 305, Kane, PA 16735.

TUBES. Large selection. Unused, in original cartons. SASE brings list. Fala Electronics, Box 04134-9, Milwaukee, WI

RESISTORS, ¼W½W5%C.F., 3¢ea., 1% Metalfilms. NO MINIMUMS, Quantity Discounts, Write: JR INDUSTRIES, 5834-A Swancreek, Toledo, OH 43614.

Call or Send for Free SINTEC **ELECTRONIC PARTS CATALOG**

Thousands of Quality Components No Mail Order "Seconds"!

800-526-5960 NJ Residents call 201-996-4093

Call Toll Free

Sintec, Drawer Q, Milford, NJ 08848

FAST, DEPENDABLE MAIL-ORDER! Prime semiconductors, parts, accessories. Free 54 page catalog. The Parts Store, Dept. 180, 999 44th St., Marion, IA 52302.

GUARANTEED SAVINGS. I.C.'s, Rams, E-Proms. Cheapest possible prices. Send \$1.00 for list. \$5.00 REFUNDABLE. Clement Associates, 6000 Etiwanda Ave., No. 215, Tarzana, CA 91356



From the worlds oldest and largest speaker kit manufacturer, SPEAKERLAB. Save up to 30% on the speaker designs critics rave about. From tiny bookshelf speakers to slender, floor-standing models to massive folded corner horns. PLUS the latest in state-of-the-art car speakers. All in Speakerlab's 1983 catalog. Send for it today. (Allow 4 - 6 weeks for delivery. Send \$1.25 for faster, first class postage.)

Dept. CE32, 735 N. Northlake Way Seattle, Washington 98103

OW NOISE Check or Money Order \$495.

110°K noise temp. The LNA used in commercial satelite earth stations. Immediate delivery. Military quality. 12 month guarantee. Factory repair service.

MICROWAVE SUPPLY CENTER 8223 Manchester, Playa Del Rey CA 90291

DIGITAL TAPE DRIVES, BRAEMAR CM600, original boxes \$132.00, SPACE AGE TECHNOLOGY, Box 30, South Bend.

CRYSTAL, TUBE EXPERIMENTER'S CATALOG - \$1.00. None Free. Kits, supplies, obsolete tubes. Laboratories, 1477-L, Garden Grove, CA 92642.

NEW UHF CONVERTERS and Cable units Sound out TV CH3 antenna connections Model A Gated. Pulse Suppressed, Model B Computerized Addressable, Model C Cable computerized Addressable, Send \$2, for information: J&D Engineering, P.O. Box 469, Boston, MA 02186. 1-617-837-8431



Home Satellite Receiver (501) 225-3100 PCM

\$1,995 Complete

Special Offer

Power Consultants Microwave 8B Woodberry Road • Little Rock Arkansas 72212

ELECTRONICS-VISUALIZER® wall chart. A course in Basic Electronics. \$9.95 + \$1.00 postage. Electronics Reference Inc., Dept. B, P.O. Box 312, Bklyn, NY 11214.



34db System Gain (or Greater) Complete System (pictured) \$149.95 Down Converter Probe Style (Assembled & Tested) \$ 64.95 Power Supply (12V to 16V DC+) (Assembled & Tested) \$ 59.95 PETERSON **ELECTRONICS** 4558 Auburn Blvd. Sacramento, CA 95841

(916) 486-9071 SPECIAL QUANTITY PRICING Dealers Wanted - COD'S



VISA

SEE THE WEATHER AND SAVE \$1.000!

. 0

1 YEAR WARRANTY

PARTS & LABOR

A leading manufacturer of commercial

weather chart recorders has developed a facsimile Weather Chart Recorder Kit for use by hobbyists, amateurs, pilots, and educators.

All you need is a stable HF generalcoverage receiver to tune in weather facsimile frequencies-your recorder will print out accurate weather charts. Major components in this easy-to-build kit are pre-assembled and tested. And the recorder is backed by a limited warranty against defects. Special kit price is \$995. Add \$5 for shipping and handling in the U.S. and Canada. (For Massachusetts delivery, add \$49.75 sales tax.) Master Card and Visa accepted.

Call or write for more information.

ALDENELECTRONICS

Washington Street, Westborough, MA 01581 (617) 366-8851

HOW TO BUILD A SATELLITE TV LNA OR DOWNCON-VERTER! Save Hundreds! Free Information! XANDI, Box 25647, Dept. 22G, Tempe, AZ 85282.

SATELLITE ANTENNA BUILD OR BUY from \$160. Approved leading Electronics magazine. Prototype Engineers, Box 1812 Deming, NM 88030.

FREE ELECTRONICS CATALOG: 2716 Eproms-\$3.97 ea; 100 assorted resistors-\$1.97; 100 assorted caps-\$2.97; 20 assorted 74 & 74LS ICs-\$4.97. Much More. RamPart, Room 301, Box 988, Evergreen, CO 80439.

MICRO CHIP POSTER! See braincell of Apple, Atari, Vic, Pet. Incredible color blowup, \$4.50 prepaid. OMICRON, Box 3055-PE, Falls Church, VA 22043.

MICROWAVE ANTENNA SYSTEM-2GHz, guaranteed, \$59.95. 24 hr. shipping, C.O.D.'s. Nevada Satellite Corporation, (702) 367-0333.

RESISTORS, ¼W5% C.F., 1-9/type \$0.03, 10/type \$0.025 100/type \$0.015, 500/type \$0.013, 1000/type \$0.011. Quantity discount. Presto Enterprise, Box 9060, San Jose, CA 95157

DAISY WHEEL PRINTERS. High Speed Diablo Hytype Printer with Serial or Centronics Interface, 132 Column, friction feed, 2,000 character print buffer. Supports Bidirectional, Bold, Underline, Strike-through, Subscripts, Super-scripts, True Proportional Spacing, Graphics on 1/120 inch, Tab Stops, Communications Commands, Self Tests. Includes metal daisywheel, ribbon, power supply and warranty. \$795 Limited quantity. ADCOCK & JOHNSON (817)

COMPUTER EQUIPMENT/PARTS

SAVE 90% Build Your own Minicomputer. Free Details. Digatek, 2723 West Butler Dr., Suite 20C, Phoenix, AZ 85021.

PLUGS-INS AND ADD-ONS FOR THE IBM PERSONAL COMPUTER. Available in kit form as well as assembled. Build it yourself and save. Free information. Compatible Computer Corp., Dept CE 9, Box 51102, Seattle, WA 98115.

ZENITH ZVM/1Z1, 12" diagonal green screen \$105. TIMEX/ SINCLAIR 1000, \$89.95. MICROCOMPUTER RE-SOURCES, 33576 Orange Lawn, Livonia, Michigan 48150. (313) 522-6151

MICROPROCESSOR CRYSTALS, wide range of frequencies. Example: 4mhg \$2.00 each. Write: Sigmotek, 327 Clarkin Court, Walnut Creek, CA 94598.

APPLE BUILDERS—Send stamp for our flyer of Apple parts. IC sets, ROM sets, connectors, Shugart drive to Apple modification kits etc. Electrovalue Industrial Inc., Box 157-P, Morris Plains, NJ 07950.

TIMEX/SINCLAIR: Hardware, Software, books. Large CATALOGUE, \$1.00, REFUNDABLE. Allco Products, Box 43074, Detroit, Michigan 48243-0074.

DIRECT VIDEO FOR SINCLAIR ZX-81 \$9.95. 12" B&W video monitor \$98.45. RANDOM ACCESS, Box 41770C, Phoenix,

COMPUTER SOFTWARE

SINCLAIR Zx81/TS-1000/TRS-80 COLOR COMPUTER PROGRAMS. Wide selection/High quality. Catalog \$1.00. Zeta Software, Box 3522, Greenville, SC 29608.

DISCOUNT SOFTWARE—Available for Apple, TRS-80 and TI 99/4 Personal Computers. Professional applications for the doctor, dentist, attorney, school administrator, teacher, contractor and general office personnel. Catalog, \$1.00. Creative Discount Software, 256 S. Robertson Blvd., Suite 2156, Beverly Hills, CA 90211.

THE CRITICAL CONNECTION! Now you can buy an inexpensive ATARI-400, and have it use the disk drives, printer and keyboard on your CP/M computer. Complete package \$147.00. DEALER INQUIRIES WELCOME. USS ENTER-PRISES, 6708 Landerwood Lane, San Jose, CA 95120,

TAX PROGRAM to assist you in organizing/preparing an accurate return. 1040 Schedule A-B on 16k Cassette. For Timex-Sinclair, Texas Instruments, Commodore, Apple, Tandy (Color, I/III). Bonus 1983 H&R Block Tax Workbook (\$5.95 value) included. Tax deductible, \$29.75. Specify machine. Eugene Bock, Associates, 135 Heartwood Dr., Lansdale, PA 19446, (215) 362-5082.

*APPLE-II*VIC-20*PET*CBM*RCA*ATARI-400/800*. Programs for above, send 50¢ pst&hdg for Catalog to: DATRON, 1191E. 3150N, Ogden, UT 84404.

ZX-81 & TS1000 Newsletter: Free Software-Hardware-articles and more! Z-WEST, Box 2411, Vista, CA 92083.

KAYPRO 2 SOFTWARE from any 8 inch disk to quality 5 inch format disk for just \$10 including postage. Have copies ready of all 85 volumes of famous user group on Kaypro 2 format \$10 each. Send \$2 for list. Sheepshead Software, P.O. Box 486, Boonville, CA 94515.

KROK-The great Sinclair/Timex game available only from Brown Cottage Industries. \$8.85 by check. 5486 Bright Hawk Court, Columbia, MD 21045.

VIC-20 AND SINCLAIR SOFTWARE under \$12.00: Send for information—TOPWARE, Box 92, Princeton, IL 61356.

SINCLAIR, TIMEX-SEND \$3.00 for p/h. Receive Software/ Hardware/Schematic information on 16K RAM, input/output (remote control), keyboard beep, mail list, 30 1K program 80/81 software conversion and more. Santa Fe, 2342 S. Dundee Ct., Highland, MI 48031.

FREE GAMES for the TI99/4A. Buy 1 for \$8, get another free. Choose from BlackJack, Checkers, Lunar SpaceWar. All 4 for \$15. TEXware Associates, 350 First North St., Wellington, IL 60973.

VIC 20: One Maze Chase, four number games, one adventure/cassette. All \$21.95. M. Pascall Software, Box 1143, Dept. CE, Santee, CA 92071.

VIC-20 USERS GROUP, receive newsletter, programs, discounts and more. Send SASE for information. P.O. Box 459, Dept 7, Ladson, South Carolina 29456.

ATTN: VIC 20 OWNERS! Draw Poker on cassette. Others soon. Only \$9.95 satisfaction guaranteed. TWILIGHT ENTERPRISES, P.O. Box 1958, Camp Verde, AZ 86322.

COMPUTER PUBLICATIONS

COMPUCOLOR/INTECOLOR — Basic/Graphic Books, Disks. Write/call for information. CHARLES PUBLISHING 130 Sherwood Drive, Dept CE, Hilton, New York 14468, (716)

AMATEUR RADIO

RADIO AMATEUR CALLBOOKS: 1983 Directories of Radio Amateurs around the world. U.S. Callbook \$23.00; Foreign Callbook \$22.00, shipping included. See your Dealer or write for FREE catalog. RADIO AMATEUR CALLBOOK, Dept CE, 925 Sherwood Dr., Lake Biuff, IL 60044.

CALL AND ORDER NOW. SPECIALS: Yaesu FT-102, \$999.; Kenwood TS-530S, \$600. DISCOUNTS! DISCOUNTS on many more! Fast shipping. MADISON ELECTRONICS, Houston, TX call: (713) 658-0268.

VIDEOSCAN 1000 Slow Scan TV - HIGH RESOLUTION (amateur, phone line, monitoring, teleconferencing).

CODE+STAR — DECODE Morse, RTTY, ASCII. LARGE
LEDs or connect computer/printer. MORSE-A-KEYER—CW Keyboard, TRI-VOLTAGE POWER SUPPLY, Kits/ Assembled, FREE brochures, MICROCRAFT CORPORA-TION, Box 513-PE, Thiensville, WI 53092. (414) 241-8144.

NO SALES TAX IN MONTANA! The New ICOM IC-R70 general coverage commercial grade receiver; List \$749, Cash \$649. Trades welcome. Catalog \$1. CONLEY RADIO, 318-P N. 16th, Billings, MT 59101. (406) 259-9554.

TIMEX/SINCLAIR

16K (ZX81), Dominos plus new games. Free brochure. \$9.95 cassette, check/M.O.: JPR SOFTWARE, Box 4155, Winter Park, Florida 32793.

C.B. EQUIPMENT

IMPROVE CB PERFORMANCE! Modification hardware, books plans, Catalog \$2. CBC INTERNATIONAL, Box 31500PE, Phoenix, AZ 85046.

CABLE TV



PLANS AND KITS

GIANT SCREEN TV projection system converts any television into 7-foot picture, Lens & instructions \$14.95. (Dealers welcome). Bell Video, 4616 Belair Rd., Baltimore, MD 21206.

TELEVISION TO OSCILLOSCOPE CONVERSION KIT, \$19.00. As featured in September, 1982 POPULAR ELEC-TRONICS. Microgrid, Box 613B, Ithaca, NY 14850.

TTL/CMOS LOGIC PROBE with pulse detector, Plans \$6.00. Mosley, 109 Rossford, White Sands, NM 88002

FREE PHONE CALLS MADE by users of this electronic device. Complete report and plans sold for information, Education only. \$7.50: DISTRIBUTORS MART, Box 333, Modena,

TESLA COIL-40" SPARKS! Plans \$7.50. Information 75 cents. Huntington Electronics, Box 2009-P, Huntington, Conn. 06484

"PROFESSIONAL" GIANT SCREEN PROJECTION TV -"Don't be fooled with cheap imitations!" "Build the best!" Use EXACT SAME TYPE LENSES and SCREENS utilized by Sony, Zenith, Pioneer, and Magnavox! Simple construction! Profitable! Illustrated information and complete parts catalog \$2.00. Money back guarantee! POLI-VISION, 168-F Dunmore St., Throop, PA 18512.

PROJECTION TV...Convert your TV to project 7 Foot picture...Results equal to \$2,500 projector...Total cost less than \$20.00. PLANS & LENS \$17.50. Illustrated information FREE, Macrocomcf, Washington Crossing, Pennsylvania 18977. Creditcard orders 24 hours. 215-736-3979.

ALARMS

SECURITY ALARMS. Recession proof EMPLOYMENT AND BUSINESS opportunities. Information \$1. SECURITY ELECTRONICS INTERNATIONAL, P.O. Box 1456-A, Grand Rapids, Michigan 49501.

......

BETTER EQUIPMENT, Longer Guarantee. You'll save! Catalog 50¢, refundable. AAS, 414A Lorna Square, B'ham, AL 35216

ENTIRE HOME PROTECTION UNDER \$60. How to build your own burglar alarm, \$4. TRK Industries, Box 2976, Kalamazoo, MI 49003-2976.

HIGH FIDELITY

DIAMOND NEEDLES and STEREO CARTRIDGES at DISCOUNT PRICES for SHURE, PICKERING, STAN-TON, EMPIRE, GRADO, AUDIO TECHNICA, ORTOFON. ADC, SONUS and Dynavector. Send S.A.S.E. free catalog. LYLE CARTRIDGES. Dept. P., Box 69, Brooklyn, NY 11218. For fast COD service Toll Free 800-221-0906. N.Y. State (212) 871-3303. 9AM-8PM except Sunday.

WANTED

GOLD, Silver, Platinum, Mercury, Tantalum wanted. Highest prices paid by refinery. Ores assayed. Free circular. Mercury Terminal, Box 191, Norwood, MA 02062.

TUBES: "Oldies", Latest. Supplies, components, schematics. Catalog Free (stamp appreciated). Steinmetz, 7519-PE Maplewood, Hammond, Ind. 46324.

HUGE INVENTORY! Thousands of types. Wholesale prices. FREE CATALOG! ETCO Electronics, DEPT. 290, Plattsburgh, NY 12901.

PERSONALS

MAKE FRIENDS WORLDWIDE through international correspondence, illustrated brochure free. Hermes-Verlag, Box 110660/Z, D-1000 Berlin 11, W. Germany.

CORRESPONDENCE FOR FRIENDSHIP IN PHILIPPINES, MALAYSIA. Free information. AAWS-(PE), Box 2777, Orcutt, California 93455-0777

PENFRIENDS-ENGLAND-USA, through correspondence. Send age, interests. Free reply. Harmony, Box 89PE, Brooklyn, New York, 11235.

UNIVERSITY DEGREES BY MAIL! Bachelors, Masters, Ph.D.'s ... Free revealing details, Counseling, Box 317-EP02, Tustin, California 92680.

UNIVERSITY DEGREES BY SPECIAL EVALUATION of existing credits and Job experience. Fast, inexpensive. Call (614) 863-1791. Or write: EVALUATION, Box 13151-X2, Columbus, Ohio 43213.

SCANDINAVIAN LADIES, sincere, seek correspondence for friendship, Details-Send stamp; Scannaclub, Box 4-(CE). Pittsford, NY 14534.

VITAMINS DIRECT FROM MANUFACTURER. 14 years quality service, unbelievable savings. FREE Catalog. LIFE CYCLE VITAMINS, 6354 Van Nuys Blvd., Dept 136CE, Van Nuys, CA 91401.

|--|

1	2	3	4	5
6	7	8	9	10
í1	12	13	14	15 (MINIMUM)
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30

Please refer to heading on first page of this section for ad placement information

COMMERCIAL: \$4.00. PERSONAL: \$2.30, EXPAND-AD*: \$6.00. # OF INSERTIONS _ # OF WORDS

PAYMENT ENCLOSED \$_ □ CHARGE: You will be billed monthly. □ American Express □ Diners □ Visa □ MasterCharge-Interbank # □

SIGNATURE_

PRINT NAME _ ADDRESS___

STATE CF-283

ORIENTAL SINGLES seeking cultural exchange, friendship, sharing, marriage. Write: CHERRY BLOSSOMS, Box 1021P, Honokaa, Hawaii 96727

BEAUTIFUL PHILIPPINE ladies seek nice friendship, correspondence! Photos, information, free! Transcor-B Box 2321, Manila, Philippines 2801.

INSTRUCTION

UNIVERSITY DEGREES BY MAIL! Bachelors, Masters, Ph.D.'s. Free revealing details. Counseling, Box 317-PE02, Tustin, California 92680.

LEARN WHILE ASLEEP! HYPNOTIZE! Astonishing details, strange catalog free! Autosuggestion, Box 24-ZD, Olympia, Washington 98507.

MEDICAL ELECTRONICS TECHNOLOGY, home study. Troubleshoot medical instruments. WTI, P.O. Box 3124, Fresno, CA 93650-3124

UNIVERSITY DEGREES BY SPECIAL EVALUATION of existing credits and Job Experience. Fast, inexpensive. Call (614) 863-1791. Or write: EVALUATION, Box 13151-A2, Columbus, Ohio 43213.



Learn at home in spare time. No previous experience needed—just a high school diploma. Now you can get the same training system used by many of the Fortune imployees. Fully accredited. Associate Degree awarded with major in Electrical Engineering Technology. Master the technology of electricity and meet the increased demand for trained engineering technicians nationwide. Graduate in as little as two years. Approved for G.I.'s and Veterans. Get free facts now. No obligation.

No salesman will call. Send for FREE FACTS.







Highly Effective Home Study BSEE Degree Program for Experienced Electronic Technicians Our New Advanced Placement Program grant: Credit for previous Schooling & Professional Experience. Advance Rapidly! Our 36th Year! FREE DESCRIPTIVE LITERATURE!

Cook's Institute of Electronics Engineering DESK 15 , P.O. BOX 20345, JACKSON, MS 39209

COMPUTER REPAIR, PROGRAMMING, WORD PRO-CESSING Courses. Exciting "Hands On" training in 4 months, lifetime placement assistance. Systems Technology Institute, 6442 Edgewater Drive, Orlando, FL 32810. (305) 299-6535.

HANDLE YOUR OWN LEGAL AFFAIRS - Be a Paralegal. Accredited Attorney Instruction. Home Study. FREE CATALOG. Southern Career Institute, Drawer 23E-2158, Boca Raton, FL 33427. (305) 368-2522.

TECHNICIAN'S NOTES: Learn Electronics Easily; formulas, shortcuts, references. \$3. TRK Industries, Box 2976, Kalamazoo, MI 49003-2976

REPAIR ELECTRONIC ORGANS—Revised home study course covers all current makes and models. Free booklet Niles Bryant School, P.O. Box 20153, Sacramento, CA 95820



F.C.C. COMMERCIAL RADIOTELEPHONE LICENSE. Home Study. Fast, inexpensive! Free details. COMMAND, Box 26348-P, San Francisco 94126.

FOR INVENTORS

INVENTORS! IDEAS HAVE VALUE!

Ever think of an idea, forget it and see it later on the market? Many people don't forget, act quickly and are rewarded by American Industry. Write down your idea! We offer free disclosure registration and initial consultation regarding your idea's potential value. Call or write without delay for your free information people are mation package.

AMERICAN INVENTORS CORPORATION 59 Interstate Drive, Dept. PE West Springfield, MA Q1089 (413) 737-5376

A fee Based Marketing Company Offices Coast to Coast

IDEAS, inventions, new products wanted! Call toll free 1-800-528-6050. In Arizona, 1-800-352-0458. Extension 831.

PATENT AND DEVELOP your invention. FREE PATENT IN-FORMATION. Richard L. Miller, P.E., 3612-E, Woolworth Building, New York, NY 10007, (212) 267-5252.

BUSINESS OPPORTUNITIES

FREE CATALOGS. Repair air conditioning, refrigeration. Tools, supplies, full instructions. Doolin, 2016 Canton, Dallas, Texas 75201

MECHANICALLY INCLINED individuals desiring ownership of Small Electronics Manufacturing Business-without investment. Write: BUSINESSES, 92-K2 Brighton 11th, Brooklyn, New York 11235.

ERASE DEBTS with little-known law—create wealth!! Details FREE—Moneywise, No. EE2, LaGrange, NY 12540.

MAILORDER OPPORTUNITY! Start profitable home business without experience or capital. Information free. Mail Order Associates, Dept 617, Montvale, NJ 07645.

ONE MAN CRT FACTORY. T.V.'s, Business machines Monitors, Scopes, VDT's. \$3.00 rebuilding nets \$100-\$500 each tube. Higher profits overseas. New/used. FACTORY, 1909 Louise, Crystal Lake, IL 60014. (815) 459-0666.

MAKE MONEY SELLING ELECTRONICS. Wholesale dealer catalog \$5. (redeemable). ETCO, Dept. 532, Box 840, Champlain, N.Y. 12919.

BORROW \$25,000 "OVERNIGHT." Any purpose, Keep indefinitely! Free Report! Success Research, Box 19739-GB, Indianapolis, IN 46219.

FREE BOOK "2042 Unique Proven Enterprises." Fabulous 'unknowns," second inflation income. Havlings-M. Carlsbad, CA 92008

LIFETIME INCOME, \$3,000 WEEKLY POSSIBLE! Unique system beats envelope stuffing anyday! Elliott, Box 7206-PE2, Columbia, MO 65205.

END YOUR MONEY WORRIES! Amazing system requires no investment. Guaranteed legal. Free Details. O. LOPEZ FINANCIAL SERVICES, INC., Box 650220, Miami, Florida 33165.

ATARI REPAIR BUSINESS. Start your own. Send \$5 for more information to: IRATA REPAIRS, 2562 E. Glade, Mesa, Arizona 85204

BE A TI99 COMPUTER DEALER. INEXPENSIVE. Start part time. Send \$4.95 for details. JOE. Box 321, Aurora, CO

BORROW \$300-\$30,000 INTEREST FREE! Keep indefinitely! Free Details. Write: American, 1601 Main, Plainfield, Indiana 46168.

I HAVE MADE A FORTUNE in Mail Order, selling information. Let me show you how. Write Kash CE701, Box 31051, Indianapolis, IN 46241.

BORROW \$30,000 without interest! All eligible. Repay anytime. Free details! Infohouse, Box 1004-CE1, New York, NY

AMAZING PROFITS SELLING How to Make Money Books! Details \$1.00; Tom, 298-E, Sandbug Lane, North Bend, Oregon 97459.

PICTURE TUBE REBUILDING EQUIPMENT - new and used. ATOLL TELEVISION, 6425 Irving Park, Chicago, IIlinois 60634, (312) 545-6667.



Big opportunities. Big profits. Earn quickly. Full or part time. Learn at home, it's easy. Do real jobs: All Tools—Materials Supplied. Lic. State of NJ—Appd. for Veterans. Send Name, and address for

Little Falls, N. J. 07424

INTERNATIONAL COMPANY WANTS serious part-time Send redeemable \$2.00 for details. PHOON, Box 20000, Dept. 246, Houston, TX 77025.

PROJECTION TV...Make \$\$\$'s assembling Projectors... Easy...Results comparable to \$2,500 projectors...Your total cost less than \$17.00—PLANS, LENS & Dealers information \$15.50...Illustrated information FREE...Macrocomcfx, Washington Crossing, Pennsylvania 18977. Creditcard orders 24 hours 215-736-2880.

OWN YOUR OWN BUSINESS. SPARE TIME AT HOME! Rubber stamp industry needs small manufacturers. We furnish all equipment and know-how! Particulars free! Write: Bill, Room RC376-MB, 1512 Jarvis, Chicago, IL 60626.

EMPLOYMENT OPPORTUNITIES

ELECTRONICS/AVIONICS EMPLOYMENT OPPORTUNI-TIES. Report on jobs now open. Details FREE. Aviation Employment Information Service, Box 240E, Northport, New York 11768

JOBS OVERSEAS - Big money fast. \$20,000 to \$50,000 plus per year. Call 716-842-6000, ext. 320.

ELECTRONIC FIRM is looking for assemblers interested in working at home. Send \$3.00 application fee. I.R.D.C., Dept. CE, Joppa Hill Road, Manchester, NH 03102.

BOOKS & MAGAZINES



FREE OFFER FREE

NOW you can get a FREE electronic kit when you order our HOW TO UNDER-STAND BASIC ELECTRONICS booklet

packed with illustrations and simple explanations. Send \$10.00: HOW TO COMPANY, P.O. Box 2592, Newport Beach, California, 92663-1592 10 Day Money back guarantee.

PUBLISHERS' OVERSTOCK. BARGAIN BOOKS 2,000 titles, all subjects! Free catalog: Hamilton's, 98-85 Clapboard, Danbury, CT 06810.

REAL ESTATE

NEW...FREE CATALOG! Top real estate values coast to coast! Please specify types, property and location desired. UNITED FARM AGENCY, 612-EP West 47th, Kansas City, MO 64112

RUBBER STAMPS

RUBBER STAMPS, BUSINESS CARDS. Free catalog 1-800-851-4945, Jackson's, E-100, Brownsville Rd., Mt. Vernon, III. 62864.

MISCELLANEOUS

MPG INCREASED! Bypass Pollution Devices easily RE-VERSIBLY!! Free details-Posco GEE2, LaGrangeville, NY

FREE PROMOTIONAL ALBUMS, concert tickets, stereos, etc. Information: BARRY PUBLICATIONS, 477 82nd Street, Brooklyn, NY 11209.

RETAIL ROSTER

CALIFORNIA

P.C. COMPUTERS, 10166 San Pablo Ave., El Cerrito 94530. (415) 527-6044. Commodore 64, VIC-20, Pet Specialists. In-House Maintenance.

LOUISIANA

THE COMPUTER PEOPLE — Apple, NEC, Osborne, Corvus Concept—Seminars, Sales, Service. Houma, Morgan City, Lafayette --- 1-800-352-5828.

NEW HAMPSHIRE

COMPUTER MART of NEW HAMPSHIRE, 170 Main Street, Nashua 03060. 603-883-2386. THE APPLE SPECIALISTS. Full line Hardware/Software. Training/Service.

OHIO

COMPUTERLAND/CLEVELAND: 4 convenient locations! Columbia Plaza, N. Olmsted, (216) 777-1433; Som Center, Mayfield Hgts., 461-1200; Belden Village, Akron-Canton, 493-7786; E. 9th St., Cleveland, 621-7262; IBM, Apple, Osborne, Altos, Fortune, peripherals. APPLICATIONS SOFTWARE TO FIT MOST NEEDS. FULL PROFESSIONAL SUPPORT. We know small computers

electronic components

ONE-STOP COMPONENT CENTER

OVER 665 QUALITY KITS & ELECTRONIC PARTS

ALABAMA rmingham American Electronic Supply	Avon Heathkit Electronic Center	Lexington Radio Electronic Equip. Co.	NEBRASKA	TENNESSEE
rmingham J.L.S. Electronics	Branford Shoreline Audio	Louisville Heathkit Electronic Center	Lincoln Computer Systems Inc.	Concord National Electric Cookeville Wagnon's Stereo C
rmingham Long's Electronics rmingham Micrologic, Inc.	New Haven Customized Computer Center	Louisville Peerless Electronic Equip. Co.	Lincoln Scott Electronic Supply Norfolk Caauwes Gun & Hobby Shop	Dyersburg Warren Knoxville Shield's Electronic S
prence Fuller Distributing	Wallingford	Paducah	Omaha Heathkit Electronic Center Omaha Scott Elect & Platte-Scott Elect	Knoxville Shield's Electronic S
Intsville Industrial Electronic Supply		LOUISIANA	Onland Scott Elect. & Flatte-Scott Elect.	Memphis Bluff City Electr Memphis Memphis Amateur Electr
Intsville	DELAWARE Computerland	Baton Rouge Davis Electronic Supply	NEVADA	Memphis
obile O.B.I. Electronics	Newark	Baton Rouge Industrial Elect. Supply	Las Vegas	Murfreesboro Murfreesboro Radio & I
ontgomery Handey's Electronic Center	Wilmington Laraco / Lafavette Radio	Baton Rouge Menard Electronics Covington Electronic Mart	Las vegas	Murfreesboro Standard Auto Nashville Eddie Warners Part
selika Southern Electronic Corp. Iscaloosa Radio Parts Inc.	Wilmington Micro Products Wilmington Wholesale Electronics	Gretna Pelican Electronics	NEW JERSEY	Nashville Electra Dis
ALASKA		Houma Pelican Electronics	Closter Radiomasters Edison William Electronic Supply	Oak Ridge Mr. Oak Ridge National Electr
nchorage Electronic Supply Center	FLORIDA	Kenner Heathkit Electronic Center Lake Charles Wholesale Radio Equipment	Fairlawn Heathkit Electronic Center	Oak Ridge National Electr Smyrna Delker Electr
chorage The Electronic Company	Coral Gables Olson Electronics Clearwater Amateur Electronic Supply	Metairie Pelican Electronic Supply	Lodi	Tullahoma
nchorage	Fort Lauderdale Tecktron Enterprises	Meridian Hooper Electronic Supply	Mantua Electronic World	TEXAS
ARIZONA	Gainesville Skipper Electronics	New Orleans	Ocean Heathkit Electronic Center Pompton Plains Computer Corner of NJ	Brownsville George's Electronic Control
ke Havasu City Electronics 4-U erra Vista	Hialeah Heathkit Electronic Center Hollywood Errico Inc.	Shreveport Industrial Electronic Supply	Somerset Radios Unlimited Trenton Lafayette Radio Supply Vineland Laraco / Vineland	Enid Trice Electr
cson Electronic City	Hollywood	Shreveport Southern Electronics Slidell Electronic Mart	Vineland Laraco / Vineland	Fort Worth Heathkit Electronic C
icson	Jacksonville Laraco of Florida Lakeland Lakeland Specialty	MARYLAND		Garland
ARKANSAS	Miami Herman Electronics	Aberdeen Harco Electronics	NEW MEXICO Alamagordo Basin Electronics	Houston Heathkit Electronic C
ttle Rock Southern Electronics	Miami Olson Flectronics	Annapolis Computers Ftc	Las Cruces Mannie's Electronics & Photo	Lubbock Trice Electr McAllen Carlos Franco Electr
CALIFORNIA	Orlando C & S Electronics Orlando Lafayette Stereo & Elect.	Annapolis J & M Electronics Baltimore Heathkit Electronic Center	NORTH CAROLINA	McAllen George's Flectronic
naheim Heathkit Electronic Center	Oakland Park Lafayette Radio	Beltsville Mark Electronics	Greensboro Heathkit Electronic Center	Richardson Martin Wholesale Electr
naheim R.F. Electronics ntioch Goodrich Electronics	Oakland Park Lafayette Radio Panama City Bay-Mar Electronics	College Park Electronics Plus	Greenville Pair Electronics	Richardson Trice Electr San Antonio Appliance Equipmer
ntioch Goodrich Electronics	Pensacola Forbes Electronics Pensacola Grice Electronics	Damascus Damascus C.B. Glen Burnie Revacto of Maryland Hagerstown Custom Computing	Winston-SalemTrayer-Yelverton Inc.	San Antonio
akersfield Jay Kern Electronics prkeley Al Lasher's Electronics	Pensacola Quad Electronics Plantation Heathkit Electronic Center	Hagerstown Custom Computing	NEW YORK	San Antonio Heathkit Electronic C
iena Park Ford Electronics	Plantation Heathkit Electronic Center	Laurei I ne Comm Center	Albany Greylock Electronics Amherst Heathkit Electronic Center	Waco L & M Who
rrney Caltronics Impbell Heathkit Electronic Center nico Payless Wholesale	Tampa A.M.F. Micro Computer Center Tampa Heathkit Electronic Center	Lavale J & M Electronics Rockville Heathkit Electronic Center	Amherst	UTAH
ico	Tampa Microcomputer Systems	Towson Baynesville Electronics	Buffalo Radio Equipment Corp.	Midvale Heathkit Electronic (Ogden Cater Supp
ula Vista Lion Electronics	OFOROM.	Towson Computers Etc.	Commack Spartan Electronics	Provo Alpine Electronic S
parlake Clearlake Electronics ncord Pacific Radio Supply	GEORGIA Atlanta	Towson Computers Unlimited	Hornell Hornell Electronics	Salt Lake City Best Distri Salt Lake City Kimball Elect
rning Nor-Cal Electronics	Atlanta A.C.M. Computer Mart Atlanta Heathkit Electronic Center	MASSACHUSETTS	Ithaca Rad-Tronics Jamestown Warren Radio Jericho Heathkit Electronic Center	Salt Lake City Kimball Elect Salt Lake City Mountain Coin Distril
sta Mesa Mar-Vac Flectronics	Atlanta CompuShop	Danvers Computer Electronic Consultants Littleton	Jericho Heathkit Electronic Center	Salt Lake City
rina	Augusta Bailey Computer Shop Columbus Radio Wholesale	Peabody Heathkit Electronic Center	Johnson City Unicorn Electronics	VERMONT
ress S.C.R. Electronics	Dalton A.C.M. Computer Mart	Pittsfield Pittsfield Radio Equipment	Kingston Greylock Electronics Kingston The Computer Shop	Burlington Greylock Elect Essex Junction I.E.S. Lafayette
ris Paradyme Consumer Elect.	La Grange Electronic Supply Stone Mountain Coleman's Electronics	Waltham Computer Mart Inc. Wellesley Heathkit Electronic Center	Newburgh Action Audio Inc. New York Manhattan Electronics New York That Electronics Plattsburgh I. C. E. Electronics	
reka Redwood Electronics ntana Fontana Electronics	Thomasville Day Electronics	MICHIGAN	New York Manhattan Electronics New York Taft Flectronics	VIRGINIA
sno National Computer	Warner Robbins	Adrian E & B Electronics	Plattsburgh I.C.E. Electronics	Alexandria
sno Sparky Electronics sno Whitcomm Electronics		Allen Park Olson Electronics Ann Arbor Wederneyer Elect. Supply	Plattsburgh .U Compute Poughkeepsie .Greylock Electronics Rensslaer .Electronic Stockroom Rochester .Heathkit Electronic Center	Annandale Arcade Elect Arlington Arlington Electronic Whole
ndale Eagle Electronics	Hilo	Battle Creek	Rensslaer Flectronic Stockroom	
eta Bill's Stereo	Honolulu Industrial Electronics	Bay City Kinda Distributing	Rochester Heathkit Electronic Center	Blacksburg Scotty's Radio Charlottesville Graves Elect
f Moon Bay . Strawflower Elect. / Radio Shack	Honolulu Integrated Circuit Supply	Bloomfield Electronic Supply Cadillac Cadillac Lafayette Elect Canton The Electronic Connection	Seneca	Falls Church Crossroad Elect. Whole
rbor City Bluff Electronics walian Gardens Carson Electronics	Pearl City Heathkit Electronic Center	Canton The Electronic Connection	Syracuse Nacompo Inc. Troy Trojan Electronic Supply	Hampton Electronic Sale
llywood	IDAHO	Dearborn	Utica AM-COM Electronics	Harrisonburg Electrical Whole Hopewell B&G Elect
Newcod Radioland / Inglewood Elect.	Boise Action Supply Boise Kimball Electronics	Detroit Electronic Parts Co.	Utica	Hopewell
Habra A.B.C. Electronics Mesa Heathkit Electronic Center	Boise Kimball Electronics Caldwell A-Gem Supply	Detroit	White Plains	Norfolk Avec Elect Norfolk Cain Elect
ncaster Consumer Electronics s Angeles	Pocatello Kimball Electronics	Detroit S & S Electronics East Detroit Heathkit Electronic Center	NORTH DAKOTA	Norfolk Priest Elect
	Twin Falls Central Electronics	East Detroit	Fargo Radio & TV Equipment	Portsmouth Electronics Uni
odesto Inland Electronics dedesto Pacific Radio nterey Zackit Tror Bay Coast Electronics tional City Willy's Electronics canside Calco Digital earside Electronic Center	ILLINOIS	Flint Shand Electronics	Fargo	Richmond Avec Elect Roanoke Avec Elect
interey Zackit	Addison Digital World, Inc.	Flint Shand Electronics Grand Rapids Micro World Inc.	ОНЮ	Vienna Electronic Equipment
fro Bay Coast Electronics	Berwyn B.B. & W. Electronics Carbondale Pick's Electronics	Grand Rapids Radio Parts Inc.	Akron	Virginia Beach Heathkit Electronic (
sanside Calco Digital	Chicago Heathkit Electronic Center	Grand Rapids T & W Electronics Grand Rapids Warren Radio Hancock Radio Shack	Cincinnati Heathkit Electronic Center	Warrenton
sanside Electronic Center	Chicago Howard Electronic Sales	Hancock	Cincinnati Micro Solutions	. WASHINGTON
ville Radio Mart	Chicago Olson Electronics Decatur Main Street Computer	Holland Bits & Bytes Jackson Fulton Radio Supply Kalamazoo Warren Radio Lansing Fulton Radio Supply Lansing Wedemeyer Elect. Supply	Cleveland Heathkit Electronic Center	Bellevue A.B.C. Communic
o Alto U.S. Electronics o Alto Zack Electronics	Downers Grove Heathkit Electronic Center East Chicago Arco Electronics	Kalamazoo	Columbus Heathkit Electronic Center Columbus Olson Electronics Dover T.V. Specialties	Bremerton Electronic Sup
mdale Radio Shack	East Chicago	Lansing Fulton Radio Supply	Dover	Everett A.B.C. Communic Hoquaim Harbor Flec
to Robles Mission Electronics	Groveland Moyer Electronics Harvey George Electronics	Livonia Norwest Electronics	Lima Warren Radio Massilion M.H. Martin Co.	Hoquaim Harbor Elect Kennewick C&J Elec
adena Dow Radio to Robles Mission Electronics nona Heathkit Electronic Center	Harvey George Electronics Melrose Park Olson Electronics Mount Prospect Tri-State Electronic Corp.	Livonia Norwest Electronics Madison Heights Olson Electronics Madison Heights Warren Radio	Mogadore Olson Electronics Parma Superior Electronics Toledo Heathkit Electronic Center	Kent Electronic Sup
ddingRadio Mart	Mount Prospect Tri-State Electronic Corp.	Madison Heights	Parma Superior Electronics	Moses Lake Ron's Electronic The Electronic
cramento	Niles	Midland Computronix Milan C&S Electronics	Toledo Warren Radio	Pasco Radio
cramento Zackit inas Salinas Radio	Peoria Computerland	Mount Clemens Olson Electronics	Toledo Warren Radio Youngstown Olson Electronics	Pasco Riverview Elector Pullman H & O Elector
inas Salinas Radio Bruno Bruce Electronics	Peoria Warren Radio Co. Rockford Computer Store of Rockford Rock Island Team Electronics	Mount Pleasant Barrs TV Muskegon H&R Electronics	Youngstown Ross Radio Co.	Richland Radio
Carlos	Rock Island	Niles Niles Radio Supply	OKLAHOMA	Seattle A.B.C. Communi
Diego Radio Shack / Mira Mesa	Schaumburg Data Domain of Schaumburg	Owosso Warren Radio	Oklahoma City Microlithics Inc. Oklahoma City Trice Wholesale Electronics	Seattle Amateur Radio Seattle Electronic Sup
Francisco San Fernando Electronics Sunset Electronics	Skokie Lillipute Computer South Holland Union Electronic Dist	Port Huron Main TV Radio Electric Saginaw Electronic Mart	OREGON	Seattle Empire Elec
Francisco Zack Electronics	INDIANA	Saint Clair Shores Bell Electronics Co.	Albany Oregon Ham Sales	Seattle Heathkit Electronic
Jose Peninsula Elect. Supply	Angola Lakeland Electronics	Sterling Heights Electronic Supermarket	Beaverton Norvac Electronics	Spokane Don's Stereo Center (I Spokane Personal Co
Jose United Radio and TV Luis Obispo Mid State Electronics	Bedford Elex Mart	Taylor Electronic World Taylor Tel Van Electronic Supply	Corvallis Norvac Electronics Corvallis Zero-Gee Communications	Tacoma
Rafael Electronics Plus	Bloomington Stansifer Radio	Traverse City Traverse City Elect. Supply	Dallas Zero-Gee Communications	Tukwila Heathkit Electronic Vancouver Heathkit Electronic
ta Ana Quality Electronics	Chesterton Chesterton Electronics Evansville Hutch & Son	Westland Olson Electronics	Portland Portland Radio Supply	
ta Clara Digital Pacific ta Cruz Santa Cruz Electronics	Gary Calumet Electronics	MINNESOTA	Roseburg Roseburg Musical Instrument Salem Computer Specialties	WEST VIRGINIA Elkins Williams Elec
ta Fe Springs Industrial Electronics	Indianapolis Heathkit Electronic Center Indianapolis Warren Radio Co.	Bemidji Bemidji Electronics Duluth Northwest Radio of Duluth	Salem Norvac Electronics	Fairmont T.P.S. Elec
ta Maria Caps Communications ta Maria Electronic Parts Supermart	Lafayette Von's Electronics	Hopkins Heathkit Electronic Center	Salem Zero-Gee Electronics	Morgantown Computer
ta Rosa Fred Plante Electronics	Muncie Pierce Electronics	Minneapolis Arme Flectronics	PENNSYLVANIA	Morgantown Electro D Morgantown State Elec
th Gate Mac's Electronics	South Bend Radio Distributing Co. South Bend TV Supply Co.	Minneapolis Industrial Arts Supply Saint Paul Heathkit Electronic Center	Braddock Left Electronics Butler Computer Center	Ripley
th Lake Tahoe Calpine Electronics nyvale Sunnyvale Electronics	Terre Haute Industrial Electronics	Winona Hiawatha Electronics	Chambersburg Sunrise Electronic Dist.	Wheeling Indus
rance Signal Electronics	IOWA	MISSISSIPPI	Drexel Hill	WISCONSIN
rance Torrance Electronics	Ames Electronic Supply, Inc.	Biloxi Hooper Electronic Supply	Erie	Kenosha Chester Electronic Milwaukee Amateur Electronic
cy G-TEC stin A.B.C. Electronic Supply	Bettendorf Memory Bank	Jackson Ellington Electronic Supply Oxford Oxford Software	Frazer Heathkit Electronic Center	Milwaukee Heathkit Electronic
lejo Zackit	Burlington Union Supply Co. Clinton R.J.S. Electronics	Pascagoula Hooper Electronic Supply	Lancaster Computer TV & Sound Systems	Milwaukee Olson Elec
Nuys Thrifty Electronics	Davenport	MISSOURI	McKeesport Barno Radio Philadelphia Heathkit Electronic Center	Milwaukee Petted Micro S Rhinelander New-U Elec
stminster JK Electronics	Des Moines	Bridgeton Heathkit Electronic Center	Philadelphia Spectrum Electronics	
ittler Whittler Electronics odland Hills Heathkit Electronic Center	Des Moines Radio Trade Supply Iowa City Union Supply	Columbia Show Me Electronics	Phoenixville Stevens TV & Electric	Cheyenne Compúter Co
oa City Electronic World	Sioux City Moistad Distributing	Kansas City Burstein & Associates	Pittsburgh Heathkit Electronic Center	Rock Springs . D.C. Elec
	KANSAS	Kansas City Electronic Supply Co. Inc. Kansas City Walters Radio	Pittsburgh South Hills Electronics Pittsburgh The Computer House	FOREIGN
COLORADO	Hutchinson Hutchinson Flectronics	RollaShow Me Electronics	Reading Hamline Electronics	Guern: Agana Marianas Elec
COLUNADO	Kansas City Electronic Surplus Sales	Sedalia Show Me Electronics Springfield Show Me Electronics	Sweet Valley Hamiline Electronics York G.Y.C. Co.	Guatemala Electronica Pan Amo
rora Aurora Electronics	Mission Heathlit Clastronic Contro			PanamaSonit
rora Aurora Electronics orado Springs Calco Digital Equip. orado Springs Centennial Electronics	Mission Heathkit Electronic Center Salina Electronics Inc.			Panama Tropelo
rora Aurora Electronics orado Springs Calco Digital Equip. orado Springs Centennial Electronics tiver Fistell's Electronics	Mission Heathkit Electronic Center Salina Electronics Inc. Topeka Carroll Radio & TV Supply	MONTANA	RHODE ISLAND	Puerto Rico: Rio Piedras Microcompute
rora Aurora Electronics orado Springs Calco Digital Equip. orado Springs Centennial Electronics	Mission Heathkit Electronic Center Salina Electronics Inc.		RHODE ISLAND Cranston Jabbour Electronics Pawtucket Jabbour Electronics	Panama Tropek

SEE YOUR LOCAL AUTHORIZED



m-pak DISTRIBUTOR TODAY...

THE LEADING EDGE IN PRINTERS

ONE GREAT LINE. ONE GREAT WARRANTY.

Finally, there's one full family of printers that covers every business or word processing application—all from C. Itoh, a company known for packing more product into less price; and all distributed exclusively by Leading Edge, a company known for searching out and providing that very thing. Which means that one call to one source can get you any printer, any time you need it, for any purpose. All backed by a full years' warranty from Leading Edge. (Try that on any other line of printers.)


THE PRO'S.

The Prowriters: business printers—and more. The "more" is a dot-matrix process with more dots. It gives you denser, correspondence quality copy (as opposed to business quality copy, which looks like a bad job of spray-painting).

Prowriter: 120 cps. 80 columns dot matrix compressable to 136. 10" carriage. Parallel or serial interface.

Prowriter 2: Same as Prowriter, except 15" carriage allows full 136 columns in normal print mode.

Parallel or serial interface.



THE STAR


The Starwriter F-10. In short (or more precisely, in a sleek 6" high, 30-pound unit), it gives you more of just about everything—except bulk and noise—than any other printer in its price range. It's a 40 cps letter-quality daisy-wheel with a bunch of built-in functions to simplify and speed up word processing.

It plugs into almost any micro on the market, serial or parallel.



THE MASTER.

The Printmaster F-10. Does all the same good stuff as the Starwriter except, at 55 cps, the Master does it faster.



Distributed Exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021 Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.